



**D-1. Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), BMI Percentile, 3-11 Years**

**Statewide Weighted Rate**      **78%**  
**Natl 50th Percentile**        **80%**  
**Natl 75th Percentile**        **86%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-2. Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), BMI Percentile, 12-17 Years**

**Statewide Weighted Rate**      **72%**  
**Natl 50th Percentile**        **78%**  
**Natl 75th Percentile**        **85%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	58.8%	34	
Greater Columbia	75.2%	133	
King	70.9%	172	
Seattle	75.5%	49	
East King	***	21	
South King	67.6%	102	
North Central	82.6%	46	
North Sound	57.3%	117	
Pierce	77.8%	81	
Salish	88.2%	34	
Southwest	45.7%	35	
Spokane	82.1%	78	
Thurston - Mason	78.8%	33	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

### D-3. Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), BMI Percentile, Total

Statewide Weighted Rate **76%**  
 Natl 50th Percentile **80%**  
 Natl 75th Percentile **85%**

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	65.2%	89	<span style="color: black;">■</span>
Greater Columbia	78.0%	381	<span style="color: gray;">■</span>
King	74.1%	436	<span style="color: gray;">■</span>
King County Total			
Seattle	72.4%	105	<span style="color: gray;">■</span>
East King	75.0%	52	<span style="color: gray;">■</span>
South King	74.6%	279	<span style="color: gray;">■</span>
North Central	81.6%	114	<span style="color: gray;">■</span>
North Sound	66.9%	314	<span style="color: black;">■</span>
Pierce	80.2%	243	<span style="color: gray;">■</span>
Salish	64.4%	87	<span style="color: black;">■</span>
Southwest	59.1%	88	<span style="color: black;">■</span>
Spokane	84.7%	216	<span style="color: green;">■</span>
Thurston - Mason	81.2%	85	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

#### Bar Chart Legend:

— Confidence Interval     | Statewide Weighted Rate     - - - National 50th Percentile     - - - National 75th Percentile

**D-4. Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), Nutrition Counseling, 3-11 Years**

**Statewide Weighted Rate**      **69%**  
**Natl 50th Percentile**        **72%**  
**Natl 75th Percentile**        **78%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	60.0%	55	
Greater Columbia	72.6%	248	
King	King County Total	72.0%	264
	Seattle	75.0%	56
	East King	67.7%	31
	South King	71.8%	177
North Central	91.2%	68	
North Sound	66.5%	197	
Pierce	64.2%	162	
Salish	45.3%	53	
Southwest	69.8%	53	
Spokane	75.4%	138	
Thurston - Mason	63.5%	52	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile

**D-5. Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), Nutrition Counseling, 12-17 Years**

**Statewide Weighted Rate**      **60%**  
**Natl 50th Percentile**        **68%**  
**Natl 75th Percentile**        **77%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	55.9%	34	
Greater Columbia	70.7%	133	
King	62.2%	172	
King County Total			
Seattle	67.3%	49	
East King	***	21	
South King	60.8%	102	
North Central	69.6%	46	
North Sound	51.3%	117	
Pierce	53.1%	81	
Salish	47.1%	34	
Southwest	45.7%	35	
Spokane	70.5%	78	
Thurston - Mason	63.6%	33	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**



**D-6. Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), Nutrition Counseling, Total**


**Statewide Weighted Rate**      **66%**  
**Natl 50th Percentile**        **71%**  
**Natl 75th Percentile**        **77%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**



## D-7. Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), Physical Activity Counseling, 3-11 Years

Statewide Weighted Rate **63%**  
 Natl 50th Percentile **67%**  
 Natl 75th Percentile **75%**

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



\*\*\* Data suppressed due to small sample size.


### Bar Chart Legend:

— Confidence Interval     | Statewide Weighted Rate     | National 50th Percentile     | National 75th Percentile

**D-8. Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), Physical Activity Counseling, 12-17 Years**

**Statewide Weighted Rate**      **61%**  
**Natl 50th Percentile**          **69%**  
**Natl 75th Percentile**          **76%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**


— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile



**D-9. Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), Physical Activity Counseling, Total**


**Statewide Weighted Rate**      **62%**  
**Natl 50th Percentile**        **68%**  
**Natl 75th Percentile**        **75%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-10. Childhood Immunization Status (CIS), DTaP**

**Statewide Weighted Rate** 65%  
**Natl 50th Percentile** 70%  
**Natl 75th Percentile** 76%

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	72.0%	75	Similar to State
Greater Columbia	72.9%	377	Better Than State
King	64.4%	438	Similar to State
King County Total			
Seattle	63.6%	99	Similar to State
East King	69.4%	49	Similar to State
South King	63.7%	289	Similar to State
North Central	76.2%	101	Better Than State
North Sound	70.4%	351	Better Than State
Pierce	63.7%	237	Similar to State
Salish	64.9%	77	Similar to State
Southwest	60.0%	85	Similar to State
Spokane	60.4%	192	Similar to State
Thurston - Mason	66.2%	71	Similar to State

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     | National 50th Percentile     | National 75th Percentile

**D-11. Childhood Immunization Status (CIS), IPV**

**Statewide Weighted Rate 81%**  
**Natl 50th Percentile 85%**  
**Natl 75th Percentile 89%**

■ Better Than State    
 ■ Similar to State    
 ■ Worse Than State  
■ Not Reported    
 ■ <30 Patients



Great Rivers	88.0%	75	
Greater Columbia	90.5%	377	
King	King County Total	82.2%	438
	Seattle	77.8%	99
	East King	85.7%	49
	South King	83.0%	289
North Central	87.1%	101	
North Sound	83.2%	351	
Pierce	79.7%	237	
Salish	83.1%	77	
Southwest	75.3%	85	
Spokane	72.9%	192	
Thurston - Mason	87.3%	71	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval    
 | Statewide Weighted Rate    
 - - - National 50th Percentile    
 - - - National 75th Percentile

**D-12. Childhood Immunization Status (CIS), MMR**


**Statewide Weighted Rate 80%**  
**Natl 50th Percentile 84%**  
**Natl 75th Percentile 87%**

■ Better Than State    
 ■ Similar to State    
 ■ Worse Than State  
■ Not Reported    
 ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-13. Childhood Immunization Status (CIS), HIB**

**Statewide Weighted Rate**      **80%**  
**Natl 50th Percentile**        **84%**  
**Natl 75th Percentile**        **87%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	82.7%	75	<span style="color: gray;">■</span>	
Greater Columbia	89.9%	377	<span style="color: green;">■</span>	
King	King County Total	78.8%	438	<span style="color: gray;">■</span>
	Seattle	73.7%	99	<span style="color: gray;">■</span>
	East King	85.7%	49	<span style="color: gray;">■</span>
	South King	79.2%	289	<span style="color: gray;">■</span>
North Central	87.1%	101	<span style="color: gray;">■</span>	
North Sound	83.2%	351	<span style="color: gray;">■</span>	
Pierce	77.2%	237	<span style="color: gray;">■</span>	
Salish	80.5%	77	<span style="color: gray;">■</span>	
Southwest	72.9%	85	<span style="color: gray;">■</span>	
Spokane	71.4%	192	<span style="color: black;">■</span>	
Thurston - Mason	84.5%	71	<span style="color: gray;">■</span>	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-14. Childhood Immunization Status (CIS), Hepatitis B**

**Statewide Weighted Rate**      **83%**  
**Natl 50th Percentile**        **87%**  
**Natl 75th Percentile**        **90%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	88.0%	75	
Greater Columbia	91.0%	377	
King	King County Total	85.6%	438
	Seattle	80.8%	99
	East King	87.8%	49
	South King	86.9%	289
North Central	87.1%	101	
North Sound	83.2%	351	
Pierce	84.8%	237	
Salish	87.0%	77	
Southwest	76.5%	85	
Spokane	74.0%	192	
Thurston - Mason	88.7%	71	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile

**D-15. Childhood Immunization Status (CIS), VZV**

**Statewide Weighted Rate 80%**  
**Natl 50th Percentile 84%**  
**Natl 75th Percentile 87%**

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	81.3%	75	<span style="color: gray;">■</span>	
Greater Columbia	88.3%	377	<span style="color: green;">■</span>	
King	King County Total	78.3%	438	<span style="color: gray;">■</span>
	Seattle	72.7%	99	<span style="color: gray;">■</span>
	East King	81.6%	49	<span style="color: gray;">■</span>
	South King	79.6%	289	<span style="color: gray;">■</span>
North Central	86.1%	101	<span style="color: gray;">■</span>	
North Sound	81.5%	351	<span style="color: gray;">■</span>	
Pierce	77.6%	237	<span style="color: gray;">■</span>	
Salish	80.5%	77	<span style="color: gray;">■</span>	
Southwest	76.5%	85	<span style="color: gray;">■</span>	
Spokane	68.8%	192	<span style="color: black;">■</span>	
Thurston - Mason	88.7%	71	<span style="color: gray;">■</span>	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     | National 50th Percentile     | National 75th Percentile

**D-16. Childhood Immunization Status (CIS), Pneumococcal**

**Statewide Weighted Rate**      **68%**  
**Natl 50th Percentile**        **71%**  
**Natl 75th Percentile**        **76%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	73.3%	75	
Greater Columbia	76.9%	377	
King	King County Total	66.7%	438
	Seattle	64.6%	99
	East King	71.4%	49
	South King	66.4%	289
North Central	78.2%	101	
North Sound	71.2%	351	
Pierce	66.7%	237	
Salish	63.6%	77	
Southwest	62.4%	85	
Spokane	59.9%	192	
Thurston - Mason	67.6%	71	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**


— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile



### D-17. Childhood Immunization Status (CIS), Hepatitis A

**Statewide Weighted Rate**     **76%**  
**Natl 50th Percentile**         **82%**  
**Natl 75th Percentile**         **84%**

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

#### Bar Chart Legend:

— Confidence Interval     | Statewide Weighted Rate     | National 50th Percentile     | National 75th Percentile

**D-18. Childhood Immunization Status (CIS), Rotavirus**

**Statewide Weighted Rate**      **67%**  
**Natl 50th Percentile**        **69%**  
**Natl 75th Percentile**        **74%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	76.0%	75	
Greater Columbia	76.4%	377	
King	King County Total	67.8%	438
	Seattle	61.6%	99
	East King	73.5%	49
	South King	68.9%	289
North Central	76.2%	101	
North Sound	71.2%	351	
Pierce	65.0%	237	
Salish	71.4%	77	
Southwest	52.9%	85	
Spokane	62.0%	192	
Thurston - Mason	74.6%	71	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-19. Childhood Immunization Status (CIS), Influenza**

**Statewide Weighted Rate 44%**  
**Natl 50th Percentile 41%**  
**Natl 75th Percentile 48%**

■ Better Than State    
 ■ Similar to State    
 ■ Worse Than State  
■ Not Reported    
 ■ <30 Patients



Great Rivers	34.7%	75	Similar to State
Greater Columbia	50.4%	377	Better Than State
King	48.9%	438	Better Than State
King County Total	48.9%	438	Better Than State
Seattle	47.5%	99	Similar to State
East King	53.1%	49	Similar to State
South King	48.4%	289	Similar to State
North Central	52.5%	101	Similar to State
North Sound	45.9%	351	Similar to State
Pierce	40.1%	237	Similar to State
Salish	50.6%	77	Similar to State
Southwest	29.4%	85	Worse Than State
Spokane	35.4%	192	Worse Than State
Thurston - Mason	47.9%	71	Similar to State

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval    
 | Statewide Weighted Rate    
 | National 50th Percentile    
 | National 75th Percentile

**D-20. Childhood Immunization Status (CIS), Combo 3**

**Statewide Weighted Rate**     **61%**  
**Natl 50th Percentile**         **64%**  
**Natl 75th Percentile**         **69%**

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     | National 50th Percentile     | National 75th Percentile

**D-21. Childhood Immunization Status (CIS), Combo 7**

**Statewide Weighted Rate**      55%  
**Natl 50th Percentile**        56%  
**Natl 75th Percentile**       61%


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	62.7%	75	
Greater Columbia	63.4%	377	
King	51.8%	438	
King County Total			
Seattle	46.5%	99	
East King	63.3%	49	
South King	51.6%	289	
North Central	69.3%	101	
North Sound	59.8%	351	
Pierce	52.7%	237	
Salish	50.6%	77	
Southwest	43.5%	85	
Spokane	47.9%	192	
Thurston - Mason	57.7%	71	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-22. Childhood Immunization Status (CIS), Combo 10**

**Statewide Weighted Rate 35%**  
**Natl 50th Percentile 31%**  
**Natl 75th Percentile 38%**

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	29.3%	75	
Greater Columbia	40.6%	377	
King	King County Total	38.6%	438
	Seattle	34.3%	99
	East King	46.9%	49
	South King	38.4%	289
North Central	47.5%	101	
North Sound	37.6%	351	
Pierce	32.5%	237	
Salish	33.8%	77	
Southwest	20.0%	85	
Spokane	29.7%	192	
Thurston - Mason	40.8%	71	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     | National 50th Percentile     | National 75th Percentile

**D-23. Childhood Immunization Status (CIS-E), DTaP**

**Statewide Weighted Rate**      65%  
**Natl 50th Percentile**      -----  
**Natl 75th Percentile**      -----

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	65.8%	1,686	<span style="color: gray;">■</span>
Greater Columbia	72.1%	5,613	<span style="color: green;">■</span>
King	62.1%	7,089	<span style="color: black;">■</span>
King County Total	62.1%	7,089	<span style="color: black;">■</span>
Seattle	63.6%	1,531	<span style="color: gray;">■</span>
East King	65.0%	822	<span style="color: gray;">■</span>
South King	61.1%	4,713	<span style="color: black;">■</span>
North Central	73.1%	2,013	<span style="color: green;">■</span>
North Sound	66.1%	5,117	<span style="color: green;">■</span>
Pierce	61.4%	4,448	<span style="color: black;">■</span>
Salish	65.4%	1,242	<span style="color: gray;">■</span>
Southwest	52.0%	2,420	<span style="color: black;">■</span>
Spokane	63.3%	3,509	<span style="color: gray;">■</span>
Thurston - Mason	66.4%	1,458	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-24. Childhood Immunization Status (CIS-E), IPV**

**Statewide Weighted Rate**      **81%**  
**Natl 50th Percentile**      -----  
**Natl 75th Percentile**      -----

- Better Than State
- Similar to State
- Worse Than State
- Not Reported
- <30 Patients



Great Rivers	83.2%	1,686	<span style="color: green;">■</span>	
Greater Columbia	88.2%	5,613	<span style="color: green;">■</span>	
King	King County Total	80.2%	7,089	<span style="color: gray;">■</span>
	Seattle	80.1%	1,531	<span style="color: gray;">■</span>
	East King	79.9%	822	<span style="color: gray;">■</span>
	South King	80.2%	4,713	<span style="color: gray;">■</span>
North Central	87.0%	2,013	<span style="color: green;">■</span>	
North Sound	80.8%	5,117	<span style="color: gray;">■</span>	
Pierce	79.4%	4,448	<span style="color: black;">■</span>	
Salish	80.1%	1,242	<span style="color: gray;">■</span>	
Southwest	67.7%	2,420	<span style="color: black;">■</span>	
Spokane	77.4%	3,509	<span style="color: black;">■</span>	
Thurston - Mason	84.0%	1,458	<span style="color: green;">■</span>	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

- Confidence Interval
- | Statewide Weighted Rate
- - - - National 50th Percentile
- - - - National 75th Percentile



**D-25. Childhood Immunization Status (CIS-E), MMR**

**Statewide Weighted Rate**      79%  
**Natl 50th Percentile**      -----  
**Natl 75th Percentile**      -----

- Better Than State
- Similar to State
- Worse Than State
- Not Reported
- <30 Patients



Great Rivers	82.2%	1,686	<span style="color: green;">■</span>	
Greater Columbia	86.9%	5,613	<span style="color: green;">■</span>	
King	King County Total	76.0%	7,089	<span style="color: black;">■</span>
	Seattle	74.3%	1,531	<span style="color: black;">■</span>
	East King	77.0%	822	<span style="color: gray;">■</span>
	South King	76.3%	4,713	<span style="color: black;">■</span>
North Central	85.4%	2,013	<span style="color: green;">■</span>	
North Sound	78.3%	5,117	<span style="color: gray;">■</span>	
Pierce	78.1%	4,448	<span style="color: gray;">■</span>	
Salish	80.2%	1,242	<span style="color: gray;">■</span>	
Southwest	69.2%	2,420	<span style="color: black;">■</span>	
Spokane	75.2%	3,509	<span style="color: black;">■</span>	
Thurston - Mason	83.3%	1,458	<span style="color: green;">■</span>	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

- Confidence Interval
- | Statewide Weighted Rate
- - - - National 50th Percentile
- - - - National 75th Percentile

**D-26. Childhood Immunization Status (CIS-E), HIB**


**Statewide Weighted Rate**      **80%**  
**Natl 50th Percentile**      -----  
**Natl 75th Percentile**      -----

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	81.4%	1,686	Similar to State	
Greater Columbia	88.3%	5,613	Better Than State	
King	King County Total	78.0%	7,089	Worse Than State
	Seattle	78.4%	1,531	Similar to State
	East King	79.4%	822	Similar to State
	South King	77.6%	4,713	Worse Than State
North Central	86.3%	2,013	Better Than State	
North Sound	80.7%	5,117	Similar to State	
Pierce	77.8%	4,448	Worse Than State	
Salish	78.8%	1,242	Similar to State	
Southwest	65.6%	2,420	Worse Than State	
Spokane	75.3%	3,509	Worse Than State	
Thurston - Mason	82.4%	1,458	Better Than State	

**Bar Chart Legend:**



**\*\*\* Data suppressed due to small sample size.**

**There are no national benchmarks reported for this measure in MY2022**

**D-27. Childhood Immunization Status (CIS-E), Hepatitis B**

**Statewide Weighted Rate**      **82%**  
**Natl 50th Percentile**      -----  
**Natl 75th Percentile**      -----

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	85.1%	1,686	<span style="color: green;">■</span>	
Greater Columbia	87.8%	5,613	<span style="color: green;">■</span>	
King	King County Total	82.4%	7,089	<span style="color: gray;">■</span>
	Seattle	81.6%	1,531	<span style="color: gray;">■</span>
	East King	79.6%	822	<span style="color: gray;">■</span>
	South King	83.1%	4,713	<span style="color: green;">■</span>
North Central	87.9%	2,013	<span style="color: green;">■</span>	
North Sound	80.2%	5,117	<span style="color: black;">■</span>	
Pierce	81.3%	4,448	<span style="color: gray;">■</span>	
Salish	82.4%	1,242	<span style="color: gray;">■</span>	
Southwest	68.1%	2,420	<span style="color: black;">■</span>	
Spokane	77.7%	3,509	<span style="color: black;">■</span>	
Thurston - Mason	85.2%	1,458	<span style="color: green;">■</span>	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - - National 50th Percentile      - - - - National 75th Percentile

**D-28. Childhood Immunization Status (CIS-E), VZV**

**Statewide Weighted Rate**      **78%**  
**Natl 50th Percentile**      -----  
**Natl 75th Percentile**      -----

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	81.1%	1,686	<span style="color: green;">■</span>
Greater Columbia	86.6%	5,613	<span style="color: green;">■</span>
King	76.7%	7,089	<span style="color: black;">■</span>
King County Total	75.8%	1,531	<span style="color: black;">■</span>
Seattle	75.8%	1,531	<span style="color: black;">■</span>
East King	76.4%	822	<span style="color: gray;">■</span>
South King	77.0%	4,713	<span style="color: black;">■</span>
North Central	84.2%	2,013	<span style="color: green;">■</span>
North Sound	77.4%	5,117	<span style="color: gray;">■</span>
Pierce	77.2%	4,448	<span style="color: black;">■</span>
Salish	79.7%	1,242	<span style="color: gray;">■</span>
Southwest	67.4%	2,420	<span style="color: black;">■</span>
Spokane	73.8%	3,509	<span style="color: black;">■</span>
Thurston - Mason	82.6%	1,458	<span style="color: green;">■</span>

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - - National 50th Percentile      - - - - National 75th Percentile

**D-29. Childhood Immunization Status (CIS-E), Pneumococcal**

**Statewide Weighted Rate**      **66%**  
**Natl 50th Percentile**      -----  
**Natl 75th Percentile**      -----

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	67.7%	1,686	<span style="color: gray;">■</span>	
Greater Columbia	73.8%	5,613	<span style="color: green;">■</span>	
King	King County Total	63.4%	7,089	<span style="color: black;">■</span>
	Seattle	62.8%	1,531	<span style="color: black;">■</span>
	East King	64.7%	822	<span style="color: gray;">■</span>
	South King	63.3%	4,713	<span style="color: black;">■</span>
North Central	73.5%	2,013	<span style="color: green;">■</span>	
North Sound	66.6%	5,117	<span style="color: gray;">■</span>	
Pierce	63.8%	4,448	<span style="color: black;">■</span>	
Salish	66.0%	1,242	<span style="color: gray;">■</span>	
Southwest	51.0%	2,420	<span style="color: black;">■</span>	
Spokane	64.3%	3,509	<span style="color: gray;">■</span>	
Thurston - Mason	66.9%	1,458	<span style="color: gray;">■</span>	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-30. Childhood Immunization Status (CIS-E), Hepatitis A**

Statewide Weighted Rate **76%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

- Better Than State
- Similar to State
- Worse Than State
- Not Reported
- <30 Patients



Great Rivers	78.5%	1,686	<span style="color: green;">■</span>
Greater Columbia	85.4%	5,613	<span style="color: green;">■</span>
King	74.5%	7,089	<span style="color: black;">■</span>
King County Total	75.5%	1,531	<span style="color: gray;">■</span>
Seattle	75.5%	1,531	<span style="color: gray;">■</span>
East King	74.1%	822	<span style="color: gray;">■</span>
South King	74.2%	4,713	<span style="color: black;">■</span>
North Central	82.4%	2,013	<span style="color: green;">■</span>
North Sound	74.8%	5,117	<span style="color: black;">■</span>
Pierce	74.7%	4,448	<span style="color: black;">■</span>
Salish	73.9%	1,242	<span style="color: gray;">■</span>
Southwest	62.3%	2,420	<span style="color: black;">■</span>
Spokane	71.7%	3,509	<span style="color: black;">■</span>
Thurston - Mason	80.9%	1,458	<span style="color: green;">■</span>

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

- Confidence Interval
- | Statewide Weighted Rate
- | National 50th Percentile
- | National 75th Percentile

**D-31. Childhood Immunization Status (CIS-E), Rotavirus**

Statewide Weighted Rate **66%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

- Better Than State
- Similar to State
- Worse Than State
- Not Reported
- <30 Patients



Great Rivers	67.7%	1,686	Similar to State	
Greater Columbia	72.8%	5,613	Better Than State	
King	King County Total	64.8%	7,089	Similar to State
	Seattle	59.6%	1,531	Worse Than State
	East King	65.1%	822	Similar to State
	South King	66.4%	4,713	Similar to State
North Central	72.4%	2,013	Better Than State	
North Sound	66.7%	5,117	Similar to State	
Pierce	64.0%	4,448	Worse Than State	
Salish	65.6%	1,242	Similar to State	
Southwest	50.1%	2,420	Worse Than State	
Spokane	62.7%	3,509	Worse Than State	
Thurston - Mason	66.7%	1,458	Similar to State	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

- Confidence Interval
- Statewide Weighted Rate
- National 50th Percentile
- National 75th Percentile

D-32. Childhood Immunization Status (CIS-E), Influenza

Statewide Weighted Rate **42%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	38.5%	1,686	<span style="color: black;">■</span>	
Greater Columbia	43.7%	5,613	<span style="color: green;">■</span>	
King	King County Total	47.2%	7,089	<span style="color: green;">■</span>
	Seattle	47.0%	1,531	<span style="color: green;">■</span>
	East King	48.4%	822	<span style="color: green;">■</span>
	South King	47.0%	4,713	<span style="color: green;">■</span>
North Central	41.8%	2,013	<span style="color: gray;">■</span>	
North Sound	43.9%	5,117	<span style="color: green;">■</span>	
Pierce	39.7%	4,448	<span style="color: black;">■</span>	
Salish	45.9%	1,242	<span style="color: green;">■</span>	
Southwest	29.6%	2,420	<span style="color: black;">■</span>	
Spokane	34.0%	3,509	<span style="color: black;">■</span>	
Thurston - Mason	44.2%	1,458	<span style="color: green;">■</span>	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

Bar Chart Legend:

— Confidence Interval     | Statewide Weighted Rate     - - - - National 50th Percentile     - - - - National 75th Percentile



**D-33. Childhood Immunization Status (CIS-E), Combo 3**

Statewide Weighted Rate **58%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients




Great Rivers	60.9%	1,686	<span style="color: green;">■</span>	
Greater Columbia	65.8%	5,613	<span style="color: green;">■</span>	
King	King County Total	54.2%	7,089	<span style="color: black;">■</span>
	Seattle	52.9%	1,531	<span style="color: black;">■</span>
	East King	57.2%	822	<span style="color: gray;">■</span>
	South King	54.1%	4,713	<span style="color: black;">■</span>
North Central	67.3%	2,013	<span style="color: green;">■</span>	
North Sound	59.0%	5,117	<span style="color: gray;">■</span>	
Pierce	56.3%	4,448	<span style="color: black;">■</span>	
Salish	58.8%	1,242	<span style="color: gray;">■</span>	
Southwest	43.7%	2,420	<span style="color: black;">■</span>	
Spokane	56.9%	3,509	<span style="color: gray;">■</span>	
Thurston - Mason	60.1%	1,458	<span style="color: gray;">■</span>	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**



**D-34. Childhood Immunization Status (CIS-E), Combo 7**

Statewide Weighted Rate **52%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	54.6%	1,686	<span style="color: green;">■</span>	
Greater Columbia	59.7%	5,613	<span style="color: green;">■</span>	
King	King County Total	48.7%	7,089	<span style="color: black;">■</span>
	Seattle	45.7%	1,531	<span style="color: black;">■</span>
	East King	51.7%	822	<span style="color: gray;">■</span>
	South King	49.1%	4,713	<span style="color: black;">■</span>
North Central	61.0%	2,013	<span style="color: green;">■</span>	
North Sound	53.0%	5,117	<span style="color: gray;">■</span>	
Pierce	50.1%	4,448	<span style="color: black;">■</span>	
Salish	50.5%	1,242	<span style="color: gray;">■</span>	
Southwest	37.5%	2,420	<span style="color: black;">■</span>	
Spokane	50.4%	3,509	<span style="color: gray;">■</span>	
Thurston - Mason	53.2%	1,458	<span style="color: gray;">■</span>	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     - - - - National 50th Percentile     - - - - National 75th Percentile

**D-35. Childhood Immunization Status (CIS-E), Combo 10**

Statewide Weighted Rate **32%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients




Great Rivers	29.6%	1,686	Black	
Greater Columbia	34.2%	5,613	Green	
King	King County Total	34.8%	7,089	Green
Seattle	33.5%	1,531	Gray	
East King	38.2%	822	Green	
South King	34.6%	4,713	Green	
North Central	34.2%	2,013	Green	
North Sound	34.5%	5,117	Green	
Pierce	30.0%	4,448	Black	
Salish	33.9%	1,242	Gray	
Southwest	21.2%	2,420	Black	
Spokane	27.9%	3,509	Black	
Thurston - Mason	33.6%	1,458	Gray	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**



**D-36. Immunizations for Adolescents (IMA), Meningococcal**

**Statewide Weighted Rate**      **71%**  
**Natl 50th Percentile**        **82%**  
**Natl 75th Percentile**        **86%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	73.3%	86	<span style="color: gray;">■</span>	
Greater Columbia	80.8%	400	<span style="color: green;">■</span>	
King	King County Total	68.5%	464	<span style="color: gray;">■</span>
	Seattle	68.1%	116	<span style="color: gray;">■</span>
	East King	64.7%	68	<span style="color: gray;">■</span>
	South King	70.1%	278	<span style="color: gray;">■</span>
North Central	82.5%	97	<span style="color: green;">■</span>	
North Sound	69.5%	328	<span style="color: gray;">■</span>	
Pierce	70.4%	240	<span style="color: gray;">■</span>	
Salish	57.1%	63	<span style="color: black;">■</span>	
Southwest	62.8%	94	<span style="color: gray;">■</span>	
Spokane	69.3%	163	<span style="color: gray;">■</span>	
Thurston - Mason	63.1%	84	<span style="color: gray;">■</span>	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-37. Immunizations for Adolescents (IMA), Tdap**

**Statewide Weighted Rate**     **84%**  
**Natl 50th Percentile**         **85%**  
**Natl 75th Percentile**         **88%**

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     | National 50th Percentile     | National 75th Percentile

**D-38. Immunizations for Adolescents (IMA), HPV**

**Statewide Weighted Rate 33%**  
**Natl 50th Percentile 35%**  
**Natl 75th Percentile 42%**

■ Better Than State    
 ■ Similar to State    
 ■ Worse Than State  
■ Not Reported    
 ■ <30 Patients



Great Rivers	25.6%	86	
Greater Columbia	43.8%	400	
King	30.6%	464	
King County Total			
Seattle	35.3%	116	
East King	27.9%	68	
South King	29.5%	278	
North Central	36.1%	97	
North Sound	33.8%	328	
Pierce	31.3%	240	
Salish	22.2%	63	
Southwest	24.5%	94	
Spokane	31.3%	163	
Thurston - Mason	34.5%	84	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval    
 | Statewide Weighted Rate    
 | National 50th Percentile    
 | National 75th Percentile

**D-39. Immunizations for Adolescents (IMA), Combo 1**

**Statewide Weighted Rate**      **70%**  
**Natl 50th Percentile**        **81%**  
**Natl 75th Percentile**        **85%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	73.3%	86	Similar to State	
Greater Columbia	80.8%	400	Better Than State	
King	King County Total	67.9%	464	Similar to State
	Seattle	68.1%	116	Similar to State
	East King	64.7%	68	Similar to State
	South King	69.1%	278	Similar to State
North Central	82.5%	97	Better Than State	
North Sound	68.6%	328	Similar to State	
Pierce	70.0%	240	Similar to State	
Salish	55.6%	63	Worse Than State	
Southwest	60.6%	94	Worse Than State	
Spokane	69.3%	163	Similar to State	
Thurston - Mason	60.7%	84	Similar to State	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile

**D-40. Immunizations for Adolescents (IMA), Combo 2**

**Statewide Weighted Rate 32%**  
**Natl 50th Percentile 34%**  
**Natl 75th Percentile 41%**

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     | National 50th Percentile     | National 75th Percentile



**D-41. Immunizations for Adolescents (IMA-E), Meningococcal**

Statewide Weighted Rate **70%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

- Better Than State
- Similar to State
- Worse Than State
- Not Reported
- <30 Patients



Great Rivers	65.3%	576	<span style="color: black;">■</span>	
Greater Columbia	79.9%	4,324	<span style="color: green;">■</span>	
King	King County Total	72.5%	3,920	<span style="color: green;">■</span>
	Seattle	72.8%	1,035	<span style="color: gray;">■</span>
	East King	68.1%	451	<span style="color: gray;">■</span>
	South King	73.2%	2,417	<span style="color: green;">■</span>
North Central	79.4%	759	<span style="color: green;">■</span>	
North Sound	70.7%	3,238	<span style="color: gray;">■</span>	
Pierce	66.9%	1,826	<span style="color: black;">■</span>	
Salish	58.0%	545	<span style="color: black;">■</span>	
Southwest	53.9%	545	<span style="color: black;">■</span>	
Spokane	61.7%	1,566	<span style="color: black;">■</span>	
Thurston - Mason	63.5%	609	<span style="color: black;">■</span>	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

- Confidence Interval
- | Statewide Weighted Rate
- - - - National 50th Percentile
- - - - National 75th Percentile

**D-42. Immunizations for Adolescents (IMA-E), Tdap**

**Statewide Weighted Rate**      **82%**  
**Natl 50th Percentile**      -----  
**Natl 75th Percentile**      -----

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients




Great Rivers	80.0%	576	<span style="color: gray;">■</span>	
Greater Columbia	86.9%	4,324	<span style="color: green;">■</span>	
King	King County Total	81.1%	3,920	<span style="color: gray;">■</span>
	Seattle	79.0%	1,035	<span style="color: black;">■</span>
	East King	78.0%	451	<span style="color: black;">■</span>
	South King	82.6%	2,417	<span style="color: gray;">■</span>
North Central	85.4%	759	<span style="color: green;">■</span>	
North Sound	82.0%	3,238	<span style="color: gray;">■</span>	
Pierce	80.0%	1,826	<span style="color: gray;">■</span>	
Salish	70.1%	545	<span style="color: black;">■</span>	
Southwest	76.3%	545	<span style="color: black;">■</span>	
Spokane	74.8%	1,566	<span style="color: black;">■</span>	
Thurston - Mason	77.7%	609	<span style="color: black;">■</span>	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**



**D-43. Immunizations for Adolescents (IMA-E), HPV**

**Statewide Weighted Rate**     **31%**  
**Natl 50th Percentile**     -----  
**Natl 75th Percentile**     -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients




Great Rivers	24.8%	576	<span style="color: black;">■</span>	
Greater Columbia	43.1%	4,324	<span style="color: green;">■</span>	
King	King County Total	31.1%	3,920	<span style="color: gray;">■</span>
	Seattle	36.2%	1,035	<span style="color: green;">■</span>
	East King	27.3%	451	<span style="color: gray;">■</span>
	South King	29.8%	2,417	<span style="color: gray;">■</span>
North Central	38.6%	759	<span style="color: green;">■</span>	
North Sound	33.3%	3,238	<span style="color: green;">■</span>	
Pierce	27.1%	1,826	<span style="color: black;">■</span>	
Salish	20.9%	545	<span style="color: black;">■</span>	
Southwest	19.3%	545	<span style="color: black;">■</span>	
Spokane	29.4%	1,566	<span style="color: gray;">■</span>	
Thurston - Mason	25.3%	609	<span style="color: black;">■</span>	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**



**D-44. Immunizations for Adolescents (IMA-E), Combo 1**

Statewide Weighted Rate **70%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	65.1%	576	<span style="color: black;">■</span>	
Greater Columbia	79.4%	4,324	<span style="color: green;">■</span>	
King	King County Total	71.7%	3,920	<span style="color: green;">■</span>
	Seattle	72.0%	1,035	<span style="color: gray;">■</span>
	East King	67.2%	451	<span style="color: gray;">■</span>
	South King	72.4%	2,417	<span style="color: green;">■</span>
North Central	79.2%	759	<span style="color: green;">■</span>	
North Sound	70.2%	3,238	<span style="color: gray;">■</span>	
Pierce	66.3%	1,826	<span style="color: black;">■</span>	
Salish	57.1%	545	<span style="color: black;">■</span>	
Southwest	52.8%	545	<span style="color: black;">■</span>	
Spokane	61.4%	1,566	<span style="color: black;">■</span>	
Thurston - Mason	62.4%	609	<span style="color: black;">■</span>	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     - - - - - National 50th Percentile     - - - - - National 75th Percentile

**D-45. Immunizations for Adolescents (IMA-E), Combo 2**

Statewide Weighted Rate **30%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients




Great Rivers	24.3%	576	<span style="color: black;">■</span>
Greater Columbia	42.0%	4,324	<span style="color: green;">■</span>
King	30.1%	3,920	<span style="color: gray;">■</span>
King County Total			
Seattle	34.3%	1,035	<span style="color: green;">■</span>
East King	26.8%	451	<span style="color: gray;">■</span>
South King	29.0%	2,417	<span style="color: gray;">■</span>
North Central	38.1%	759	<span style="color: green;">■</span>
North Sound	32.3%	3,238	<span style="color: green;">■</span>
Pierce	26.5%	1,826	<span style="color: black;">■</span>
Salish	19.1%	545	<span style="color: black;">■</span>
Southwest	18.5%	545	<span style="color: black;">■</span>
Spokane	28.4%	1,566	<span style="color: gray;">■</span>
Thurston - Mason	23.8%	609	<span style="color: black;">■</span>

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**


**Bar Chart Legend:**



## D-46. Lead Screening in Children (LSC)

Statewide Weighted Rate **32%**  
 Natl 50th Percentile **63%**  
 Natl 75th Percentile **70%**

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

### Bar Chart Legend:

— Confidence Interval   
 | Statewide Weighted Rate   
 - - - National 50th Percentile   
 - - - National 75th Percentile

## D-47. Breast Cancer Screening (BCS)

Statewide Weighted Rate **46%**  
 Natl 50th Percentile **52%**  
 Natl 75th Percentile **58%**

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



Great Rivers	42.3%	4,072	Worse Than State
Greater Columbia	53.1%	7,047	Better Than State
King	45.8%	15,523	Similar to State
King County Total	45.8%	15,523	Similar to State
Seattle	43.7%	5,524	Worse Than State
East King	49.3%	2,750	Better Than State
South King	46.1%	7,247	Similar to State
North Central	50.3%	2,990	Better Than State
North Sound	46.1%	10,103	Similar to State
Pierce	42.2%	7,973	Worse Than State
Salish	44.0%	3,570	Worse Than State
Southwest	44.5%	4,382	Worse Than State
Spokane	50.1%	6,691	Better Than State
Thurston - Mason	42.9%	3,181	Worse Than State

\*\*\* Data suppressed due to small sample size.

### Bar Chart Legend:

— Confidence Interval   
 | Statewide Weighted Rate   
 - - - National 50th Percentile   
 - - - National 75th Percentile

### D-48. Breast Cancer Screening (BCS-E), Total

Statewide Weighted Rate **46%**  
 Natl 50th Percentile **53%**  
 Natl 75th Percentile **57%**


■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



Great Rivers	42.2%	4,068	Worse Than State
Greater Columbia	53.0%	7,024	Better Than State
King	45.7%	15,476	Similar to State
Seattle	43.5%	5,507	Worse Than State
East King	49.2%	2,740	Better Than State
South King	46.0%	7,227	Similar to State
North Central	50.2%	2,985	Better Than State
North Sound	45.9%	10,068	Similar to State
Pierce	42.1%	7,959	Worse Than State
Salish	43.9%	3,561	Worse Than State
Southwest	44.3%	4,373	Worse Than State
Spokane	49.9%	6,671	Better Than State
Thurston - Mason	42.8%	3,172	Worse Than State

\*\*\* Data suppressed due to small sample size.

#### Bar Chart Legend:






## D-49. Cervical Cancer Screening (CCS)

**Statewide Weighted Rate** 55%  
**Natl 50th Percentile** 57%  
**Natl 75th Percentile** 62%

■ Better Than State    ■ Similar to State    ■ Worse Than State  
■ Not Reported    ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

### Bar Chart Legend:

— Confidence Interval    | Statewide Weighted Rate    | National 50th Percentile    | National 75th Percentile

**D-50. Colorectal Cancer Screening (COL), Age 50-75 Years**

Statewide Weighted Rate **36%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

- Better Than State
- Similar to State
- Worse Than State
- Not Reported
- <30 Patients



Great Rivers	27.0%	9,754	Worse Than State
Greater Columbia	38.8%	16,231	Better Than State
King	37.6%	39,634	Better Than State
King County Total	37.6%	39,634	Better Than State
Seattle	34.8%	15,634	Worse Than State
East King	40.1%	6,420	Better Than State
South King	39.3%	17,574	Better Than State
North Central	39.0%	6,954	Better Than State
North Sound	36.8%	24,145	Better Than State
Pierce	37.4%	19,029	Better Than State
Salish	31.1%	8,546	Worse Than State
Southwest	33.1%	10,385	Worse Than State
Spokane	32.5%	16,671	Worse Than State
Thurston - Mason	31.3%	7,639	Worse Than State

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

- Confidence Interval
- Statewide Weighted Rate
- National 50th Percentile
- National 75th Percentile

D-51. Colorectal Cancer Screening (COL), Total

Statewide Weighted Rate **32%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



Great Rivers	27.0%	9,754	<span style="color: black;">■</span>
Greater Columbia	38.8%	16,231	<span style="color: green;">■</span>
King	37.6%	39,634	<span style="color: green;">■</span>
King County Total	39.6%	39,634	<span style="color: green;">■</span>
Seattle	34.8%	15,634	<span style="color: green;">■</span>
East King	40.1%	6,420	<span style="color: green;">■</span>
South King	39.3%	17,574	<span style="color: green;">■</span>
North Central	39.0%	6,954	<span style="color: green;">■</span>
North Sound	36.8%	24,145	<span style="color: green;">■</span>
Pierce	37.4%	19,029	<span style="color: green;">■</span>
Salish	31.1%	8,546	<span style="color: gray;">■</span>
Southwest	33.1%	10,385	<span style="color: green;">■</span>
Spokane	32.5%	16,671	<span style="color: green;">■</span>
Thurston - Mason	31.3%	7,639	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

Bar Chart Legend:

— Confidence Interval   
 | Statewide Weighted Rate   
 - - - - National 50th Percentile   
 - - - - National 75th Percentile

## D-52. Colorectal Cancer Screening (COL-E), Age 50-75 Years

Statewide Weighted Rate **35%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	26.5%	9,685	<span style="color: black;">■</span>
Greater Columbia	38.3%	16,121	<span style="color: green;">■</span>
King	37.2%	39,376	<span style="color: green;">■</span>
King County Total	39.8%	6,387	<span style="color: green;">■</span>
Seattle	34.4%	15,540	<span style="color: gray;">■</span>
East King	38.9%	17,443	<span style="color: green;">■</span>
South King	38.5%	6,898	<span style="color: green;">■</span>
North Central	36.4%	23,983	<span style="color: green;">■</span>
North Sound	36.8%	18,862	<span style="color: green;">■</span>
Pierce	30.4%	8,470	<span style="color: black;">■</span>
Salish	32.6%	10,306	<span style="color: black;">■</span>
Southwest	32.0%	16,561	<span style="color: black;">■</span>
Spokane	30.9%	7,598	<span style="color: black;">■</span>
Thurston - Mason			<span style="color: black;">■</span>

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

### Bar Chart Legend:

— Confidence Interval     | Statewide Weighted Rate     - - - - National 50th Percentile     - - - - National 75th Percentile

D-53. Colorectal Cancer Screening (COL-E), Total

Statewide Weighted Rate **31%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

- Better Than State
- Similar to State
- Worse Than State
- Not Reported
- <30 Patients



Great Rivers	26.5%	9,685	<span style="color: black;">■</span>
Greater Columbia	38.3%	16,121	<span style="color: green;">■</span>
King	37.2%	39,376	<span style="color: green;">■</span>
King County Total	39.8%	6,387	<span style="color: green;">■</span>
Seattle	34.4%	15,540	<span style="color: green;">■</span>
East King	38.9%	17,443	<span style="color: green;">■</span>
South King	38.5%	6,898	<span style="color: green;">■</span>
North Central	36.4%	23,983	<span style="color: green;">■</span>
North Sound	36.8%	18,862	<span style="color: green;">■</span>
Pierce	30.4%	8,470	<span style="color: gray;">■</span>
Salish	32.6%	10,306	<span style="color: green;">■</span>
Southwest	32.0%	16,561	<span style="color: green;">■</span>
Spokane	30.9%	7,598	<span style="color: gray;">■</span>
Thurston - Mason			<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

Bar Chart Legend:

- Confidence Interval
- | Statewide Weighted Rate
- - - - National 50th Percentile
- - - - National 75th Percentile

**D-54. Chlamydia Screening in Women (CHL), 16-20 Years**

**Statewide Weighted Rate**      **44%**  
**Natl 50th Percentile**        **50%**  
**Natl 75th Percentile**        **60%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	38.3%	1,980	<span style="color: black;">■</span>
Greater Columbia	48.6%	5,887	<span style="color: green;">■</span>
King	47.0%	5,626	<span style="color: green;">■</span>
King County Total	47.0%	5,626	<span style="color: green;">■</span>
Seattle	49.1%	1,411	<span style="color: green;">■</span>
East King	41.9%	781	<span style="color: gray;">■</span>
South King	47.2%	3,433	<span style="color: green;">■</span>
North Central	39.5%	2,054	<span style="color: black;">■</span>
North Sound	39.2%	4,758	<span style="color: black;">■</span>
Pierce	47.0%	3,981	<span style="color: green;">■</span>
Salish	42.5%	1,370	<span style="color: gray;">■</span>
Southwest	39.5%	2,285	<span style="color: black;">■</span>
Spokane	44.2%	3,951	<span style="color: gray;">■</span>
Thurston - Mason	44.7%	1,410	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile

### D-55. Chlamydia Screening in Women (CHL), 21-24 Years

Statewide Weighted Rate **57%**  
 Natl 50th Percentile **62%**  
 Natl 75th Percentile **66%**

- Better Than State
- Similar to State
- Worse Than State
- Not Reported
- <30 Patients



\*\*\* Data suppressed due to small sample size.

#### Bar Chart Legend:

- Confidence Interval
- | Statewide Weighted Rate
- - - National 50th Percentile
- - - National 75th Percentile

D-56. Chlamydia Screening in Women (CHL), Total

Statewide Weighted Rate 50%  
 Natl 50th Percentile 56%  
 Natl 75th Percentile 63%

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



Great Rivers	46.1%	3,399	<span style="color: black;">■</span>
Greater Columbia	54.3%	11,393	<span style="color: green;">■</span>
King	54.3%	11,466	<span style="color: green;">■</span>
King County Total	54.3%	11,466	<span style="color: green;">■</span>
Seattle	56.5%	3,247	<span style="color: green;">■</span>
East King	49.4%	1,524	<span style="color: gray;">■</span>
South King	54.4%	6,694	<span style="color: green;">■</span>
North Central	46.1%	3,890	<span style="color: black;">■</span>
North Sound	45.3%	8,915	<span style="color: black;">■</span>
Pierce	52.5%	7,602	<span style="color: green;">■</span>
Salish	45.9%	2,447	<span style="color: black;">■</span>
Southwest	47.1%	4,409	<span style="color: black;">■</span>
Spokane	49.5%	7,595	<span style="color: gray;">■</span>
Thurston - Mason	49.9%	2,684	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

Bar Chart Legend:


— Confidence Interval   
 | Statewide Weighted Rate   
 - - - National 50th Percentile   
 - - - National 75th Percentile



**D-57. Appropriate Testing for Pharyngitis (CWP), 3-17 Years**

**Statewide Weighted Rate**      **77%**  
**Natl 50th Percentile**        **79%**  
**Natl 75th Percentile**        **84%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	76.5%	604	<span style="color: gray;">■</span>	
Greater Columbia	75.2%	2,713	<span style="color: gray;">■</span>	
King	King County Total	72.6%	1,046	<span style="color: black;">■</span>
	Seattle	79.9%	159	<span style="color: gray;">■</span>
	East King	70.2%	171	<span style="color: black;">■</span>
	South King	71.5%	715	<span style="color: black;">■</span>
North Central	74.5%	592	<span style="color: gray;">■</span>	
North Sound	73.4%	1,062	<span style="color: black;">■</span>	
Pierce	77.8%	841	<span style="color: gray;">■</span>	
Salish	81.9%	259	<span style="color: gray;">■</span>	
Southwest	83.2%	493	<span style="color: green;">■</span>	
Spokane	81.3%	1,371	<span style="color: green;">■</span>	
Thurston - Mason	82.2%	359	<span style="color: green;">■</span>	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-58. Appropriate Testing for Pharyngitis (CWP), 18-64 Years**

**Statewide Weighted Rate**      **75%**  
**Natl 50th Percentile**        **64%**  
**Natl 75th Percentile**        **73%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



County	Rate	Count
Great Rivers	69.3%	716
Greater Columbia	75.6%	1,995
King	72.8%	1,833
King County Total	72.8%	1,833
Seattle	72.3%	574
East King	74.0%	296
South King	72.7%	960
North Central	73.2%	507
North Sound	75.5%	1,374
Pierce	76.4%	1,308
Salish	76.3%	468
Southwest	78.3%	563
Spokane	75.4%	1,506
Thurston - Mason	75.2%	556

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**



### D-59. Appropriate Testing for Pharyngitis (CWP), Total

Statewide Weighted Rate **76%**  
 Natl 50th Percentile **74%**  
 Natl 75th Percentile **79%**


■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	72.6%	1,320	Worse Than State	
Greater Columbia	75.4%	4,708	Similar to State	
King	King County Total	72.7%	2,884	Worse Than State
	Seattle	74.0%	734	Similar to State
	East King	72.4%	468	Similar to State
	South King	72.2%	1,678	Worse Than State
North Central	73.9%	1,101	Similar to State	
North Sound	74.6%	2,436	Similar to State	
Pierce	76.9%	2,150	Similar to State	
Salish	78.3%	727	Similar to State	
Southwest	80.6%	1,056	Better Than State	
Spokane	78.2%	2,877	Better Than State	
Thurston - Mason	77.9%	915	Similar to State	

\*\*\* Data suppressed due to small sample size.

#### Bar Chart Legend:



**D-60. Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)**

**Statewide Weighted Rate 18%**  
**Natl 50th Percentile 22%**  
**Natl 75th Percentile 26%**

■ Better Than State    
 ■ Similar to State    
 ■ Worse Than State  
■ Not Reported    
 ■ <30 Patients



Great Rivers	19.6%	255	
Greater Columbia	15.8%	379	
King	15.8%	587	King County Total
	14.3%	230	Seattle
	17.5%	57	East King
	16.4%	298	South King
North Central	14.8%	149	
North Sound	19.0%	464	
Pierce	17.5%	537	
Salish	20.0%	160	
Southwest	21.4%	210	
Spokane	17.1%	525	
Thurston - Mason	18.4%	190	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval    
 | Statewide Weighted Rate    
 | National 50th Percentile    
 | National 75th Percentile

**D-61. Pharmacotherapy Management of COPD Exacerbation (PCE), Systemic Corticosteroid**

**Statewide Weighted Rate**      **75%**  
**Natl 50th Percentile**        **72%**  
**Natl 75th Percentile**        **78%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	75.5%	257
Greater Columbia	74.5%	282
King	King County Total	76.1% 547
	Seattle	71.8% 216
	East King	*** 27
	South King	79.3% 304
North Central	80.7%	88
North Sound	73.4%	338
Pierce	78.1%	462
Salish	81.0%	137
Southwest	63.9%	108
Spokane	70.2%	326
Thurston - Mason	69.8%	126

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-62. Pharmacotherapy Management of COPD Exacerbation (PCE), Bronchodilator**

**Statewide Weighted Rate**      **86%**  
**Natl 50th Percentile**        **85%**  
**Natl 75th Percentile**        **88%**

- Better Than State
- Similar to State
- Worse Than State
- Not Reported
- <30 Patients



Great Rivers	89.1%	257	Similar to State
Greater Columbia	78.4%	282	Worse Than State
King	91.4%	547	Better Than State
King County Total	91.4%	547	Better Than State
Seattle	94.9%	216	Better Than State
East King	***	27	Not Reported
South King	89.1%	304	Similar to State
North Central	88.6%	88	Similar to State
North Sound	84.0%	338	Similar to State
Pierce	85.9%	462	Similar to State
Salish	87.6%	137	Similar to State
Southwest	90.7%	108	Similar to State
Spokane	83.7%	326	Similar to State
Thurston - Mason	81.0%	126	Similar to State

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

- Confidence Interval
- Statewide Weighted Rate
- National 50th Percentile
- National 75th Percentile

**D-63. Asthma Medication Ratio (AMR), 5-11 Years**

**Statewide Weighted Rate**      **82%**  
**Natl 50th Percentile**        **76%**  
**Natl 75th Percentile**        **81%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	88.9%	72	
Greater Columbia	82.3%	254	
King	69.8%	262	
King County Total			
Seattle	66.2%	77	
East King	74.4%	43	
South King	70.4%	142	
North Central	90.4%	83	
North Sound	80.6%	222	
Pierce	82.9%	199	
Salish	93.2%	44	
Southwest	82.7%	75	
Spokane	93.7%	189	
Thurston - Mason	80.0%	60	

\*\*\* Data suppressed due to small sample size.



**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-64. Asthma Medication Ratio (AMR), 12-18 Years**

**Statewide Weighted Rate** 76%  
**Natl 50th Percentile** 69%  
**Natl 75th Percentile** 74%

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**


— Confidence Interval     | Statewide Weighted Rate     | National 50th Percentile     | National 75th Percentile



**D-65. Asthma Medication Ratio (AMR), 19-50 Years**

**Statewide Weighted Rate** 69%  
**Natl 50th Percentile** 60%  
**Natl 75th Percentile** 66%

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	71.2%	392	<span style="color: gray;">■</span>
Greater Columbia	70.3%	789	<span style="color: gray;">■</span>
King	66.4%	1,117	<span style="color: black;">■</span>
King County Total	66.0%	394	<span style="color: gray;">■</span>
Seattle	66.0%	394	<span style="color: gray;">■</span>
East King	74.4%	168	<span style="color: gray;">■</span>
South King	64.3%	555	<span style="color: black;">■</span>
North Central	67.3%	257	<span style="color: gray;">■</span>
North Sound	63.8%	889	<span style="color: black;">■</span>
Pierce	68.0%	732	<span style="color: gray;">■</span>
Salish	73.9%	322	<span style="color: gray;">■</span>
Southwest	74.3%	369	<span style="color: green;">■</span>
Spokane	74.6%	848	<span style="color: green;">■</span>
Thurston - Mason	70.4%	331	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     | National 50th Percentile     | National 75th Percentile

**D-66. Asthma Medication Ratio (AMR), 51-64 Years**

**Statewide Weighted Rate** 71%  
**Natl 50th Percentile** 62%  
**Natl 75th Percentile** 68%

■ Better Than State    
 ■ Similar to State    
 ■ Worse Than State  
■ Not Reported    
 ■ <30 Patients



Great Rivers	70.7%	157	
Greater Columbia	74.1%	251	
King	65.3%	640	
King County Total	65.3%	640	
Seattle	63.0%	238	
East King	72.0%	100	
South King	64.8%	301	
North Central	73.4%	109	
North Sound	69.8%	377	
Pierce	69.6%	303	
Salish	77.4%	159	
Southwest	81.8%	176	
Spokane	75.2%	258	
Thurston - Mason	73.6%	129	

\*\*\* Data suppressed due to small sample size.



**Bar Chart Legend:**

— Confidence Interval    
 | Statewide Weighted Rate    
 | National 50th Percentile    
 | National 75th Percentile

**D-67. Asthma Medication Ratio (AMR), Total**


**Statewide Weighted Rate**      **72%**  
**Natl 50th Percentile**        **66%**  
**Natl 75th Percentile**        **71%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



## D-68. Controlling High Blood Pressure (CBP)

**Statewide Weighted Rate** 60%  
**Natl 50th Percentile** 61%  
**Natl 75th Percentile** 67%

■ Better Than State    ■ Similar to State    ■ Worse Than State  
■ Not Reported    ■ <30 Patients



Great Rivers	55.8%	104	
Greater Columbia	59.3%	312	
King	King County Total	58.5%	484
	Seattle	56.8%	176
	East King	60.3%	58
	South King	59.2%	250
North Central	66.0%	94	
North Sound	59.4%	325	
Pierce	55.2%	259	
Salish	67.3%	107	
Southwest	52.4%	84	
Spokane	62.7%	201	
Thurston - Mason	62.4%	85	

\*\*\* Data suppressed due to small sample size.


### Bar Chart Legend:

— Confidence Interval    | Statewide Weighted Rate    | National 50th Percentile    | National 75th Percentile

**D-69. Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)**


**Statewide Weighted Rate 83%**  
**Natl 50th Percentile 81%**  
**Natl 75th Percentile 86%**

■ Better Than State    
 ■ Similar to State    
 ■ Worse Than State  
■ Not Reported    
 ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-70. Statin Therapy for Patients With Cardiovascular Disease (SPC), Received Statin Therapy, 21-75 Years (Male)**

**Statewide Weighted Rate 83%**  
**Natl 50th Percentile 81%**  
**Natl 75th Percentile 84%**

■ Better Than State    
 ■ Similar to State    
 ■ Worse Than State  
■ Not Reported    
 ■ <30 Patients



Great Rivers	84.7%	229	Similar to State
Greater Columbia	83.4%	349	Similar to State
King	85.6%	893	Similar to State
King County Total			
Seattle	87.4%	333	Similar to State
East King	90.2%	123	Better Than State
South King	83.0%	435	Similar to State
North Central	81.8%	159	Similar to State
North Sound	86.4%	536	Similar to State
Pierce	80.2%	565	Worse Than State
Salish	78.9%	237	Similar to State
Southwest	87.8%	238	Similar to State
Spokane	80.5%	435	Similar to State
Thurston - Mason	81.5%	189	Similar to State

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval    
 | Statewide Weighted Rate    
 | National 50th Percentile    
 | National 75th Percentile

**D-71. Statin Therapy for Patients With Cardiovascular Disease (SPC), Received Statin Therapy, 40-75 Years (Female)**

**Statewide Weighted Rate**      **79%**  
**Natl 50th Percentile**        **78%**  
**Natl 75th Percentile**        **82%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Region	Rate	Count	Category
Great Rivers	79.3%	150	Similar to State
Greater Columbia	78.8%	170	Similar to State
King	79.0%	377	Similar to State
Seattle	79.1%	110	Similar to State
East King	77.6%	49	Similar to State
South King	79.4%	218	Similar to State
North Central	89.2%	65	Better Than State
North Sound	79.1%	258	Similar to State
Pierce	79.8%	336	Similar to State
Salish	78.0%	127	Similar to State
Southwest	73.0%	115	Similar to State
Spokane	79.9%	239	Similar to State
Thurston - Mason	74.7%	95	Similar to State

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-72. Statin Therapy for Patients With Cardiovascular Disease (SPC), Received Statin Therapy Total**

**Statewide Weighted Rate**      **82%**  
**Natl 50th Percentile**        **80%**  
**Natl 75th Percentile**        **83%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	<b>82.6%</b> <b>379</b>	<span style="color: gray;">■</span>
Greater Columbia	<b>81.9%</b> <b>519</b>	<span style="color: gray;">■</span>
King	<b>83.6%</b> <b>1,270</b>	<span style="color: gray;">■</span>
King County Total	<b>85.3%</b> <b>443</b>	<span style="color: gray;">■</span>
Seattle	<b>86.6%</b> <b>172</b>	<span style="color: gray;">■</span>
East King	<b>81.8%</b> <b>653</b>	<span style="color: gray;">■</span>
South King	<b>83.9%</b> <b>224</b>	<span style="color: gray;">■</span>
North Central	<b>84.0%</b> <b>794</b>	<span style="color: gray;">■</span>
North Sound	<b>80.0%</b> <b>901</b>	<span style="color: gray;">■</span>
Pierce	<b>78.6%</b> <b>364</b>	<span style="color: gray;">■</span>
Salish	<b>83.0%</b> <b>353</b>	<span style="color: gray;">■</span>
Southwest	<b>80.3%</b> <b>674</b>	<span style="color: gray;">■</span>
Spokane	<b>79.2%</b> <b>284</b>	<span style="color: gray;">■</span>
Thurston - Mason		<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile



**D-73. Statin Therapy for Patients With Cardiovascular Disease (SPC), Statin Adherence 80%, 21-75 Years (Male)**

**Statewide Weighted Rate**      **71%**  
**Natl 50th Percentile**        **71%**  
**Natl 75th Percentile**        **77%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	72.2%	194	
Greater Columbia	73.5%	291	
King	King County Total	73.0%	764
	Seattle	76.6%	291
	East King	74.8%	111
	South King	69.5%	361
North Central	67.7%	130	
North Sound	72.4%	463	
Pierce	64.7%	453	
Salish	73.3%	187	
Southwest	76.1%	209	
Spokane	72.0%	350	
Thurston - Mason	70.1%	154	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-74. Statin Therapy for Patients With Cardiovascular Disease (SPC), Statin Adherence 80%, 40-75 Years (Female)**

**Statewide Weighted Rate**      **72%**  
**Natl 50th Percentile**        **71%**  
**Natl 75th Percentile**        **77%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	73.9%	119	
Greater Columbia	76.1%	134	
King	King County Total	74.8%	298
	Seattle	72.4%	87
	East King	60.5%	38
	South King	79.2%	173
North Central	82.8%	58	
North Sound	70.1%	204	
Pierce	70.1%	268	
Salish	78.8%	99	
Southwest	71.4%	84	
Spokane	67.5%	191	
Thurston - Mason	63.4%	71	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

Confidence Interval     
  Statewide Weighted Rate     
  National 50th Percentile     
  National 75th Percentile

**D-75. Statin Therapy for Patients With Cardiovascular Disease (SPC), Statin Adherence 80%, Total**

**Statewide Weighted Rate**      **72%**  
**Natl 50th Percentile**        **71%**  
**Natl 75th Percentile**        **76%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	72.8%	313	Similar to State
Greater Columbia	74.4%	425	Similar to State
King	73.5%	1,062	Similar to State
King County Total			
Seattle	75.7%	378	Similar to State
East King	71.1%	149	Similar to State
South King	72.7%	534	Similar to State
North Central	72.3%	188	Similar to State
North Sound	71.7%	667	Similar to State
Pierce	66.7%	721	Worse Than State
Salish	75.2%	286	Similar to State
Southwest	74.7%	293	Similar to State
Spokane	70.4%	541	Similar to State
Thurston - Mason	68.0%	225	Similar to State

\*\*\* Data suppressed due to small sample size.



**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-76. Cardiac Rehabilitation (CDE), Initiation, Total**

**Statewide Weighted Rate** 5%  
**Natl 50th Percentile** 3%  
**Natl 75th Percentile** 5%

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

Confidence Interval   
 Statewide Weighted Rate   
 National 50th Percentile   
 National 75th Percentile

**D-77. Cardiac Rehabilitation (CDE), Engagement1, Total**


**Statewide Weighted Rate**      **6%**  
**Natl 50th Percentile**        **4%**  
**Natl 75th Percentile**        **7%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**



**D-78. Cardiac Rehabilitation (CDE), Engagement2, Total**

**Statewide Weighted Rate**      **4%**  
**Natl 50th Percentile**        **3%**  
**Natl 75th Percentile**        **5%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-79. Cardiac Rehabilitation (CDE), Achievement, Total**

**Statewide Weighted Rate**      **1%**  
**Natl 50th Percentile**        **1%**  
**Natl 75th Percentile**        **3%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	0.6%	180	
Greater Columbia	0.0%	198	
King	King County Total	1.2%	426
	Seattle	0.0%	154
	East King	2.3%	43
	South King	1.7%	229
North Central	5.7%	70	
North Sound	0.0%	258	
Pierce	0.7%	269	
Salish	0.0%	113	
Southwest	0.7%	149	
Spokane	1.7%	239	
Thurston - Mason	2.7%	112	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-80. Hemoglobin A1c Control for Patients with Diabetes (HBD), Poor HbA1c Control >9% (Note that a lower score is better for this measure)**

**Statewide Weighted Rate**      **37%**  
**Natl 50th Percentile**        **38%** Lower is Better  
**Natl 75th Percentile**        **33%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	40.4%	228	
Greater Columbia	41.6%	644	
King	35.0%	1,022	
King County Total	38.9%	314	
Seattle	22.6%	106	
East King	35.2%	602	
South King	35.4%	158	
North Central	35.4%	604	
North Sound	36.1%	560	
Pierce	29.6%	162	
Salish	43.0%	172	
Southwest	38.9%	386	
Spokane	39.1%	174	
Thurston - Mason			

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

Confidence Interval     
  Statewide Weighted Rate     
  National 50th Percentile     
  National 75th Percentile



**D-81. Hemoglobin A1c Control for Patients with Diabetes (HBD), HbA1c Control < 8.0%**

**Statewide Weighted Rate**      **52%**  
**Natl 50th Percentile**        **52%**  
**Natl 75th Percentile**        **57%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	50.0%	228	
Greater Columbia	50.0%	644	
King	53.4%	1,022	
King County Total	53.4%	1,022	
Seattle	50.3%	314	
East King	66.0%	106	
South King	52.8%	602	
North Central	45.6%	158	
North Sound	51.7%	604	
Pierce	54.6%	560	
Salish	56.8%	162	
Southwest	46.5%	172	
Spokane	48.2%	386	
Thurston - Mason	51.7%	174	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**



**D-82. Eye Exam for Patients with Diabetes (EED)**


**Statewide Weighted Rate**      **49%**  
**Natl 50th Percentile**        **52%**  
**Natl 75th Percentile**        **59%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-83. Blood Pressure Control for Patients with Diabetes (BPD)**

**Statewide Weighted Rate**      **70%**  
**Natl 50th Percentile**        **64%**  
**Natl 75th Percentile**        **70%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	60.5%	228	Worse Than State
Greater Columbia	65.1%	636	Worse Than State
King	69.3%	1,022	Similar to State
King County Total			
Seattle	63.1%	314	Worse Than State
East King	75.5%	106	Similar to State
South King	71.4%	602	Similar to State
North Central	72.2%	158	Similar to State
North Sound	70.2%	604	Similar to State
Pierce	66.8%	560	Similar to State
Salish	71.6%	162	Similar to State
Southwest	60.7%	178	Worse Than State
Spokane	73.2%	388	Similar to State
Thurston - Mason	66.7%	174	Similar to State

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-84. Kidney Health Evaluation for Patients with Diabetes (KED), 18-64 Years**

**Statewide Weighted Rate 41%**  
**Natl 50th Percentile 33%**  
**Natl 75th Percentile 41%**

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	35.3%	3,587	<span style="color: black;">■</span>
Greater Columbia	42.7%	8,156	<span style="color: green;">■</span>
King	46.2%	13,182	<span style="color: green;">■</span>
King County Total	46.2%	13,182	<span style="color: green;">■</span>
Seattle	43.3%	4,344	<span style="color: green;">■</span>
East King	45.5%	1,547	<span style="color: green;">■</span>
South King	48.1%	7,285	<span style="color: green;">■</span>
North Central	50.9%	2,862	<span style="color: green;">■</span>
North Sound	40.3%	8,201	<span style="color: black;">■</span>
Pierce	39.1%	7,815	<span style="color: black;">■</span>
Salish	43.0%	2,603	<span style="color: gray;">■</span>
Southwest	26.9%	3,761	<span style="color: black;">■</span>
Spokane	43.9%	6,166	<span style="color: green;">■</span>
Thurston - Mason	35.5%	2,563	<span style="color: black;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     - - - National 50th Percentile     - - - National 75th Percentile

### D-85. Kidney Health Evaluation for Patients with Diabetes (KED), 65-74 Years

**Statewide Weighted Rate**      **44%**  
**Natl 50th Percentile**        **37%**  
**Natl 75th Percentile**        **49%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	***	19	
Greater Columbia	48.3%	60	
King	50.7%	379	
King County Total			
Seattle	37.2%	113	
East King	43.9%	41	
South King	58.7%	225	
North Central	53.1%	32	
North Sound	41.8%	158	
Pierce	36.8%	114	
Salish	***	15	
Southwest	21.1%	57	
Spokane	43.1%	72	
Thurston - Mason	34.4%	32	

\*\*\* Data suppressed due to small sample size.

#### Bar Chart Legend:

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-86. Kidney Health Evaluation for Patients with Diabetes (KED), 75-85 Years**

**Statewide Weighted Rate**      **44%**  
**Natl 50th Percentile**        **38%**  
**Natl 75th Percentile**        **50%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	***	2	
Greater Columbia	***	12	
King	King County Total	49.3% 73	<span style="background-color: gray; width: 100px; height: 15px;"></span>
	Seattle	*** 9	
	East King	*** 14	
	South King	50.0% 50	<span style="background-color: gray; width: 100px; height: 15px;"></span>
North Central	***	4	
North Sound	46.7% 30		<span style="background-color: gray; width: 100px; height: 15px;"></span>
Pierce	***	10	
Salish	***		
Southwest	***	9	
Spokane	***	17	
Thurston - Mason	***	3	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

Confidence Interval     
  Statewide Weighted Rate     
  National 50th Percentile     
  National 75th Percentile

**D-87. Kidney Health Evaluation for Patients with Diabetes (KED), Total**

**Statewide Weighted Rate 41%**  
**Natl 50th Percentile 34%**  
**Natl 75th Percentile 41%**


■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	35.3%	3,608	Worse Than State
Greater Columbia	42.8%	8,228	Better Than State
King	46.3%	13,634	Better Than State
King County Total			
Seattle	43.1%	4,466	Better Than State
East King	45.5%	1,602	Better Than State
South King	48.4%	7,560	Better Than State
North Central	51.0%	2,898	Better Than State
North Sound	40.3%	8,389	Worse Than State
Pierce	39.1%	7,939	Worse Than State
Salish	43.0%	2,618	Similar to State
Southwest	26.8%	3,827	Worse Than State
Spokane	43.8%	6,255	Better Than State
Thurston - Mason	35.5%	2,598	Worse Than State

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-88. Statin Therapy for Patients With Diabetes (SPD), Received Statin Therapy**

**Statewide Weighted Rate**      **64%**  
**Natl 50th Percentile**        **65%**  
**Natl 75th Percentile**        **68%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	63.9%	2,077	Similar to State
Greater Columbia	65.6%	4,702	Similar to State
King	66.4%	7,963	Better Than State
King County Total	66.4%	7,963	Better Than State
Seattle	65.3%	2,713	Similar to State
East King	62.7%	924	Similar to State
South King	68.0%	4,324	Better Than State
North Central	64.5%	1,658	Similar to State
North Sound	64.1%	4,753	Similar to State
Pierce	64.6%	4,462	Similar to State
Salish	61.0%	1,500	Worse Than State
Southwest	62.7%	2,087	Similar to State
Spokane	61.3%	3,318	Worse Than State
Thurston - Mason	64.4%	1,459	Similar to State

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**






**D-89. Statin Therapy for Patients With Diabetes (SPD), Statin Adherence 80%**

**Statewide Weighted Rate**      **69%**  
**Natl 50th Percentile**        **66%**  
**Natl 75th Percentile**        **72%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	70.2%	1,327	Similar to State	
Greater Columbia	69.5%	3,083	Similar to State	
King	King County Total	67.5%	5,291	Similar to State
	Seattle	69.2%	1,771	Similar to State
	East King	70.1%	579	Similar to State
	South King	65.9%	2,939	Worse Than State
North Central	64.1%	1,070	Worse Than State	
North Sound	68.8%	3,045	Similar to State	
Pierce	68.9%	2,883	Similar to State	
Salish	69.7%	915	Similar to State	
Southwest	71.8%	1,309	Better Than State	
Spokane	67.8%	2,035	Similar to State	
Thurston - Mason	70.5%	940	Similar to State	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



### D-90. Diagnosed Mental Health Disorders (DMH), 1-17 Years

Statewide Weighted Rate 20%  
 Natl 50th Percentile 20%  
 Natl 75th Percentile 25%


■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



Great Rivers	25.0%	32,735	<span style="color: green;">■</span>
Greater Columbia	19.3%	108,070	<span style="color: black;">■</span>
King	16.2%	133,429	<span style="color: black;">■</span>
King County Total	17.6%	30,618	<span style="color: black;">■</span>
Seattle	19.4%	17,638	<span style="color: black;">■</span>
East King	15.1%	85,113	<span style="color: black;">■</span>
South King	20.6%	40,019	<span style="color: green;">■</span>
North Central	20.0%	98,494	<span style="color: gray;">■</span>
North Sound	20.9%	81,816	<span style="color: green;">■</span>
Pierce	22.8%	23,386	<span style="color: green;">■</span>
Salish	18.9%	47,998	<span style="color: black;">■</span>
Southwest	24.4%	69,381	<span style="color: green;">■</span>
Spokane	23.0%	27,798	<span style="color: green;">■</span>
Thurston - Mason			

\*\*\* Data suppressed due to small sample size.

#### Bar Chart Legend:



**D-91. Diagnosed Mental Health Disorders (DMH), 18-64 Years**

**Statewide Weighted Rate**      **30%**  
**Natl 50th Percentile**        **30%**  
**Natl 75th Percentile**        **37%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	33.3%	45,567	<span style="color: green;">■</span>
Greater Columbia	28.2%	107,787	<span style="color: black;">■</span>
King	27.2%	196,383	<span style="color: black;">■</span>
King County Total	27.2%	196,383	<span style="color: black;">■</span>
Seattle	31.0%	72,223	<span style="color: green;">■</span>
East King	29.0%	28,516	<span style="color: black;">■</span>
South King	23.8%	95,547	<span style="color: black;">■</span>
North Central	29.6%	38,724	<span style="color: black;">■</span>
North Sound	31.3%	126,591	<span style="color: green;">■</span>
Pierce	30.2%	103,497	<span style="color: gray;">■</span>
Salish	34.7%	39,471	<span style="color: green;">■</span>
Southwest	29.7%	58,992	<span style="color: black;">■</span>
Spokane	34.3%	96,190	<span style="color: green;">■</span>
Thurston - Mason	33.6%	40,059	<span style="color: green;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



### D-92. Diagnosed Mental Health Disorders (DMH), 65+ Years

Statewide Weighted Rate **20%**  
 Natl 50th Percentile **28%**  
 Natl 75th Percentile **38%**

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	18.8%	170	<span style="color: gray;">■</span>
Greater Columbia	18.3%	361	<span style="color: gray;">■</span>
King	18.3%	2,091	<span style="color: gray;">■</span>
Seattle	22.6%	629	<span style="color: gray;">■</span>
East King	16.8%	386	<span style="color: gray;">■</span>
South King	16.4%	1,074	<span style="color: black;">■</span>
North Central	24.0%	192	<span style="color: gray;">■</span>
North Sound	18.7%	779	<span style="color: gray;">■</span>
Pierce	23.4%	560	<span style="color: green;">■</span>
Salish	23.1%	134	<span style="color: gray;">■</span>
Southwest	16.0%	338	<span style="color: gray;">■</span>
Spokane	19.3%	353	<span style="color: gray;">■</span>
Thurston - Mason	18.0%	161	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

#### Bar Chart Legend:

— Confidence Interval     | Statewide Weighted Rate     | National 50th Percentile     | National 75th Percentile

**D-93. Diagnosed Mental Health Disorders (DMH), Total**

**Statewide Weighted Rate**      **26%**  
**Natl 50th Percentile**            **26%**  
**Natl 75th Percentile**            **32%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	29.8%	78,472	<span style="color: green;">■</span>
Greater Columbia	23.7%	216,218	<span style="color: black;">■</span>
King	22.8%	331,903	<span style="color: black;">■</span>
King County Total	22.8%	331,903	<span style="color: black;">■</span>
Seattle	27.0%	103,470	<span style="color: green;">■</span>
East King	25.3%	46,540	<span style="color: black;">■</span>
South King	19.7%	181,734	<span style="color: black;">■</span>
North Central	25.0%	78,935	<span style="color: black;">■</span>
North Sound	26.3%	225,864	<span style="color: green;">■</span>
Pierce	26.1%	185,873	<span style="color: green;">■</span>
Salish	30.2%	62,991	<span style="color: green;">■</span>
Southwest	24.8%	107,328	<span style="color: black;">■</span>
Spokane	30.1%	165,924	<span style="color: green;">■</span>
Thurston - Mason	29.2%	68,018	<span style="color: green;">■</span>

\*\*\* Data suppressed due to small sample size.



**Bar Chart Legend:**



### D-94. Antidepressant Medication Management (AMM), Effective Acute Phase


Statewide Weighted Rate **63%**  
 Natl 50th Percentile **61%**  
 Natl 75th Percentile **66%**

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



\*\*\* Data suppressed due to small sample size.


#### Bar Chart Legend:



**D-95. Antidepressant Medication Management (AMM), Continuation Phase**

**Statewide Weighted Rate**      **45%**  
**Natl 50th Percentile**        **43%**  
**Natl 75th Percentile**        **49%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	42.8%	1,648	<span style="color: black;">■</span>
Greater Columbia	42.8%	3,382	<span style="color: black;">■</span>
King	45.7%	6,018	<span style="color: gray;">■</span>
King County Total	45.7%	6,018	<span style="color: gray;">■</span>
Seattle	50.3%	2,467	<span style="color: green;">■</span>
East King	48.5%	870	<span style="color: gray;">■</span>
South King	40.5%	2,664	<span style="color: black;">■</span>
North Central	39.8%	1,419	<span style="color: black;">■</span>
North Sound	47.8%	4,387	<span style="color: green;">■</span>
Pierce	44.6%	3,532	<span style="color: gray;">■</span>
Salish	49.5%	1,312	<span style="color: green;">■</span>
Southwest	47.4%	1,923	<span style="color: gray;">■</span>
Spokane	45.3%	3,454	<span style="color: gray;">■</span>
Thurston - Mason	46.3%	1,593	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile

**D-96. Follow-Up Care for Children Prescribed ADHD Medication (ADD), Initiation**

**Statewide Weighted Rate**      **45%**  
**Natl 50th Percentile**        **44%**  
**Natl 75th Percentile**        **48%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Region	Rate	Count	Category
Great Rivers	53.5%	391	Better Than State
Greater Columbia	43.3%	776	Similar to State
King	40.8%	659	Worse Than State
King County Total			
Seattle	43.1%	153	Similar to State
East King	39.2%	130	Similar to State
South King	40.4%	374	Similar to State
North Central	46.1%	280	Similar to State
North Sound	41.2%	855	Worse Than State
Pierce	44.3%	758	Similar to State
Salish	47.0%	249	Similar to State
Southwest	41.4%	394	Similar to State
Spokane	50.7%	781	Better Than State
Thurston - Mason	40.1%	332	Similar to State

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**





**D-97. Follow-Up Care for Children Prescribed ADHD Medication (ADD), Continuation**

**Statewide Weighted Rate**      **53%**  
**Natl 50th Percentile**        **54%**  
**Natl 75th Percentile**        **60%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	61.0%	136	
Greater Columbia	56.2%	217	
King	50.0%	168	
King County Total			
Seattle	50.0%	48	
East King	52.9%	34	
South King	48.8%	86	
North Central	65.7%	70	
North Sound	50.4%	256	
Pierce	46.6%	236	
Salish	53.7%	108	
Southwest	39.7%	141	
Spokane	60.4%	270	
Thurston - Mason	44.9%	98	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

D-98. Follow-Up Care for Children Prescribed ADHD Medication (ADD-E), Initiation Phase

Statewide Weighted Rate 45%  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



Great Rivers	53.5%	391	<span style="color: green;">■</span>
Greater Columbia	43.3%	776	<span style="color: gray;">■</span>
King	40.8%	659	<span style="color: black;">■</span>
King County Total			
Seattle	43.1%	153	<span style="color: gray;">■</span>
East King	39.2%	130	<span style="color: gray;">■</span>
South King	40.4%	374	<span style="color: gray;">■</span>
North Central	46.1%	280	<span style="color: gray;">■</span>
North Sound	41.2%	855	<span style="color: black;">■</span>
Pierce	44.3%	758	<span style="color: gray;">■</span>
Salish	47.0%	249	<span style="color: gray;">■</span>
Southwest	41.4%	394	<span style="color: gray;">■</span>
Spokane	50.7%	781	<span style="color: green;">■</span>
Thurston - Mason	40.1%	332	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

There are no national benchmarks reported for this measure in MY2022

Bar Chart Legend:

— Confidence Interval   
 | Statewide Weighted Rate   
 - - - - National 50th Percentile   
 - - - - National 75th Percentile

**D-99. Follow-Up Care for Children Prescribed ADHD Medication (ADD-E), Continuation and Maintenance (C&M) Phase**

**Statewide Weighted Rate**      **53%**  
**Natl 50th Percentile**      -----  
**Natl 75th Percentile**      -----

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	61.0%	136	
Greater Columbia	56.2%	217	
King	50.0%	168	
King County Total			
Seattle	50.0%	48	
East King	52.9%	34	
South King	48.8%	86	
North Central	65.7%	70	
North Sound	50.4%	256	
Pierce	46.6%	236	
Salish	53.7%	108	
Southwest	39.7%	141	
Spokane	60.2%	269	
Thurston - Mason	44.9%	98	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-100. Follow-Up after Hospitalization for Mental Illness (FUH), 30-Day Follow-Up, 6-17 Years**

**Statewide Weighted Rate**      **74%**  
**Natl 50th Percentile**        **72%**  
**Natl 75th Percentile**        **77%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	<b>80.8%</b> <b>125</b>	<span style="color: gray;">■</span>
Greater Columbia	<b>78.6%</b> <b>201</b>	<span style="color: gray;">■</span>
King	<b>65.6%</b> <b>337</b>	<span style="color: black;">■</span>
King County Total	<b>65.6%</b> <b>337</b>	<span style="color: black;">■</span>
Seattle	<b>64.2%</b> <b>95</b>	<span style="color: black;">■</span>
East King	<b>56.9%</b> <b>65</b>	<span style="color: black;">■</span>
South King	<b>69.5%</b> <b>177</b>	<span style="color: gray;">■</span>
North Central	<b>79.5%</b> <b>88</b>	<span style="color: gray;">■</span>
North Sound	<b>75.4%</b> <b>386</b>	<span style="color: gray;">■</span>
Pierce	<b>74.8%</b> <b>270</b>	<span style="color: gray;">■</span>
Salish	<b>79.4%</b> <b>102</b>	<span style="color: gray;">■</span>
Southwest	<b>71.6%</b> <b>116</b>	<span style="color: gray;">■</span>
Spokane	<b>75.7%</b> <b>437</b>	<span style="color: gray;">■</span>
Thurston - Mason	<b>74.8%</b> <b>131</b>	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.



**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-101. Follow-Up after Hospitalization for Mental Illness (FUH), 30-Day Follow-Up, 18-64 Years**

**Statewide Weighted Rate**      **54%**  
**Natl 50th Percentile**        **51%**  
**Natl 75th Percentile**        **61%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-102. Follow-Up after Hospitalization for Mental Illness (FUH), 30-Day Follow-Up, Total**

**Statewide Weighted Rate**      **58%**  
**Natl 50th Percentile**        **58%**  
**Natl 75th Percentile**        **65%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	59.5%	479	<span style="color: gray;">■</span>
Greater Columbia	67.9%	652	<span style="color: green;">■</span>
King	49.3%	2,656	<span style="color: black;">■</span>
King County Total	45.6%	1,334	<span style="color: black;">■</span>
Seattle	52.5%	335	<span style="color: black;">■</span>
East King	53.4%	983	<span style="color: black;">■</span>
South King			
North Central	69.6%	194	<span style="color: green;">■</span>
North Sound	59.7%	1,587	<span style="color: gray;">■</span>
Pierce	59.5%	1,330	<span style="color: gray;">■</span>
Salish	65.6%	372	<span style="color: green;">■</span>
Southwest	59.4%	756	<span style="color: gray;">■</span>
Spokane	66.5%	1,219	<span style="color: green;">■</span>
Thurston - Mason	58.1%	596	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-103. Follow-Up after Hospitalization for Mental Illness (FUH), 7-Day Follow-Up, 6-17 Years**

**Statewide Weighted Rate**      **53%**  
**Natl 50th Percentile**        **46%**  
**Natl 75th Percentile**        **54%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	57.6%	125	
Greater Columbia	55.2%	201	
King	48.1%	337	
King County Total			
Seattle	50.5%	95	
East King	43.1%	65	
South King	48.6%	177	
North Central	45.5%	88	
North Sound	51.3%	386	
Pierce	58.5%	270	
Salish	58.8%	102	
Southwest	54.3%	116	
Spokane	52.9%	437	
Thurston - Mason	48.9%	131	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-104. Follow-Up after Hospitalization for Mental Illness (FUH), 7-Day Follow-Up, 18-64 Years**

**Statewide Weighted Rate**      **36%**  
**Natl 50th Percentile**        **29%**  
**Natl 75th Percentile**        **39%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	31.9%	354	<span style="color: gray;">■</span>
Greater Columbia	44.1%	451	<span style="color: green;">■</span>
King	30.4%	2,315	<span style="color: black;">■</span>
King County Total			
Seattle	29.8%	1,235	<span style="color: black;">■</span>
East King	32.6%	270	<span style="color: gray;">■</span>
South King	30.6%	806	<span style="color: black;">■</span>
North Central	40.0%	105	<span style="color: gray;">■</span>
North Sound	36.8%	1,201	<span style="color: gray;">■</span>
Pierce	36.9%	1,060	<span style="color: gray;">■</span>
Salish	35.6%	270	<span style="color: gray;">■</span>
Southwest	35.6%	640	<span style="color: gray;">■</span>
Spokane	45.1%	780	<span style="color: green;">■</span>
Thurston - Mason	34.6%	465	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile



**D-105. Follow-Up after Hospitalization for Mental Illness (FUH), 7-Day Follow-Up, Total**

**Statewide Weighted Rate**      **39%**  
**Natl 50th Percentile**        **35%**  
**Natl 75th Percentile**        **44%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	38.6%	479	<span style="color: gray;">■</span>	
Greater Columbia	47.5%	652	<span style="color: green;">■</span>	
King	King County Total	32.6%	2,656	<span style="color: black;">■</span>
	Seattle	31.3%	1,334	<span style="color: black;">■</span>
	East King	34.6%	335	<span style="color: gray;">■</span>
	South King	33.9%	983	<span style="color: black;">■</span>
North Central	42.3%	194	<span style="color: gray;">■</span>	
North Sound	40.3%	1,587	<span style="color: gray;">■</span>	
Pierce	41.3%	1,330	<span style="color: gray;">■</span>	
Salish	41.9%	372	<span style="color: gray;">■</span>	
Southwest	38.5%	756	<span style="color: gray;">■</span>	
Spokane	47.8%	1,219	<span style="color: green;">■</span>	
Thurston - Mason	37.8%	596	<span style="color: gray;">■</span>	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile

D-106. Follow-Up After Emergency Department Visit for Mental Illness (FUM), 30-Day Follow-Up, 6-17 Years

Statewide Weighted Rate 74%  
 Natl 50th Percentile 70%  
 Natl 75th Percentile 77%


■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



Region	FUM Rate	Count	Category
Great Rivers	81.0%	105	Similar to State
Greater Columbia	68.7%	265	Worse Than State
King	68.4%	329	Worse Than State
King County Total			
Seattle	64.8%	88	Worse Than State
East King	71.2%	66	Similar to State
South King	69.1%	175	Similar to State
North Central	88.0%	125	Better Than State
North Sound	70.2%	352	Similar to State
Pierce	75.1%	233	Similar to State
Salish	80.2%	86	Similar to State
Southwest	80.4%	189	Better Than State
Spokane	78.8%	297	Similar to State
Thurston - Mason	67.0%	94	Similar to State

\*\*\* Data suppressed due to small sample size.


Bar Chart Legend:



**D-107. Follow-Up After Emergency Department Visit for Mental Illness (FUM), 30-Day Follow-Up, 18-64 Years**


**Statewide Weighted Rate**      **53%**  
**Natl 50th Percentile**        **48%**  
**Natl 75th Percentile**        **57%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-108. Follow-Up After Emergency Department Visit for Mental Illness (FUM), 30-Day Follow-Up, Total**

**Statewide Weighted Rate**      **58%**  
**Natl 50th Percentile**        **55%**  
**Natl 75th Percentile**        **64%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	60.2%	379	Similar to State
Greater Columbia	56.4%	931	Similar to State
King	48.9%	2,260	Worse Than State
King County Total			
Seattle	44.1%	1,119	Worse Than State
East King	56.0%	302	Similar to State
South King	53.1%	833	Worse Than State
North Central	76.3%	409	Better Than State
North Sound	59.9%	1,335	Similar to State
Pierce	56.8%	1,018	Similar to State
Salish	66.4%	444	Better Than State
Southwest	60.3%	703	Similar to State
Spokane	65.1%	1,255	Better Than State
Thurston - Mason	63.1%	363	Similar to State

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-109. Follow-Up After Emergency Department Visit for Mental Illness (FUM), 7-Day Follow-Up, 6-17 Years**

**Statewide Weighted Rate**      **58%**  
**Natl 50th Percentile**        **51%**  
**Natl 75th Percentile**        **63%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	72.4%	105	<span style="color: green;">■</span>
Greater Columbia	49.1%	265	<span style="color: black;">■</span>
King	52.9%	329	<span style="color: gray;">■</span>
King County Total			
Seattle	53.4%	88	<span style="color: gray;">■</span>
East King	56.1%	66	<span style="color: gray;">■</span>
South King	51.4%	175	<span style="color: gray;">■</span>
North Central	76.0%	125	<span style="color: green;">■</span>
North Sound	52.6%	352	<span style="color: black;">■</span>
Pierce	62.7%	233	<span style="color: gray;">■</span>
Salish	53.5%	86	<span style="color: gray;">■</span>
Southwest	65.6%	189	<span style="color: green;">■</span>
Spokane	58.6%	297	<span style="color: gray;">■</span>
Thurston - Mason	59.6%	94	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-110. Follow-Up After Emergency Department Visit for Mental Illness (FUM), 7-Day Follow-Up, 18-64 Years**

**Statewide Weighted Rate**      **41%**  
**Natl 50th Percentile**        **34%**  
**Natl 75th Percentile**        **45%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	36.1%	274	Similar to State
Greater Columbia	37.7%	666	Similar to State
King	34.0%	1,928	Worse Than State
King County Total			
Seattle	31.6%	1,029	Worse Than State
East King	33.6%	235	Worse Than State
South King	38.3%	658	Similar to State
North Central	56.3%	284	Better Than State
North Sound	42.3%	983	Similar to State
Pierce	38.7%	785	Similar to State
Salish	52.5%	358	Better Than State
Southwest	40.5%	514	Similar to State
Spokane	50.1%	956	Better Than State
Thurston - Mason	46.1%	269	Similar to State

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-111. Follow-Up After Emergency Department Visit for Mental Illness (FUM), 7-Day Follow-Up, Total**

**Statewide Weighted Rate**      **45%**  
**Natl 50th Percentile**        **41%**  
**Natl 75th Percentile**        **51%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile

**D-112. Diagnosed Substance Use Disorders (DSU), Any Substance Use Disorder, 13-17 years**

**Statewide Weighted Rate** 1%  
**Natl 50th Percentile** 1%  
**Natl 75th Percentile** 1%

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



Great Rivers	2.8%	9,701	<span style="color: green;">■</span>
Greater Columbia	1.2%	33,140	<span style="color: black;">■</span>
King	0.8%	39,618	<span style="color: black;">■</span>
King County Total			
Seattle	0.8%	9,191	<span style="color: black;">■</span>
East King	0.8%	5,659	<span style="color: black;">■</span>
South King	0.8%	24,757	<span style="color: black;">■</span>
North Central	1.5%	12,338	<span style="color: gray;">■</span>
North Sound	1.4%	28,913	<span style="color: gray;">■</span>
Pierce	1.3%	23,693	<span style="color: gray;">■</span>
Salish	2.1%	6,827	<span style="color: green;">■</span>
Southwest	1.4%	14,571	<span style="color: gray;">■</span>
Spokane	2.0%	20,141	<span style="color: green;">■</span>
Thurston - Mason	2.1%	7,866	<span style="color: green;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval   
 | Statewide Weighted Rate   
 | National 50th Percentile   
 | National 75th Percentile



**D-113. Diagnosed Substance Use Disorders (DSU), Any Substance Use Disorder, 18-64 Years**

**Statewide Weighted Rate** 10%  
**Natl 50th Percentile** 8%  
**Natl 75th Percentile** 10%

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	12.1%	45,557	
Greater Columbia	8.5%	107,766	
King	8.5%	196,354	
King County Total	8.5%	196,354	
Seattle	10.7%	72,211	
East King	6.6%	28,514	
South King	7.5%	95,532	
North Central	8.6%	38,711	
North Sound	10.3%	126,570	
Pierce	10.4%	103,468	
Salish	11.7%	39,467	
Southwest	8.7%	58,975	
Spokane	11.2%	96,167	
Thurston - Mason	10.8%	40,054	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

Confidence Interval    
  Statewide Weighted Rate    
  National 50th Percentile    
  National 75th Percentile

**D-114. Diagnosed Substance Use Disorders (DSU), Any Substance Use Disorder, 65+ Years**

**Statewide Weighted Rate** 4%  
**Natl 50th Percentile** 5%  
**Natl 75th Percentile** 7%

■ Better Than State    
 ■ Similar to State    
 ■ Worse Than State  
■ Not Reported    
 ■ <30 Patients



Great Rivers	6.5%	169	
Greater Columbia	5.0%	360	
King	King County Total	3.6%	2,088
	Seattle	7.3%	628
	East King	1.3%	385
	South King	2.1%	1,073
North Central	7.3%	192	
North Sound	2.4%	779	
Pierce	3.4%	559	
Salish	7.5%	134	
Southwest	3.6%	338	
Spokane	4.5%	353	
Thurston - Mason	5.6%	161	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval    
 | Statewide Weighted Rate    
 - - - National 50th Percentile    
 - - - National 75th Percentile

**D-115. Diagnosed Substance Use Disorders (DSU), Any Substance Use Disorder, Total**

**Statewide Weighted Rate**      **8%**  
**Natl 50th Percentile**        **6%**  
**Natl 75th Percentile**        **9%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	10.4%	55,427	<span style="color: green;">■</span>	
Greater Columbia	6.8%	141,266	<span style="color: black;">■</span>	
King	King County Total	7.2%	238,060	<span style="color: black;">■</span>
	Seattle	9.6%	82,030	<span style="color: green;">■</span>
	East King	5.6%	34,558	<span style="color: black;">■</span>
	South King	6.1%	121,362	<span style="color: black;">■</span>
North Central	6.9%	51,241	<span style="color: black;">■</span>	
North Sound	8.6%	156,262	<span style="color: green;">■</span>	
Pierce	8.7%	127,720	<span style="color: green;">■</span>	
Salish	10.3%	46,428	<span style="color: green;">■</span>	
Southwest	7.2%	73,884	<span style="color: black;">■</span>	
Spokane	9.6%	116,661	<span style="color: green;">■</span>	
Thurston - Mason	9.3%	48,081	<span style="color: green;">■</span>	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile

**D-116. Follow-Up After Emergency Department Visit for Substance Use (FUA), 30-Day Follow-Up, 13-17 Years**

**Statewide Weighted Rate 41%**  
**Natl 50th Percentile 30%**  
**Natl 75th Percentile 40%**

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	45.7%	35	
Greater Columbia	41.1%	107	
King	48.3%	87	
King County Total			
Seattle	***	25	
East King	***	11	
South King	41.2%	51	
North Central	39.5%	38	
North Sound	34.5%	119	
Pierce	37.7%	69	
Salish	***	21	
Southwest	40.4%	57	
Spokane	39.4%	94	
Thurston - Mason	***	16	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     | National 50th Percentile     | National 75th Percentile

**D-117. Follow-Up After Emergency Department Visit for Substance Use (FUA), 30-Day Follow-Up, 18+ Years**

**Statewide Weighted Rate**      **44%**  
**Natl 50th Percentile**        **37%**  
**Natl 75th Percentile**        **43%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	35.5%	633	Worse Than State	
Greater Columbia	41.7%	1,495	Similar to State	
King	King County Total	38.5%	3,733	Worse Than State
	Seattle	39.9%	1,893	Worse Than State
	East King	40.6%	446	Similar to State
	South King	36.1%	1,377	Worse Than State
North Central	52.3%	543	Better Than State	
North Sound	42.8%	2,228	Similar to State	
Pierce	41.4%	1,538	Similar to State	
Salish	51.7%	677	Better Than State	
Southwest	36.6%	822	Worse Than State	
Spokane	55.5%	2,169	Better Than State	
Thurston - Mason	45.8%	515	Similar to State	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile

**D-118. Follow-Up After Emergency Department Visit for Substance Use (FUA), 30-Day Follow-Up, Total**

**Statewide Weighted Rate**      **44%**  
**Natl 50th Percentile**        **36%**  
**Natl 75th Percentile**        **43%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	36.1%	668	Worse Than State
Greater Columbia	41.7%	1,602	Similar to State
King	38.8%	3,820	Worse Than State
King County Total	38.8%	3,820	Worse Than State
Seattle	40.1%	1,918	Worse Than State
East King	41.1%	457	Similar to State
South King	36.3%	1,428	Worse Than State
North Central	51.5%	581	Better Than State
North Sound	42.4%	2,347	Similar to State
Pierce	41.3%	1,607	Worse Than State
Salish	52.0%	698	Better Than State
Southwest	36.9%	879	Worse Than State
Spokane	54.8%	2,263	Better Than State
Thurston - Mason	45.6%	531	Similar to State

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile

**D-119. Follow-Up After Emergency Department Visit for Substance Use (FUA), 7-Day Follow-Up, 13-17 Years**

**Statewide Weighted Rate**      **29%**  
**Natl 50th Percentile**        **19%**  
**Natl 75th Percentile**        **26%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	22.9%	35	
Greater Columbia	25.2%	107	
King	36.8%	87	
King County Total			
Seattle	***	25	
East King	***	11	
South King	31.4%	51	
North Central	26.3%	38	
North Sound	23.5%	119	
Pierce	34.8%	69	
Salish	***	21	
Southwest	28.1%	57	
Spokane	29.8%	94	
Thurston - Mason	***	16	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**



**D-120. Follow-Up After Emergency Department Visit for Substance Use (FUA), 7-Day Follow-Up, 18+ Years**


**Statewide Weighted Rate 31%**  
**Natl 50th Percentile 25%**  
**Natl 75th Percentile 30%**

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**






D-121. Follow-Up After Emergency Department Visit for Substance Use (FUA), 7-Day Follow-Up, Total


Statewide Weighted Rate 31%  
 Natl 50th Percentile 25%  
 Natl 75th Percentile 30%

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



\*\*\* Data suppressed due to small sample size.


Bar Chart Legend:



**D-122. Follow-Up After High Intensity Care for Substance Use Disorder (FUI), 30-Day Follow-Up, 18-64 Years**


**Statewide Weighted Rate**      **57%**  
**Natl 50th Percentile**        **51%**  
**Natl 75th Percentile**        **62%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-123. Follow-Up After High Intensity Care for Substance Use Disorder (FUI), 30-Day Follow-Up, Total**

**Statewide Weighted Rate**      **56%**  
**Natl 50th Percentile**        **51%**  
**Natl 75th Percentile**        **61%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	59.9%	755	Similar to State
Greater Columbia	57.8%	977	Similar to State
King	49.2%	1,992	Worse Than State
King County Total	49.6%	927	Worse Than State
Seattle	49.1%	224	Worse Than State
East King	48.6%	834	Worse Than State
South King			
North Central	64.0%	214	Better Than State
North Sound	62.6%	1,941	Better Than State
Pierce	52.8%	1,269	Worse Than State
Salish	62.6%	687	Better Than State
Southwest	47.1%	1,014	Worse Than State
Spokane	60.3%	901	Better Than State
Thurston - Mason	56.7%	614	Similar to State

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

D-124. Follow-Up After High Intensity Care for Substance Use Disorder (FUI), 7-Day Follow-Up, 18-64 Years


Statewide Weighted Rate **38%**  
 Natl 50th Percentile **30%**  
 Natl 75th Percentile **40%**

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

Bar Chart Legend:



**D-125. Follow-Up After High Intensity Care for Substance Use Disorder (FUI), 7-Day Follow-Up, Total**

**Statewide Weighted Rate**     **37%**  
**Natl 50th Percentile**         **30%**  
**Natl 75th Percentile**         **40%**

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	37.9%	755	<span style="color: gray;">■</span>
Greater Columbia	40.8%	977	<span style="color: green;">■</span>
King	28.7%	1,992	<span style="color: black;">■</span>
King County Total			
Seattle	29.3%	927	<span style="color: black;">■</span>
East King	27.2%	224	<span style="color: black;">■</span>
South King	28.3%	834	<span style="color: black;">■</span>
North Central	44.4%	214	<span style="color: green;">■</span>
North Sound	45.6%	1,941	<span style="color: green;">■</span>
Pierce	32.9%	1,269	<span style="color: black;">■</span>
Salish	42.4%	687	<span style="color: green;">■</span>
Southwest	28.9%	1,014	<span style="color: black;">■</span>
Spokane	40.8%	901	<span style="color: green;">■</span>
Thurston - Mason	37.9%	614	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     - - - National 50th Percentile     - - - National 75th Percentile

D-126. Pharmacotherapy for Opioid Use Disorder (POD), 16-64 Years

Statewide Weighted Rate 15%  
 Natl 50th Percentile 29%  
 Natl 75th Percentile 34%

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



Great Rivers	17.8%	1,563	<span style="color: green;">■</span>
Greater Columbia	12.1%	1,990	<span style="color: black;">■</span>
King	15.3%	4,458	<span style="color: gray;">■</span>
King County Total			
Seattle	14.2%	2,100	<span style="color: gray;">■</span>
East King	22.3%	408	<span style="color: green;">■</span>
South King	15.0%	1,941	<span style="color: gray;">■</span>
North Central	12.1%	737	<span style="color: gray;">■</span>
North Sound	15.2%	4,553	<span style="color: gray;">■</span>
Pierce	14.7%	2,712	<span style="color: gray;">■</span>
Salish	13.7%	1,097	<span style="color: gray;">■</span>
Southwest	16.2%	907	<span style="color: gray;">■</span>
Spokane	11.8%	2,340	<span style="color: black;">■</span>
Thurston - Mason	17.6%	992	<span style="color: green;">■</span>

\*\*\* Data suppressed due to small sample size.

Bar Chart Legend:

— Confidence Interval   
 | Statewide Weighted Rate   
 - - - National 50th Percentile   
 - - - National 75th Percentile

**D-127. Pharmacotherapy for Opioid Use Disorder (POD), Total**

**Statewide Weighted Rate**      **15%**  
**Natl 50th Percentile**        **28%**  
**Natl 75th Percentile**        **34%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	17.8%	1,565	<span style="color: green;">■</span>	
Greater Columbia	12.1%	1,995	<span style="color: black;">■</span>	
King	King County Total	15.3%	4,474	<span style="color: gray;">■</span>
	Seattle	14.3%	2,113	<span style="color: gray;">■</span>
	East King	22.3%	408	<span style="color: green;">■</span>
	South King	15.0%	1,944	<span style="color: gray;">■</span>
North Central	12.1%	737	<span style="color: gray;">■</span>	
North Sound	15.2%	4,558	<span style="color: gray;">■</span>	
Pierce	14.7%	2,715	<span style="color: gray;">■</span>	
Salish	13.7%	1,098	<span style="color: gray;">■</span>	
Southwest	16.2%	907	<span style="color: gray;">■</span>	
Spokane	11.9%	2,342	<span style="color: black;">■</span>	
Thurston - Mason	17.6%	992	<span style="color: green;">■</span>	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile

**D-128. Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medication (SSD)**

**Statewide Weighted Rate**      **79%**  
**Natl 50th Percentile**        **79%**  
**Natl 75th Percentile**        **82%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	76.6%	1,122	
Greater Columbia	76.0%	1,805	
King	King County Total	78.6%	3,522
	Seattle	77.4%	1,766
	East King	79.0%	420
	South King	79.9%	1,335
North Central	81.7%	573	
North Sound	79.7%	2,496	
Pierce	80.7%	1,942	
Salish	80.0%	931	
Southwest	76.3%	1,205	
Spokane	80.0%	2,080	
Thurston - Mason	76.9%	910	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**





**D-129. Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)**

**Statewide Weighted Rate**      **60%**  
**Natl 50th Percentile**        **69%**  
**Natl 75th Percentile**        **74%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	58.3%	84	
Greater Columbia	55.4%	139	
King	57.6%	408	
Seattle	50.9%	222	
East King	***	24	
South King	67.3%	162	
North Central	65.4%	52	
North Sound	60.2%	166	
Pierce	67.0%	224	
Salish	69.0%	58	
Southwest	62.5%	96	
Spokane	55.2%	201	
Thurston - Mason	69.0%	58	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-130. Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia (SMC)**

**Statewide Weighted Rate**      **55%**  
**Natl 50th Percentile**        **77%**  
**Natl 75th Percentile**        **81%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	***	9	
Greater Columbia	***	6	
King	King County Total	54.1% 37	<span style="background-color: gray; width: 100px; height: 20px; display: inline-block;"></span>
Seattle	***	18	
East King	***	2	
South King	***	17	
North Central	***		
North Sound	***	20	
Pierce	***	27	
Salish	***	7	
Southwest	***	7	
Spokane	***	15	
Thurston - Mason	***	2	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**



**D-131. Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)**

**Statewide Weighted Rate**      **64%**  
**Natl 50th Percentile**        **61%**  
**Natl 75th Percentile**        **67%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-132. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose Testing, 1-11 Years**

**Statewide Weighted Rate**      **40%**  
**Natl 50th Percentile**        **42%**  
**Natl 75th Percentile**        **50%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	32.5%	114	
Greater Columbia	40.3%	176	
King	37.3%	102	
King County Total	***		
Seattle	21		
East King	15		
South King	33.3%	66	
North Central	52.5%	59	
North Sound	32.4%	105	
Pierce	36.1%	108	
Salish	35.6%	59	
Southwest	30.6%	62	
Spokane	45.1%	253	
Thurston - Mason	56.9%	51	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-133. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose Testing, 12-17 Years**

**Statewide Weighted Rate**      **58%**  
**Natl 50th Percentile**        **60%**  
**Natl 75th Percentile**        **64%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	59.4%	249	
Greater Columbia	57.0%	393	
King	64.1%	248	
King County Total			
Seattle	51.6%	62	
East King	64.7%	51	
South King	69.4%	134	
North Central	61.6%	151	
North Sound	59.6%	371	
Pierce	59.2%	282	
Salish	67.8%	152	
Southwest	56.5%	209	
Spokane	51.3%	604	
Thurston - Mason	65.2%	135	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile

**D-134. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose Testing, Total**

**Statewide Weighted Rate**      **53%**  
**Natl 50th Percentile**        **56%**  
**Natl 75th Percentile**        **60%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-135. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Cholesterol Testing, 1-11 Years**

**Statewide Weighted Rate**      **27%**  
**Natl 50th Percentile**        **31%**  
**Natl 75th Percentile**        **38%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	24.6%	114	<span style="color: gray;">■</span>
Greater Columbia	25.6%	176	<span style="color: gray;">■</span>
King	29.4%	102	<span style="color: gray;">■</span>
King County Total	***	21	<span style="color: yellow;">■</span>
Seattle	***	15	<span style="color: yellow;">■</span>
East King	***	15	<span style="color: yellow;">■</span>
South King	27.3%	66	<span style="color: gray;">■</span>
North Central	28.8%	59	<span style="color: gray;">■</span>
North Sound	15.2%	105	<span style="color: black;">■</span>
Pierce	27.8%	108	<span style="color: gray;">■</span>
Salish	20.3%	59	<span style="color: gray;">■</span>
Southwest	22.6%	62	<span style="color: gray;">■</span>
Spokane	33.2%	253	<span style="color: green;">■</span>
Thurston - Mason	41.2%	51	<span style="color: green;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-136. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Cholesterol Testing, 12-17 Years**

**Statewide Weighted Rate**      **30%**  
**Natl 50th Percentile**        **39%**  
**Natl 75th Percentile**        **45%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	24.1%	249	Similar to State
Greater Columbia	29.5%	393	Similar to State
King	36.7%	248	Better Than State
King County Total	36.7%	248	Better Than State
Seattle	27.4%	62	Similar to State
East King	39.2%	51	Similar to State
South King	39.6%	134	Better Than State
North Central	32.5%	151	Similar to State
North Sound	26.4%	371	Similar to State
Pierce	33.3%	282	Similar to State
Salish	33.6%	152	Similar to State
Southwest	26.3%	209	Similar to State
Spokane	27.8%	604	Similar to State
Thurston - Mason	31.9%	135	Similar to State

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**





**D-137. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Cholesterol Testing, Total**

**Statewide Weighted Rate**      **29%**  
**Natl 50th Percentile**        **36%**  
**Natl 75th Percentile**        **43%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	24.2%	363	<span style="color: gray;">■</span>
Greater Columbia	28.3%	569	<span style="color: gray;">■</span>
King	34.6%	350	<span style="color: green;">■</span>
King County Total			
Seattle	28.9%	83	<span style="color: gray;">■</span>
East King	37.9%	66	<span style="color: gray;">■</span>
South King	35.5%	200	<span style="color: green;">■</span>
North Central	31.4%	210	<span style="color: gray;">■</span>
North Sound	23.9%	476	<span style="color: black;">■</span>
Pierce	31.8%	390	<span style="color: gray;">■</span>
Salish	29.9%	211	<span style="color: gray;">■</span>
Southwest	25.5%	271	<span style="color: gray;">■</span>
Spokane	29.4%	857	<span style="color: gray;">■</span>
Thurston - Mason	34.4%	186	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**



**D-138. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose and Cholesterol Testing, 1-11 Years**

**Statewide Weighted Rate**      **26%**  
**Natl 50th Percentile**        **29%**  
**Natl 75th Percentile**        **36%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	22.8%	114	<span style="color: gray;">■</span>
Greater Columbia	24.4%	176	<span style="color: gray;">■</span>
King	25.5%	102	<span style="color: gray;">■</span>
King County Total	***	21	<span style="color: yellow;">■</span>
Seattle	***	15	<span style="color: yellow;">■</span>
East King	***	15	<span style="color: yellow;">■</span>
South King	24.2%	66	<span style="color: gray;">■</span>
North Central	28.8%	59	<span style="color: gray;">■</span>
North Sound	15.2%	105	<span style="color: black;">■</span>
Pierce	25.0%	108	<span style="color: gray;">■</span>
Salish	20.3%	59	<span style="color: gray;">■</span>
Southwest	19.4%	62	<span style="color: gray;">■</span>
Spokane	32.4%	253	<span style="color: green;">■</span>
Thurston - Mason	39.2%	51	<span style="color: green;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-139. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose and Cholesterol Testing, 12-17 Years**

**Statewide Weighted Rate**      **29%**  
**Natl 50th Percentile**        **37%**  
**Natl 75th Percentile**        **44%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Region	Rate	Count	Performance Category
Great Rivers	22.9%	249	Worse Than State
Greater Columbia	28.2%	393	Similar to State
King	36.3%	248	Better Than State
King County Total	36.3%	248	Better Than State
Seattle	25.8%	62	Similar to State
East King	39.2%	51	Similar to State
South King	39.6%	134	Better Than State
North Central	32.5%	151	Similar to State
North Sound	25.9%	371	Similar to State
Pierce	31.6%	282	Similar to State
Salish	32.9%	152	Similar to State
Southwest	25.4%	209	Similar to State
Spokane	26.8%	604	Similar to State
Thurston - Mason	31.1%	135	Similar to State

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-140. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose and Cholesterol Testing, Total**

**Statewide Weighted Rate 28%**  
**Natl 50th Percentile 34%**  
**Natl 75th Percentile 42%**

■ Better Than State    
 ■ Similar to State    
 ■ Worse Than State  
■ Not Reported    
 ■ <30 Patients



Great Rivers	22.9%	363	<span style="color: black;">■</span>
Greater Columbia	27.1%	569	<span style="color: gray;">■</span>
King	33.1%	350	<span style="color: green;">■</span>
King County Total	33.1%	350	<span style="color: green;">■</span>
Seattle	26.5%	83	<span style="color: gray;">■</span>
East King	36.4%	66	<span style="color: gray;">■</span>
South King	34.5%	200	<span style="color: green;">■</span>
North Central	31.4%	210	<span style="color: gray;">■</span>
North Sound	23.5%	476	<span style="color: black;">■</span>
Pierce	29.7%	390	<span style="color: gray;">■</span>
Salish	29.4%	211	<span style="color: gray;">■</span>
Southwest	24.0%	271	<span style="color: gray;">■</span>
Spokane	28.5%	857	<span style="color: gray;">■</span>
Thurston - Mason	33.3%	186	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval    
 | Statewide Weighted Rate    
 - - - National 50th Percentile    
 - - - National 75th Percentile

**D-141. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E), Blood Glucose Testing, 1-11 Years**

Statewide Weighted Rate **40%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	32.5%	114	
Greater Columbia	40.3%	176	
King	36.3%	102	
King County Total	***		
Seattle	21		
East King	15		
South King	31.8%	66	
North Central	52.5%	59	
North Sound	32.4%	105	
Pierce	36.1%	108	
Salish	35.6%	59	
Southwest	30.6%	62	
Spokane	45.1%	253	
Thurston - Mason	56.9%	51	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**


**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     | National 50th Percentile     | National 75th Percentile

**D-142. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E), Blood Glucose Testing, 12-17 Years**

Statewide Weighted Rate **58%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	59.4%	249	
Greater Columbia	57.0%	393	
King	King County Total	64.1%	248
	Seattle	51.6%	62
	East King	64.7%	51
	South King	69.4%	134
North Central	60.9%	151	
North Sound	59.6%	371	
Pierce	58.9%	282	
Salish	67.8%	152	
Southwest	55.5%	209	
Spokane	51.3%	604	
Thurston - Mason	65.2%	135	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     - - - National 50th Percentile     - - - National 75th Percentile

**D-143. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E), Blood Glucose Testing, Total**

Statewide Weighted Rate **53%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	51.0%	363	
Greater Columbia	51.8%	569	
King	56.0%	350	
King County Total			
Seattle	49.4%	83	
East King	60.6%	66	
South King	57.0%	200	
North Central	58.6%	210	
North Sound	53.6%	476	
Pierce	52.6%	390	
Salish	58.8%	211	
Southwest	49.8%	271	
Spokane	49.5%	857	
Thurston - Mason	62.9%	186	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**


**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     - - - - National 50th Percentile     - - - - National 75th Percentile

**D-144. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E), Cholesterol Testing, 1-11 Years**

Statewide Weighted Rate **27%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	24.6%	114	
Greater Columbia	25.6%	176	
King	King County Total	28.4%	102
	Seattle	***	21
	East King	***	15
	South King	25.8%	66
North Central	28.8%	59	
North Sound	15.2%	105	
Pierce	27.8%	108	
Salish	20.3%	59	
Southwest	22.6%	62	
Spokane	33.2%	253	
Thurston - Mason	41.2%	51	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     - - - - National 50th Percentile     - - - - National 75th Percentile



**D-145. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E), Cholesterol Testing, 12-17 Years**

**Statewide Weighted Rate**      **29%**  
**Natl 50th Percentile**      -----  
**Natl 75th Percentile**      -----

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	23.7%	249	
Greater Columbia	29.5%	393	
King	36.7%	248	
Seattle	27.4%	62	
East King	39.2%	51	
South King	39.6%	134	
North Central	31.8%	151	
North Sound	26.4%	371	
Pierce	33.0%	282	
Salish	33.6%	152	
Southwest	25.4%	209	
Spokane	27.8%	604	
Thurston - Mason	31.9%	135	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - - National 50th Percentile      - - - - National 75th Percentile

**D-146. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E), Cholesterol Testing, Total**

Statewide Weighted Rate **29%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	24.0%	363	<span style="color: black;">■</span>
Greater Columbia	28.3%	569	<span style="color: gray;">■</span>
King	34.3%	350	<span style="color: green;">■</span>
King County Total			
Seattle	28.9%	83	<span style="color: gray;">■</span>
East King	37.9%	66	<span style="color: gray;">■</span>
South King	35.0%	200	<span style="color: gray;">■</span>
North Central	31.0%	210	<span style="color: gray;">■</span>
North Sound	23.9%	476	<span style="color: black;">■</span>
Pierce	31.5%	390	<span style="color: gray;">■</span>
Salish	29.9%	211	<span style="color: gray;">■</span>
Southwest	24.7%	271	<span style="color: gray;">■</span>
Spokane	29.4%	857	<span style="color: gray;">■</span>
Thurston - Mason	34.4%	186	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**


**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     - - - - National 50th Percentile     - - - - National 75th Percentile

**D-147. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E), Blood Glucose and Cholesterol Testing, 1-11 Years**

**Statewide Weighted Rate**      **26%**  
**Natl 50th Percentile**      -----  
**Natl 75th Percentile**      -----

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	22.8%	114	
Greater Columbia	24.4%	176	
King	King County Total	24.5%	102
	Seattle	***	21
	East King	***	15
	South King	22.7%	66
North Central	28.8%	59	
North Sound	15.2%	105	
Pierce	25.0%	108	
Salish	20.3%	59	
Southwest	19.4%	62	
Spokane	32.4%	253	
Thurston - Mason	39.2%	51	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - - National 50th Percentile      - - - - National 75th Percentile

**D-148. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E), Blood Glucose and Cholesterol Testing, 12-17 Years**

**Statewide Weighted Rate**      **28%**  
**Natl 50th Percentile**      -----  
**Natl 75th Percentile**      -----

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	22.9%	249	<span style="color: gray;">■</span>
Greater Columbia	28.2%	393	<span style="color: gray;">■</span>
King	36.3%	248	<span style="color: green;">■</span>
King County Total	36.3%	248	<span style="color: green;">■</span>
Seattle	25.8%	62	<span style="color: gray;">■</span>
East King	39.2%	51	<span style="color: gray;">■</span>
South King	39.6%	134	<span style="color: green;">■</span>
North Central	31.8%	151	<span style="color: gray;">■</span>
North Sound	25.9%	371	<span style="color: gray;">■</span>
Pierce	31.2%	282	<span style="color: gray;">■</span>
Salish	32.9%	152	<span style="color: gray;">■</span>
Southwest	24.4%	209	<span style="color: gray;">■</span>
Spokane	26.8%	604	<span style="color: gray;">■</span>
Thurston - Mason	31.1%	135	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - - National 50th Percentile      - - - - National 75th Percentile

**D-149. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E), Blood Glucose and Cholesterol Testing, Total**

**Statewide Weighted Rate**      **28%**  
**Natl 50th Percentile**      -----  
**Natl 75th Percentile**      -----

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	22.9%	363	<span style="color: black;">■</span>
Greater Columbia	27.1%	569	<span style="color: gray;">■</span>
King	32.9%	350	<span style="color: green;">■</span>
King County Total			
Seattle	26.5%	83	<span style="color: gray;">■</span>
East King	36.4%	66	<span style="color: gray;">■</span>
South King	34.0%	200	<span style="color: green;">■</span>
North Central	31.0%	210	<span style="color: gray;">■</span>
North Sound	23.5%	476	<span style="color: black;">■</span>
Pierce	29.5%	390	<span style="color: gray;">■</span>
Salish	29.4%	211	<span style="color: gray;">■</span>
Southwest	23.2%	271	<span style="color: gray;">■</span>
Spokane	28.5%	857	<span style="color: gray;">■</span>
Thurston - Mason	33.3%	186	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - - National 50th Percentile      - - - - National 75th Percentile

**D-150. Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS) (Note that a lower score is better for this measure)**

**Statewide Weighted Rate** 0%  
**Natl 50th Percentile** 0% Lower is Better  
**Natl 75th Percentile** 0%

■ Better Than State    
 ■ Similar to State    
 ■ Worse Than State  
■ Not Reported    
 ■ <30 Patients



Great Rivers	0.1%	4,283	<span style="color: gray;">■</span>
Greater Columbia	0.3%	14,438	<span style="color: black;">■</span>
King	0.1%	16,897	<span style="color: green;">■</span>
King County Total	0.2%	4,144	<span style="color: gray;">■</span>
Seattle	0.2%	2,454	<span style="color: gray;">■</span>
East King	0.1%	10,298	<span style="color: green;">■</span>
South King	0.2%	5,139	<span style="color: gray;">■</span>
North Central	0.3%	12,207	<span style="color: gray;">■</span>
North Sound	0.2%	9,931	<span style="color: gray;">■</span>
Pierce	0.3%	2,932	<span style="color: gray;">■</span>
Salish	0.1%	6,115	<span style="color: green;">■</span>
Southwest	0.3%	8,404	<span style="color: gray;">■</span>
Spokane	0.1%	3,173	<span style="color: gray;">■</span>
Thurston - Mason			

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval    
 | Statewide Weighted Rate    
 | National 50th Percentile    
 | National 75th Percentile

**D-151. Appropriate Treatment for Upper Respiratory Infection (URI), 3 Months-17 Years**

**Statewide Weighted Rate**      **97%**  
**Natl 50th Percentile**        **93%**  
**Natl 75th Percentile**        **96%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	96.1%	7,584	
Greater Columbia	95.9%	21,383	
King	King County Total	97.6%	16,983
	Seattle	97.7%	2,942
	East King	97.3%	2,439
	South King	97.7%	11,522
North Central	96.4%	7,249	
North Sound	96.3%	14,818	
Pierce	97.3%	14,333	
Salish	97.0%	3,176	
Southwest	98.0%	6,282	
Spokane	96.5%	14,499	
Thurston - Mason	96.7%	5,284	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-152. Appropriate Treatment for Upper Respiratory Infection (URI), 18-64 Years**

**Statewide Weighted Rate**      **93%**  
**Natl 50th Percentile**        **82%**  
**Natl 75th Percentile**        **88%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	91.5%	2,293	<span style="color: black;">■</span>
Greater Columbia	93.2%	6,284	<span style="color: gray;">■</span>
King	94.7%	6,076	<span style="color: green;">■</span>
King County Total	94.7%	6,076	<span style="color: green;">■</span>
Seattle	94.8%	1,724	<span style="color: green;">■</span>
East King	94.9%	954	<span style="color: gray;">■</span>
South King	94.6%	3,381	<span style="color: green;">■</span>
North Central	93.6%	1,786	<span style="color: gray;">■</span>
North Sound	93.3%	4,952	<span style="color: gray;">■</span>
Pierce	92.7%	4,363	<span style="color: gray;">■</span>
Salish	94.4%	1,639	<span style="color: gray;">■</span>
Southwest	94.1%	2,193	<span style="color: gray;">■</span>
Spokane	92.5%	6,228	<span style="color: black;">■</span>
Thurston - Mason	92.9%	1,961	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**






### D-153. Appropriate Treatment for Upper Respiratory Infection (URI), Total

Statewide Weighted Rate **96%**  
 Natl 50th Percentile **91%**  
 Natl 75th Percentile **94%**

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	95.0%	9,879	Worse Than State	
Greater Columbia	95.3%	27,673	Worse Than State	
King	King County Total	96.9%	23,083	Better Than State
	Seattle	96.6%	4,674	Better Than State
	East King	96.6%	3,395	Better Than State
	South King	97.0%	14,917	Better Than State
North Central	95.9%	9,036	Similar to State	
North Sound	95.5%	19,778	Worse Than State	
Pierce	96.2%	18,701	Better Than State	
Salish	96.1%	4,815	Similar to State	
Southwest	97.0%	8,475	Better Than State	
Spokane	95.3%	20,733	Worse Than State	
Thurston - Mason	95.7%	7,246	Similar to State	

\*\*\* Data suppressed due to small sample size.


#### Bar Chart Legend:

Confidence Interval      Statewide Weighted Rate      National 50th Percentile      National 75th Percentile

**D-154. Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB), 3 Months-17 Years**


**Statewide Weighted Rate**      **82%**  
**Natl 50th Percentile**        **72%**  
**Natl 75th Percentile**        **80%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.



**Bar Chart Legend:**



**D-155. Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB), 18-64 Years**


**Statewide Weighted Rate**      **58%**  
**Natl 50th Percentile**        **43%**  
**Natl 75th Percentile**        **51%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-156. Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB), Total**

**Statewide Weighted Rate**      75%  
**Natl 50th Percentile**        61%  
**Natl 75th Percentile**       69%


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	61.0%	1,126	<span style="color: black;">■</span>
Greater Columbia	73.2%	3,076	<span style="color: black;">■</span>
King	76.8%	2,393	<span style="color: green;">■</span>
King County Total	76.8%	2,393	<span style="color: green;">■</span>
Seattle	78.4%	361	<span style="color: gray;">■</span>
East King	73.0%	304	<span style="color: gray;">■</span>
South King	77.1%	1,710	<span style="color: green;">■</span>
North Central	81.6%	1,014	<span style="color: green;">■</span>
North Sound	73.6%	1,646	<span style="color: gray;">■</span>
Pierce	77.8%	1,794	<span style="color: green;">■</span>
Salish	72.5%	592	<span style="color: gray;">■</span>
Southwest	81.4%	767	<span style="color: green;">■</span>
Spokane	75.3%	2,016	<span style="color: gray;">■</span>
Thurston - Mason	75.6%	735	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-157. Use of Imaging Studies for Low Back Pain (LBP), 18-64 Years**

**Statewide Weighted Rate**      **74%**  
**Natl 50th Percentile**        **73%**  
**Natl 75th Percentile**        **76%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	71.5%	1,128	<span style="color: gray;">■</span>
Greater Columbia	72.6%	3,004	<span style="color: gray;">■</span>
King	76.3%	4,906	<span style="color: green;">■</span>
King County Total	76.3%	4,906	<span style="color: green;">■</span>
Seattle	79.9%	1,600	<span style="color: green;">■</span>
East King	78.1%	648	<span style="color: green;">■</span>
South King	73.7%	2,649	<span style="color: gray;">■</span>
North Central	69.3%	1,132	<span style="color: black;">■</span>
North Sound	74.1%	3,055	<span style="color: gray;">■</span>
Pierce	73.4%	2,672	<span style="color: gray;">■</span>
Salish	69.8%	928	<span style="color: black;">■</span>
Southwest	74.6%	1,430	<span style="color: gray;">■</span>
Spokane	73.8%	2,672	<span style="color: gray;">■</span>
Thurston - Mason	74.0%	1,072	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile

**D-158. Use of Imaging Studies for Low Back Pain (LBP), 65-75 Years**

**Statewide Weighted Rate**      **68%**  
**Natl 50th Percentile**        **73%**  
**Natl 75th Percentile**        **78%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	***	4
Greater Columbia	***	9
King	King County Total	74.3% 35
Seattle	***	9
East King	***	8
South King	***	18
North Central	***	1
North Sound	***	16
Pierce	***	14
Salish	***	1
Southwest	***	10
Spokane	***	6
Thurston - Mason	***	4

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-159. Use of Opioids at High Dosage (HDO) (Note that a lower score is better for this measure)**

**Statewide Weighted Rate**      **5%**  
**Natl 50th Percentile**        **4%** Lower is Better  
**Natl 75th Percentile**        **2%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	4.5%	1,714	Similar to State	
Greater Columbia	4.1%	3,142	Better Than State	
King	King County Total	4.8%	3,775	Similar to State
Seattle	4.4%	1,101	Similar to State	
East King	5.4%	572	Similar to State	
South King	4.9%	2,100	Similar to State	
North Central	4.4%	1,221	Similar to State	
North Sound	5.8%	3,650	Similar to State	
Pierce	5.2%	3,284	Similar to State	
Salish	8.1%	1,316	Worse Than State	
Southwest	5.8%	1,678	Similar to State	
Spokane	4.8%	4,044	Similar to State	
Thurston - Mason	4.1%	1,113	Similar to State	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**



**D-160. Use of Opioids from Multiple Prescribers (UOP) (Note that a lower score is better for this measure)**

**Statewide Weighted Rate**      **22%**  
**Natl 50th Percentile**        **19%** Lower is Better  
**Natl 75th Percentile**        **15%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**


— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile



**D-161. Use of Opioids from Multiple Pharmacies (UOP) (Note that a lower score is better for this measure)**


**Statewide Weighted Rate**      **3%**  
**Natl 50th Percentile**        **2%** Lower is Better  
**Natl 75th Percentile**        **1%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**



**D-162. Use of Opioids from Multiple Prescribers and Multiple Pharmacies (UOP) (Note that a lower score is better for this measure)**

**Statewide Weighted Rate**      **2%**  
**Natl 50th Percentile**      **1%** Lower is Better  
**Natl 75th Percentile**      **1%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-163. Risk of Continued Opioid Use (COU), At least 15 days, 18-64 Years (Note that a lower score is better for this measure)**

**Statewide Weighted Rate** 6%  
**Natl 50th Percentile** 6% Lower is Better  
**Natl 75th Percentile** 3%


■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	7.4%	5,035	<span style="color: black;">■</span>
Greater Columbia	6.1%	11,143	<span style="color: black;">■</span>
King	4.6%	18,383	<span style="color: green;">■</span>
King County Total	4.6%	18,383	<span style="color: green;">■</span>
Seattle	5.3%	5,759	<span style="color: gray;">■</span>
East King	4.6%	2,567	<span style="color: green;">■</span>
South King	4.3%	10,016	<span style="color: green;">■</span>
North Central	5.9%	3,914	<span style="color: gray;">■</span>
North Sound	5.6%	12,857	<span style="color: gray;">■</span>
Pierce	5.4%	12,458	<span style="color: gray;">■</span>
Salish	5.7%	4,011	<span style="color: gray;">■</span>
Southwest	5.1%	6,390	<span style="color: gray;">■</span>
Spokane	6.1%	11,368	<span style="color: black;">■</span>
Thurston - Mason	5.4%	4,304	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-164. Risk of Continued Opioid Use (COU), At least 15 days, Total (Note that a lower score is better for this measure)**

**Statewide Weighted Rate** 6%  
**Natl 50th Percentile** 6% Lower is Better  
**Natl 75th Percentile** 4%


■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



Great Rivers	7.4%	5,038	<span style="color: black;">■</span>
Greater Columbia	6.1%	11,153	<span style="color: black;">■</span>
King	4.7%	18,465	<span style="color: green;">■</span>
King County Total	4.7%	18,465	<span style="color: green;">■</span>
Seattle	5.3%	5,776	<span style="color: gray;">■</span>
East King	4.6%	2,578	<span style="color: green;">■</span>
South King	4.3%	10,070	<span style="color: green;">■</span>
North Central	5.9%	3,923	<span style="color: gray;">■</span>
North Sound	5.6%	12,886	<span style="color: gray;">■</span>
Pierce	5.4%	12,476	<span style="color: gray;">■</span>
Salish	5.7%	4,015	<span style="color: gray;">■</span>
Southwest	5.1%	6,396	<span style="color: gray;">■</span>
Spokane	6.1%	11,382	<span style="color: black;">■</span>
Thurston - Mason	5.4%	4,309	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-165. Risk of Continued Opioid Use (COU), At least 30 days, 18-64 Years (Note that a lower score is better for this measure)**

**Statewide Weighted Rate** 2%  
**Natl 50th Percentile** 3% Lower is Better  
**Natl 75th Percentile** 2%

■ Better Than State    
 ■ Similar to State    
 ■ Worse Than State  
■ Not Reported    
 ■ <30 Patients



Great Rivers	3.2%	5,035	<span style="color: black;">■</span>
Greater Columbia	2.4%	11,143	<span style="color: gray;">■</span>
King	1.6%	18,383	<span style="color: green;">■</span>
King County Total	1.7%	5,759	<span style="color: green;">■</span>
Seattle	1.6%	2,567	<span style="color: green;">■</span>
East King	1.5%	10,016	<span style="color: green;">■</span>
South King	1.9%	12,857	<span style="color: green;">■</span>
North Central	2.6%	3,914	<span style="color: gray;">■</span>
North Sound	2.0%	12,458	<span style="color: gray;">■</span>
Pierce	2.4%	4,011	<span style="color: gray;">■</span>
Salish	1.9%	6,390	<span style="color: gray;">■</span>
Southwest	2.9%	11,368	<span style="color: black;">■</span>
Spokane	2.0%	4,304	<span style="color: gray;">■</span>
Thurston - Mason			

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval    
 | Statewide Weighted Rate    
 - - - National 50th Percentile    
 - - - National 75th Percentile

D-166. Risk of Continued Opioid Use (COU), At least 30 days, Total (Note that a lower score is better for this measure)

Statewide Weighted Rate 2%  
 Natl 50th Percentile 3% Lower is Better  
 Natl 75th Percentile 2%

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



Great Rivers	3.2%	5,038	<span style="color: black;">■</span>
Greater Columbia	2.5%	11,153	<span style="color: gray;">■</span>
King	1.6%	18,465	<span style="color: green;">■</span>
King County Total	1.8%	5,776	<span style="color: green;">■</span>
Seattle	1.6%	2,578	<span style="color: green;">■</span>
East King	1.5%	10,070	<span style="color: green;">■</span>
South King	1.9%	12,886	<span style="color: green;">■</span>
North Central	2.0%	12,476	<span style="color: gray;">■</span>
North Sound	2.4%	4,015	<span style="color: gray;">■</span>
Pierce	1.9%	6,396	<span style="color: gray;">■</span>
Salish	2.9%	11,382	<span style="color: black;">■</span>
Southwest	2.0%	4,309	<span style="color: gray;">■</span>
Spokane			
Thurston - Mason			

\*\*\* Data suppressed due to small sample size.

Bar Chart Legend:

— Confidence Interval   
 | Statewide Weighted Rate   
 - - - National 50th Percentile   
 - - - National 75th Percentile

**D-167. Adults' Access to Preventive/Ambulatory Health Services (AAP), 20-44 Years**

**Statewide Weighted Rate**      **66%**  
**Natl 50th Percentile**        **70%**  
**Natl 75th Percentile**        **75%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	64.5%	26,792	Worse Than State	
Greater Columbia	68.9%	70,350	Better Than State	
King	King County Total	63.0%	120,412	Worse Than State
	Seattle	62.3%	44,632	Worse Than State
	East King	62.1%	16,471	Worse Than State
	South King	63.7%	59,296	Worse Than State
North Central	71.1%	23,825	Better Than State	
North Sound	65.7%	78,181	Similar to State	
Pierce	61.6%	65,637	Worse Than State	
Salish	66.0%	23,710	Similar to State	
Southwest	62.9%	36,940	Worse Than State	
Spokane	70.5%	62,065	Better Than State	
Thurston - Mason	65.5%	25,217	Similar to State	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-168. Adults' Access to Preventive/Ambulatory Health Services (AAP), 45-64 Years**

**Statewide Weighted Rate**      **75%**  
**Natl 50th Percentile**        **80%**  
**Natl 75th Percentile**        **84%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	72.6%	15,274	Worse Than State	
Greater Columbia	78.7%	25,531	Better Than State	
King	King County Total	73.5%	61,099	Worse Than State
	Seattle	72.6%	23,797	Worse Than State
	East King	72.9%	9,766	Worse Than State
	South King	74.4%	27,524	Similar to State
North Central	78.8%	10,537	Better Than State	
North Sound	74.9%	37,941	Similar to State	
Pierce	72.4%	29,531	Worse Than State	
Salish	74.8%	13,119	Similar to State	
Southwest	72.3%	16,768	Worse Than State	
Spokane	77.1%	26,870	Better Than State	
Thurston - Mason	73.1%	12,036	Worse Than State	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**





**D-169. Adults' Access to Preventive/Ambulatory Health Services (AAP), 65+ Years**

**Statewide Weighted Rate**      **69%**  
**Natl 50th Percentile**        **80%**  
**Natl 75th Percentile**        **88%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	61.4%	153	<span style="color: black;">■</span>
Greater Columbia	67.6%	330	<span style="color: gray;">■</span>
King	70.2%	2,023	<span style="color: gray;">■</span>
King County Total			
Seattle	68.0%	600	<span style="color: gray;">■</span>
East King	63.7%	372	<span style="color: black;">■</span>
South King	73.8%	1,051	<span style="color: green;">■</span>
North Central	75.3%	174	<span style="color: gray;">■</span>
North Sound	69.6%	741	<span style="color: gray;">■</span>
Pierce	69.7%	534	<span style="color: gray;">■</span>
Salish	62.7%	118	<span style="color: gray;">■</span>
Southwest	70.8%	305	<span style="color: gray;">■</span>
Spokane	67.4%	310	<span style="color: gray;">■</span>
Thurston - Mason	67.1%	152	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-170. Adults' Access to Preventive/Ambulatory Health Services (AAP), Total**

**Statewide Weighted Rate 68%**  
**Natl 50th Percentile 73%**  
**Natl 75th Percentile 78%**


■ Better Than State    
 ■ Similar to State    
 ■ Worse Than State  
■ Not Reported    
 ■ <30 Patients



Great Rivers	67.5%	42,219	Worse Than State
Greater Columbia	71.5%	96,211	Better Than State
King	66.5%	183,534	Worse Than State
King County Total			
Seattle	65.9%	69,029	Worse Than State
East King	66.1%	26,609	Worse Than State
South King	67.2%	87,871	Worse Than State
North Central	73.5%	34,536	Better Than State
North Sound	68.7%	116,863	Better Than State
Pierce	65.0%	95,702	Worse Than State
Salish	69.1%	36,947	Better Than State
Southwest	65.9%	54,013	Worse Than State
Spokane	72.5%	89,245	Better Than State
Thurston - Mason	67.9%	37,405	Worse Than State

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**



**D-171. Initiation and Engagement of Substance Use Disorder Treatment (IET), Initiation of SUD Treatment, 13-17 years**

**Statewide Weighted Rate**      **39%**  
**Natl 50th Percentile**        **43%**  
**Natl 75th Percentile**        **49%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	48.1%	231	<span style="color: green;">■</span>
Greater Columbia	30.3%	429	<span style="color: black;">■</span>
King	36.5%	301	<span style="color: gray;">■</span>
King County Total	36.5%	301	<span style="color: gray;">■</span>
Seattle	40.5%	74	<span style="color: gray;">■</span>
East King	29.4%	51	<span style="color: gray;">■</span>
South King	36.9%	176	<span style="color: gray;">■</span>
North Central	34.0%	197	<span style="color: gray;">■</span>
North Sound	31.4%	462	<span style="color: black;">■</span>
Pierce	31.7%	265	<span style="color: black;">■</span>
Salish	39.8%	113	<span style="color: gray;">■</span>
Southwest	45.2%	239	<span style="color: green;">■</span>
Spokane	50.7%	467	<span style="color: green;">■</span>
Thurston - Mason	46.0%	150	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.



**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-172. Initiation and Engagement of Substance Use Disorder Treatment (IET), Engagement of SUD Treatment, 13-17 years**

**Statewide Weighted Rate 13%**  
**Natl 50th Percentile 11%**  
**Natl 75th Percentile 16%**

■ Better Than State    
 ■ Similar to State    
 ■ Worse Than State  
■ Not Reported    
 ■ <30 Patients



\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval    
 | Statewide Weighted Rate    
 | National 50th Percentile    
 | National 75th Percentile

**D-173. Initiation and Engagement of Substance Use Disorder Treatment (IET), Initiation of SUD Treatment, 18-64 Years**

**Statewide Weighted Rate**      **48%**  
**Natl 50th Percentile**        **44%**  
**Natl 75th Percentile**        **49%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	53.2%	3,171	<span style="color: green;">■</span>
Greater Columbia	41.7%	6,030	<span style="color: black;">■</span>
King	47.2%	9,924	<span style="color: gray;">■</span>
King County Total			
Seattle	46.1%	4,619	<span style="color: black;">■</span>
East King	41.6%	1,110	<span style="color: black;">■</span>
South King	49.9%	4,178	<span style="color: green;">■</span>
North Central	43.4%	2,408	<span style="color: black;">■</span>
North Sound	47.4%	8,195	<span style="color: gray;">■</span>
Pierce	49.1%	6,680	<span style="color: green;">■</span>
Salish	51.9%	2,613	<span style="color: green;">■</span>
Southwest	47.7%	3,435	<span style="color: gray;">■</span>
Spokane	48.2%	6,715	<span style="color: gray;">■</span>
Thurston - Mason	50.2%	2,352	<span style="color: green;">■</span>

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-174. Initiation and Engagement of Substance Use Disorder Treatment (IET), Engagement of SUD Treatment, 18-64 Years**

**Statewide Weighted Rate** 15%  
**Natl 50th Percentile** 14%  
**Natl 75th Percentile** 19%


■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Region	Rate	Count	Color
Great Rivers	18.8%	3,171	Green
Greater Columbia	15.5%	6,030	Gray
King	12.7%	9,924	Black
King County Total			
Seattle	10.5%	4,619	Black
East King	11.9%	1,110	Black
South King	15.3%	4,178	Gray
North Central	13.8%	2,408	Black
North Sound	19.3%	8,195	Green
Pierce	13.8%	6,680	Black
Salish	15.3%	2,613	Gray
Southwest	12.2%	3,435	Black
Spokane	16.4%	6,715	Green
Thurston - Mason	16.2%	2,352	Gray

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**



**D-175. Initiation and Engagement of Substance Use Disorder Treatment (IET), Initiation of SUD Treatment, Total**

**Statewide Weighted Rate**      **47%**  
**Natl 50th Percentile**        **44%**  
**Natl 75th Percentile**        **49%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	52.8%	3,408	<span style="color: green;">■</span>
Greater Columbia	40.9%	6,466	<span style="color: black;">■</span>
King	46.8%	10,246	<span style="color: gray;">■</span>
King County Total			
Seattle	46.0%	4,704	<span style="color: gray;">■</span>
East King	41.0%	1,164	<span style="color: black;">■</span>
South King	49.3%	4,361	<span style="color: green;">■</span>
North Central	42.6%	2,611	<span style="color: black;">■</span>
North Sound	46.5%	8,664	<span style="color: gray;">■</span>
Pierce	48.4%	6,955	<span style="color: green;">■</span>
Salish	51.4%	2,731	<span style="color: green;">■</span>
Southwest	47.6%	3,674	<span style="color: gray;">■</span>
Spokane	48.4%	7,185	<span style="color: green;">■</span>
Thurston - Mason	50.0%	2,505	<span style="color: green;">■</span>

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-176. Initiation and Engagement of Substance Use Disorder Treatment (IET), Engagement of SUD Treatment, Total**

**Statewide Weighted Rate** 15%  
**Natl 50th Percentile** 14%  
**Natl 75th Percentile** 19%


■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	18.8%	3,408	<span style="color: green;">■</span>
Greater Columbia	15.3%	6,466	<span style="color: gray;">■</span>
King	12.5%	10,246	<span style="color: black;">■</span>
King County Total			
Seattle	10.5%	4,704	<span style="color: black;">■</span>
East King	11.4%	1,164	<span style="color: black;">■</span>
South King	15.0%	4,361	<span style="color: gray;">■</span>
North Central	13.5%	2,611	<span style="color: black;">■</span>
North Sound	18.7%	8,664	<span style="color: green;">■</span>
Pierce	13.6%	6,955	<span style="color: black;">■</span>
Salish	15.2%	2,731	<span style="color: gray;">■</span>
Southwest	12.8%	3,674	<span style="color: black;">■</span>
Spokane	16.5%	7,185	<span style="color: green;">■</span>
Thurston - Mason	15.9%	2,505	<span style="color: gray;">■</span>

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**





**D-177. Prenatal and Postpartum Care (PPC), Timeliness of Prenatal Care**

**Statewide Weighted Rate 87%**  
**Natl 50th Percentile 84%**  
**Natl 75th Percentile 88%**

■ Better Than State    
 ■ Similar to State    
 ■ Worse Than State  
■ Not Reported    
 ■ <30 Patients



Great Rivers	77.8%	72	<span style="color: black;">■</span>	
Greater Columbia	83.8%	370	<span style="color: gray;">■</span>	
King	King County Total	84.5%	433	<span style="color: gray;">■</span>
	Seattle	77.3%	97	<span style="color: black;">■</span>
	East King	79.6%	49	<span style="color: gray;">■</span>
	South King	87.6%	283	<span style="color: gray;">■</span>
North Central	93.5%	93	<span style="color: gray;">■</span>	
North Sound	82.2%	315	<span style="color: black;">■</span>	
Pierce	82.9%	245	<span style="color: gray;">■</span>	
Salish	81.8%	66	<span style="color: gray;">■</span>	
Southwest	85.7%	77	<span style="color: gray;">■</span>	
Spokane	85.4%	198	<span style="color: gray;">■</span>	
Thurston - Mason	82.2%	90	<span style="color: gray;">■</span>	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval    
 | Statewide Weighted Rate    
 - - - National 50th Percentile    
 - - - National 75th Percentile

**D-178. Prenatal and Postpartum Care (PPC), Postpartum Care**

**Statewide Weighted Rate**      **80%**  
**Natl 50th Percentile**        **78%**  
**Natl 75th Percentile**        **82%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	75.0%	72	
Greater Columbia	82.2%	370	
King	King County Total	77.1%	433
	Seattle	76.3%	97
	East King	75.5%	49
	South King	77.7%	283
North Central	86.0%	93	
North Sound	71.4%	315	
Pierce	76.7%	245	
Salish	75.8%	66	
Southwest	77.9%	77	
Spokane	76.8%	198	
Thurston - Mason	78.9%	90	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-179. Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP), 1-11 Years**

**Statewide Weighted Rate 58%**  
**Natl 50th Percentile 57%**  
**Natl 75th Percentile 64%**

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	64.9%	37	
Greater Columbia	54.8%	62	
King	King County Total	43.6%	39
	Seattle	***	11
	East King	***	5
	South King	***	23
North Central	***	14	
North Sound	61.5%	39	
Pierce	***	27	
Salish	***	19	
Southwest	***	17	
Spokane	58.9%	73	
Thurston - Mason	***	12	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     | National 50th Percentile     | National 75th Percentile

**D-180. Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP), 12-17 Years**

**Statewide Weighted Rate**      **59%**  
**Natl 50th Percentile**        **62%**  
**Natl 75th Percentile**        **69%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	66.7%	84	
Greater Columbia	57.5%	160	
King	50.5%	111	
King County Total			
Seattle	***	17	
East King	***	24	
South King	50.0%	70	
North Central	59.6%	47	
North Sound	53.3%	165	
Pierce	52.2%	92	
Salish	54.9%	51	
Southwest	62.2%	74	
Spokane	67.2%	204	
Thurston - Mason	66.1%	56	

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-181. Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP), Total**

**Statewide Weighted Rate**      **59%**  
**Natl 50th Percentile**        **60%**  
**Natl 75th Percentile**        **66%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	66.1%	121	
Greater Columbia	56.8%	222	
King	48.7%	150	
King County Total	***	28	
Seattle	***	29	
East King	48.4%	93	
South King			
North Central	54.1%	61	
North Sound	54.9%	204	
Pierce	56.3%	119	
Salish	55.7%	70	
Southwest	64.8%	91	
Spokane	65.0%	277	
Thurston - Mason	66.2%	68	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      | National 50th Percentile      | National 75th Percentile

**D-182. Well-Child Visits in the First 30 Months of Life (W30), 0-15 Months**

**Statewide Weighted Rate**      **56%**  
**Natl 50th Percentile**        **58%**  
**Natl 75th Percentile**        **63%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	57.9%	1,391	Similar to State
Greater Columbia	62.4%	5,076	Better Than State
King	52.8%	6,098	Worse Than State
King County Total	50.4%	1,248	Worse Than State
Seattle	55.8%	704	Similar to State
East King	53.2%	4,125	Worse Than State
South King			
North Central	59.9%	1,764	Better Than State
North Sound	56.6%	4,392	Similar to State
Pierce	58.6%	3,844	Better Than State
Salish	54.5%	1,081	Similar to State
Southwest	41.4%	2,092	Worse Than State
Spokane	59.0%	3,162	Better Than State
Thurston - Mason	55.9%	1,246	Similar to State

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile

**D-183. Well-Child Visits in the First 30 Months of Life (W30), 15-30 Months**

**Statewide Weighted Rate**      65%  
**Natl 50th Percentile**        67%  
**Natl 75th Percentile**        71%


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	68.9%	1,694	<span style="color: green;">■</span>
Greater Columbia	67.7%	5,783	<span style="color: green;">■</span>
King	59.3%	6,994	<span style="color: black;">■</span>
King County Total	57.8%	1,482	<span style="color: black;">■</span>
Seattle	62.1%	823	<span style="color: gray;">■</span>
East King	59.4%	4,666	<span style="color: black;">■</span>
South King	73.4%	2,070	<span style="color: green;">■</span>
North Central	67.4%	5,106	<span style="color: green;">■</span>
North Sound	61.8%	4,345	<span style="color: black;">■</span>
Pierce	64.3%	1,231	<span style="color: gray;">■</span>
Salish	58.8%	2,430	<span style="color: black;">■</span>
Southwest	67.9%	3,535	<span style="color: green;">■</span>
Spokane	66.8%	1,473	<span style="color: gray;">■</span>
Thurston - Mason			

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-184. Child and Adolescent Well-Care Visit (WCV), 3-11 Years**

**Statewide Weighted Rate**      **54%**  
**Natl 50th Percentile**        **56%**  
**Natl 75th Percentile**        **63%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	52.1%	17,601	Black
Greater Columbia	57.3%	57,011	Green
King	53.5%	71,163	Gray
Seattle	55.9%	16,383	Green
East King	52.1%	9,064	Black
South King	52.9%	45,715	Black
North Central	63.9%	21,013	Green
North Sound	52.2%	53,210	Black
Pierce	49.5%	44,275	Black
Salish	50.5%	12,595	Black
Southwest	48.2%	25,470	Black
Spokane	58.3%	37,763	Green
Thurston - Mason	48.8%	15,219	Black

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

Confidence Interval     
  Statewide Weighted Rate     
  National 50th Percentile     
  National 75th Percentile



**D-185. Child and Adolescent Well-Care Visit (WCV), 12-17 Years**

**Statewide Weighted Rate**      **45%**  
**Natl 50th Percentile**        **49%**  
**Natl 75th Percentile**        **56%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	43.9%	11,656	Similar to State	
Greater Columbia	47.6%	39,517	Better Than State	
King	King County Total	45.5%	47,375	Better Than State
	Seattle	45.6%	11,025	Better Than State
	East King	44.0%	6,745	Similar to State
	South King	45.8%	29,602	Better Than State
North Central	53.7%	14,797	Better Than State	
North Sound	42.5%	34,485	Worse Than State	
Pierce	41.6%	28,369	Worse Than State	
Salish	38.6%	8,160	Worse Than State	
Southwest	37.7%	17,341	Worse Than State	
Spokane	48.3%	24,110	Better Than State	
Thurston - Mason	39.4%	9,470	Worse Than State	

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile

**D-186. Child and Adolescent Well-Care Visit (WCV), 18-21 Years**

**Statewide Weighted Rate**      **19%**  
**Natl 50th Percentile**        **24%**  
**Natl 75th Percentile**        **29%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Region	Rate	Count	Category
Great Rivers	16.2%	5,919	Worse Than State
Greater Columbia	20.7%	20,847	Better Than State
King	21.4%	24,601	Better Than State
King County Total	21.4%	24,601	Better Than State
Seattle	21.8%	6,314	Better Than State
East King	22.7%	3,670	Better Than State
South King	20.9%	14,616	Better Than State
North Central	21.0%	7,398	Better Than State
North Sound	18.3%	17,232	Similar to State
Pierce	16.2%	13,972	Worse Than State
Salish	14.0%	4,309	Worse Than State
Southwest	13.3%	8,767	Worse Than State
Spokane	20.4%	12,326	Better Than State
Thurston - Mason	13.5%	4,604	Worse Than State

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

Confidence Interval     
  Statewide Weighted Rate     
  National 50th Percentile     
  National 75th Percentile

**D-187. Child and Adolescent Well-Care Visit (WCV), Total**

**Statewide Weighted Rate**      **45%**  
**Natl 50th Percentile**        **48%**  
**Natl 75th Percentile**       **55%**


■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	43.4%	35,176	Worse Than State
Greater Columbia	47.5%	117,375	Better Than State
King	45.3%	143,139	Better Than State
King County Total			
Seattle	46.1%	33,722	Better Than State
East King	43.7%	19,479	Worse Than State
South King	45.3%	89,933	Better Than State
North Central	53.0%	43,208	Better Than State
North Sound	43.4%	104,927	Worse Than State
Pierce	41.6%	86,616	Worse Than State
Salish	40.3%	25,064	Worse Than State
Southwest	38.7%	51,578	Worse Than State
Spokane	48.8%	74,199	Better Than State
Thurston - Mason	40.2%	29,293	Worse Than State

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-188. Antibiotic Utilization for Respiratory Conditions (AXR), 3 Months-17 Years**

Statewide Weighted Rate **15%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	17.7%	27,540	<span style="color: green;">■</span>	
Greater Columbia	18.0%	89,375	<span style="color: green;">■</span>	
King	King County Total	11.7%	76,022	<span style="color: black;">■</span>
	Seattle	9.1%	14,500	<span style="color: black;">■</span>
	East King	11.6%	11,431	<span style="color: black;">■</span>
	South King	12.6%	49,792	<span style="color: black;">■</span>
North Central	15.6%	32,035	<span style="color: green;">■</span>	
North Sound	14.0%	67,052	<span style="color: black;">■</span>	
Pierce	12.3%	60,447	<span style="color: black;">■</span>	
Salish	14.2%	16,948	<span style="color: gray;">■</span>	
Southwest	12.2%	34,786	<span style="color: black;">■</span>	
Spokane	15.5%	56,080	<span style="color: green;">■</span>	
Thurston - Mason	15.3%	22,106	<span style="color: green;">■</span>	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**

— Confidence Interval     | Statewide Weighted Rate     - - - - National 50th Percentile     - - - - National 75th Percentile

**D-189. Antibiotic Utilization for Respiratory Conditions (AXR), 18-64 Years**

Statewide Weighted Rate **12%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients




Great Rivers	15.3%	22,462	<span style="color: green;">■</span>	
Greater Columbia	14.4%	56,225	<span style="color: green;">■</span>	
King	King County Total	10.1%	82,451	<span style="color: black;">■</span>
	Seattle	8.4%	28,954	<span style="color: black;">■</span>
	East King	10.8%	12,445	<span style="color: black;">■</span>
	South King	11.1%	40,749	<span style="color: black;">■</span>
North Central	14.1%	18,678	<span style="color: green;">■</span>	
North Sound	12.6%	58,341	<span style="color: gray;">■</span>	
Pierce	12.2%	55,097	<span style="color: gray;">■</span>	
Salish	11.7%	20,878	<span style="color: black;">■</span>	
Southwest	9.7%	30,032	<span style="color: black;">■</span>	
Spokane	14.4%	52,118	<span style="color: green;">■</span>	
Thurston - Mason	12.8%	19,808	<span style="color: gray;">■</span>	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**



**D-190. Antibiotic Utilization for Respiratory Conditions (AXR), 65+ Years**

Statewide Weighted Rate 9%  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients




Great Rivers	***	26		
Greater Columbia	16.1%	93	<span style="color: green;">■</span>	
King	King County Total	7.4%	569	<span style="color: gray;">■</span>
	Seattle	4.8%	145	<span style="color: gray;">■</span>
	East King	6.1%	98	<span style="color: gray;">■</span>
	South King	8.9%	325	<span style="color: gray;">■</span>
North Central	***	24		
North Sound	7.0%	157	<span style="color: gray;">■</span>	
Pierce	6.8%	146	<span style="color: gray;">■</span>	
Salish	***	13		
Southwest	11.1%	72	<span style="color: gray;">■</span>	
Spokane	13.8%	58	<span style="color: gray;">■</span>	
Thurston - Mason	***	21		

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**



**D-191. Antibiotic Utilization for Respiratory Conditions (AXR), Total**

Statewide Weighted Rate **14%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients




Great Rivers	16.6%	50,028	<span style="color: green;">■</span>
Greater Columbia	16.6%	145,693	<span style="color: green;">■</span>
King	10.9%	159,042	<span style="color: black;">■</span>
King County Total			
Seattle	8.6%	43,599	<span style="color: black;">■</span>
East King	11.1%	23,974	<span style="color: black;">■</span>
South King	11.9%	90,866	<span style="color: black;">■</span>
North Central	15.0%	50,737	<span style="color: green;">■</span>
North Sound	13.3%	125,550	<span style="color: black;">■</span>
Pierce	12.2%	115,690	<span style="color: black;">■</span>
Salish	12.8%	37,839	<span style="color: black;">■</span>
Southwest	11.0%	64,890	<span style="color: black;">■</span>
Spokane	15.0%	108,256	<span style="color: green;">■</span>
Thurston - Mason	14.1%	41,935	<span style="color: green;">■</span>

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**



**D-192. Plan All-Cause Readmissions (PCR), Observed Rate, Total (Note that a lower score is better for this measure)**

**Statewide Weighted Rate**      9%  
**Natl 50th Percentile**      ----- Lower is Better  
**Natl 75th Percentile**      -----

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients




Great Rivers	7.4%	2,357	<span style="color: green;">■</span>
Greater Columbia	7.5%	3,644	<span style="color: green;">■</span>
King	9.3%	8,573	<span style="color: black;">■</span>
King County Total	8.573%	8,573	<span style="color: black;">■</span>
Seattle	10.8%	3,715	<span style="color: black;">■</span>
East King	8.2%	928	<span style="color: gray;">■</span>
South King	8.2%	3,912	<span style="color: gray;">■</span>
North Central	7.6%	1,301	<span style="color: gray;">■</span>
North Sound	8.6%	5,837	<span style="color: gray;">■</span>
Pierce	9.8%	6,062	<span style="color: black;">■</span>
Salish	7.5%	1,717	<span style="color: gray;">■</span>
Southwest	9.1%	3,187	<span style="color: gray;">■</span>
Spokane	8.3%	4,314	<span style="color: gray;">■</span>
Thurston - Mason	7.4%	2,053	<span style="color: green;">■</span>

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**





D-193. Depression Screening and Follow-Up for Adolescents and Adults (DSF-E), Depression Screening, Total

Statewide Weighted Rate 1%  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



Great Rivers	0.2%	44,678	<span style="color: black;">■</span>
Greater Columbia	0.5%	119,324	<span style="color: black;">■</span>
King	0.7%	201,826	<span style="color: black;">■</span>
King County Total			
Seattle	0.7%	67,423	<span style="color: black;">■</span>
East King	0.7%	29,119	<span style="color: black;">■</span>
South King	0.7%	105,261	<span style="color: black;">■</span>
North Central	0.4%	42,353	<span style="color: black;">■</span>
North Sound	0.9%	128,982	<span style="color: black;">■</span>
Pierce	0.7%	105,271	<span style="color: black;">■</span>
Salish	0.5%	36,831	<span style="color: black;">■</span>
Southwest	0.4%	61,303	<span style="color: black;">■</span>
Spokane	5.1%	93,993	<span style="color: green;">■</span>
Thurston - Mason	0.3%	38,223	<span style="color: black;">■</span>

\*\*\* Data suppressed due to small sample size.

There are no national benchmarks reported for this measure in MY2022

Bar Chart Legend:

— Confidence Interval   
 | Statewide Weighted Rate   
 - - - - National 50th Percentile   
 - - - - National 75th Percentile

D-194. Depression Screening and Follow-Up for Adolescents and Adults (DSF-E), Follow-Up on Positive Screen, Total

Statewide Weighted Rate 75%  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	***	20		
Greater Columbia	64.0%	125	<span style="background-color: black; width: 100%; height: 15px;"></span>	
King	King County Total	64.7%	156	<span style="background-color: black; width: 100%; height: 15px;"></span>
	Seattle	68.3%	60	<span style="background-color: gray; width: 100%; height: 15px;"></span>
	East King	***	25	
	South King	59.2%	71	<span style="background-color: black; width: 100%; height: 15px;"></span>
North Central	***	18		
North Sound	84.0%	356	<span style="background-color: green; width: 100%; height: 15px;"></span>	
Pierce	59.8%	92	<span style="background-color: black; width: 100%; height: 15px;"></span>	
Salish	79.4%	34	<span style="background-color: gray; width: 100%; height: 15px;"></span>	
Southwest	78.9%	38	<span style="background-color: gray; width: 100%; height: 15px;"></span>	
Spokane	76.0%	1,503	<span style="background-color: gray; width: 100%; height: 15px;"></span>	
Thurston - Mason	***	27		

\*\*\* Data suppressed due to small sample size.

There are no national benchmarks reported for this measure in MY2022

Bar Chart Legend:

Confidence Interval      Statewide Weighted Rate  
 National 50th Percentile      National 75th Percentile

D-195. Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E), Assessment Period 1, Total

Statewide Weighted Rate 2%  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



Great Rivers	0.4%	3,397	<span style="color: black;">■</span>	
Greater Columbia	1.4%	6,805	<span style="color: black;">■</span>	
King	King County Total	1.1%	11,517	<span style="color: black;">■</span>
	Seattle	0.8%	4,813	<span style="color: black;">■</span>
	East King	1.3%	1,765	<span style="color: black;">■</span>
	South King	1.4%	4,937	<span style="color: black;">■</span>
North Central	0.6%	3,159	<span style="color: black;">■</span>	
North Sound	2.5%	8,367	<span style="color: green;">■</span>	
Pierce	0.5%	6,135	<span style="color: black;">■</span>	
Salish	0.3%	2,677	<span style="color: black;">■</span>	
Southwest	1.0%	3,761	<span style="color: black;">■</span>	
Spokane	8.1%	6,890	<span style="color: green;">■</span>	
Thurston - Mason	0.6%	2,893	<span style="color: black;">■</span>	

\*\*\* Data suppressed due to small sample size.

There are no national benchmarks reported for this measure in MY2022

Bar Chart Legend:

— Confidence Interval   
 | Statewide Weighted Rate   
 - - - - National 50th Percentile   
 - - - - National 75th Percentile

D-196. Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E), Assessment Period 2, Total

Statewide Weighted Rate 4%  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	0.7%	3,350	<span style="color: black;">■</span>	
Greater Columbia	3.2%	6,555	<span style="color: black;">■</span>	
King	King County Total	3.3%	10,813	<span style="color: black;">■</span>
	Seattle	2.2%	4,538	<span style="color: black;">■</span>
	East King	4.3%	1,717	<span style="color: gray;">■</span>
	South King	4.2%	4,556	<span style="color: gray;">■</span>
North Central	1.1%	2,916	<span style="color: black;">■</span>	
North Sound	5.0%	8,193	<span style="color: green;">■</span>	
Pierce	2.6%	5,903	<span style="color: black;">■</span>	
Salish	1.1%	2,546	<span style="color: black;">■</span>	
Southwest	2.0%	3,601	<span style="color: black;">■</span>	
Spokane	11.5%	6,525	<span style="color: green;">■</span>	
Thurston - Mason	1.2%	2,763	<span style="color: black;">■</span>	

\*\*\* Data suppressed due to small sample size.

There are no national benchmarks reported for this measure in MY2022

Bar Chart Legend:

— Confidence Interval     | Statewide Weighted Rate     - - - - National 50th Percentile     - - - - National 75th Percentile

D-197. Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E), Assessment Period 3, Total

Statewide Weighted Rate 5%  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	0.6%	3,139	<span style="color: black;">■</span>	
Greater Columbia	3.1%	6,195	<span style="color: black;">■</span>	
King	King County Total	4.3%	10,361	<span style="color: black;">■</span>
	Seattle	4.3%	4,290	<span style="color: black;">■</span>
	East King	4.7%	1,659	<span style="color: gray;">■</span>
	South King	4.1%	4,411	<span style="color: black;">■</span>
North Central	4.0%	2,971	<span style="color: black;">■</span>	
North Sound	6.4%	8,078	<span style="color: green;">■</span>	
Pierce	5.1%	5,805	<span style="color: gray;">■</span>	
Salish	1.2%	2,329	<span style="color: black;">■</span>	
Southwest	5.8%	3,632	<span style="color: gray;">■</span>	
Spokane	12.9%	6,187	<span style="color: green;">■</span>	
Thurston - Mason	2.0%	2,547	<span style="color: black;">■</span>	

\*\*\* Data suppressed due to small sample size.

There are no national benchmarks reported for this measure in MY2022

Bar Chart Legend:

— Confidence Interval     | Statewide Weighted Rate     - - - - National 50th Percentile     - - - - National 75th Percentile

D-198. Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E), Total, Total

Statewide Weighted Rate 4%  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients




Great Rivers	0.6%	9,886	<span style="color: black;">■</span>	
Greater Columbia	2.5%	19,555	<span style="color: black;">■</span>	
King	King County Total	2.9%	32,691	<span style="color: black;">■</span>
	Seattle	2.4%	13,641	<span style="color: black;">■</span>
	East King	3.4%	5,141	<span style="color: gray;">■</span>
	South King	3.2%	13,904	<span style="color: black;">■</span>
North Central	1.9%	9,046	<span style="color: black;">■</span>	
North Sound	4.6%	24,638	<span style="color: green;">■</span>	
Pierce	2.7%	17,843	<span style="color: black;">■</span>	
Salish	0.9%	7,552	<span style="color: black;">■</span>	
Southwest	2.9%	10,994	<span style="color: black;">■</span>	
Spokane	10.8%	19,602	<span style="color: green;">■</span>	
Thurston - Mason	1.2%	8,203	<span style="color: black;">■</span>	

\*\*\* Data suppressed due to small sample size.

There are no national benchmarks reported for this measure in MY2022

Bar Chart Legend:



D-199. Depression Remission or Response for Adolescents and Adults (DRR-E), Follow-Up on PHQ-9, Total

Statewide Weighted Rate **39%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients




Great Rivers	*** 1	
Greater Columbia	48.1% 54	<span style="background-color: gray; width: 100px; height: 15px; display: inline-block;"></span>
King	*** 24	
King County Total	***	
Seattle	*** 11	
East King	*** 4	
South King	*** 9	
North Central	*** 7	
North Sound	*** 13	
Pierce	*** 3	
Salish	*** 1	
Southwest	*** 10	
Spokane	41.7% 504	<span style="background-color: gray; width: 100px; height: 15px; display: inline-block;"></span>
Thurston - Mason	*** 1	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

Bar Chart Legend:



**D-200. Depression Remission or Response for Adolescents and Adults (DRR-E), Depression Remission, Total**

Statewide Weighted Rate 5%  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients




Great Rivers	***	1	
Greater Columbia	5.6%	54	
King	***	24	
King County Total	***		
Seattle	***	11	
East King	***	4	
South King	***	9	
North Central	***	7	
North Sound	***	13	
Pierce	***	3	
Salish	***	1	
Southwest	***	10	
Spokane	4.8%	504	
Thurston - Mason	***	1	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

**Bar Chart Legend:**





D-201. Depression Remission or Response for Adolescents and Adults (DRR-E), Depression Response, Total

Statewide Weighted Rate **11%**  
 Natl 50th Percentile -----  
 Natl 75th Percentile -----

■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients




Great Rivers	*** 1	
Greater Columbia	13.0% 54	
King	*** 24	
King County Total	*** 24	
Seattle	*** 11	
East King	*** 4	
South King	*** 9	
North Central	*** 7	
North Sound	*** 13	
Pierce	*** 3	
Salish	*** 1	
Southwest	*** 10	
Spokane	11.3% 504	
Thurston - Mason	*** 1	

\*\*\* Data suppressed due to small sample size.

**There are no national benchmarks reported for this measure in MY2022**

Bar Chart Legend:



**D-202. Unhealthy Alcohol Use Screening and Follow-Up (ASF-E), Unhealthy Alcohol Use Screening, Total**


**Statewide Weighted Rate**      **0%**  
**Natl 50th Percentile**      -----  
**Natl 75th Percentile**      -----

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



Great Rivers	0.0%	41,833
Greater Columbia	0.0%	97,328
King	0.0%	182,893
King County Total	0.0%	182,893
Seattle	0.0%	67,377
East King	0.0%	26,720
South King	0.0%	88,773
North Central	0.0%	34,950
North Sound	0.0%	116,129
Pierce	0.0%	95,140
Salish	0.0%	36,150
Southwest	0.0%	53,852
Spokane	0.0%	87,875
Thurston - Mason	0.0%	37,063

**Bar Chart Legend:**



**\*\*\* Data suppressed due to small sample size.**

**There are no national benchmarks reported for this measure in MY2022**

D-203. Adult Immunization Status (AIS-E), Influenza

Statewide Weighted Rate 16%  
 Natl 50th Percentile 14%  
 Natl 75th Percentile 18%

■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



Great Rivers	11.8%	40,825	Worse Than State
Greater Columbia	14.7%	93,267	Worse Than State
King	21.0%	174,183	Better Than State
King County Total	21.0%	174,183	Better Than State
Seattle	22.5%	65,179	Better Than State
East King	20.3%	25,349	Better Than State
South King	20.1%	83,633	Better Than State
North Central	14.0%	33,482	Worse Than State
North Sound	16.6%	112,133	Better Than State
Pierce	14.5%	91,392	Worse Than State
Salish	18.0%	35,605	Better Than State
Southwest	13.1%	51,884	Worse Than State
Spokane	11.9%	85,718	Worse Than State
Thurston - Mason	14.6%	36,078	Worse Than State

\*\*\* Data suppressed due to small sample size.

Bar Chart Legend:

Confidence Interval   
  Statewide Weighted Rate   
  National 50th Percentile   
  National 75th Percentile

**D-204. Adult Immunization Status (AIS-E), Td/Tdap**

**Statewide Weighted Rate 48%**  
**Natl 50th Percentile 34%**  
**Natl 75th Percentile 47%**


■ Better Than State     ■ Similar to State     ■ Worse Than State  
■ Not Reported     ■ <30 Patients



Great Rivers	41.6%	40,825	Black
Greater Columbia	51.7%	93,267	Green
King	52.8%	174,183	Green
King County Total	52.8%	174,183	Green
Seattle	53.1%	65,179	Green
East King	49.4%	25,349	Green
South King	53.7%	83,633	Green
North Central	44.8%	33,482	Black
North Sound	51.6%	112,133	Green
Pierce	47.1%	91,392	Black
Salish	45.3%	35,605	Black
Southwest	41.5%	51,884	Black
Spokane	42.4%	85,718	Black
Thurston - Mason	44.1%	36,078	Black

\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**



**D-205. Adult Immunization Status (AIS-E), Zoster**

**Statewide Weighted Rate** 14%  
**Natl 50th Percentile** 7%  
**Natl 75th Percentile** 11%


■ Better Than State   
 ■ Similar to State   
 ■ Worse Than State  
■ Not Reported   
 ■ <30 Patients



Great Rivers	9.0%	10,390	<span style="color: black;">■</span>
Greater Columbia	12.0%	16,706	<span style="color: black;">■</span>
King	17.3%	40,564	<span style="color: green;">■</span>
King County Total	17.3%	40,564	<span style="color: green;">■</span>
Seattle	16.2%	15,725	<span style="color: green;">■</span>
East King	20.9%	6,773	<span style="color: green;">■</span>
South King	16.8%	18,060	<span style="color: green;">■</span>
North Central	6.6%	7,398	<span style="color: black;">■</span>
North Sound	15.3%	25,500	<span style="color: green;">■</span>
Pierce	12.8%	19,426	<span style="color: black;">■</span>
Salish	12.3%	8,900	<span style="color: black;">■</span>
Southwest	13.9%	10,812	<span style="color: gray;">■</span>
Spokane	11.5%	17,207	<span style="color: black;">■</span>
Thurston - Mason	12.4%	8,006	<span style="color: black;">■</span>

\*\*\* Data suppressed due to small sample size.


**Bar Chart Legend:**



**D-206. Prenatal Depression Screening and Follow-Up (PND-E), Depression Screening**


**Statewide Weighted Rate**      **2%**  
**Natl 50th Percentile**        **0%**  
**Natl 75th Percentile**        **9%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.



**Bar Chart Legend:**



**D-207. Postpartum Depression Screening and Follow-Up (PDS-E), Depression Screening**

**Statewide Weighted Rate**      **1%**  
**Natl 50th Percentile**        **0%**  
**Natl 75th Percentile**        **4%**

■ Better Than State      ■ Similar to State      ■ Worse Than State  
■ Not Reported      ■ <30 Patients



\*\*\* Data suppressed due to small sample size.

**Bar Chart Legend:**

— Confidence Interval      | Statewide Weighted Rate      - - - National 50th Percentile      - - - National 75th Percentile