

Measure CCW: Contraceptive Care -- Women Ages 15-20
Percentage Who Were Provided a Most Effective or Moderately Effective FDA-approved Method of Contraception
By Delivery System 2018 to 2022

	2018			2019			2020			2021			2022		
	TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 15-20	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
Medicaid Managed Care Plan															
Amerigroup Washington Inc	3,425	1,099	32.1%	4,378	1,322	30.2%	5,882	1,550	26.4%	7,310	1,699	23.2%	8,179	1,774	21.7%
Community Health Plan of WA	11,664	3,084	26.4%	10,776	2,798	26.0%	10,962	2,389	21.8%	12,976	2,643	20.4%	13,805	2,538	18.4%
Coordinated Care of WA	8,723	2,588	29.7%	8,476	2,569	30.3%	9,145	2,475	27.1%	10,819	2,675	24.7%	11,595	2,605	22.5%
Molina Healthcare of WA Inc	34,647	10,722	30.9%	34,982	10,708	30.6%	41,547	11,463	27.6%	48,940	12,351	25.2%	52,521	12,164	23.2%
United Health Care Community Plan	5,834	1,794	30.8%	4,588	1,347	29.4%	6,050	1,663	27.5%	7,600	1,904	25.1%	8,339	1,832	22.0%
Uncategorized	11,488	3,209	27.9%	12,028	3,505	29.1%	9,470	2,379	25.1%	6,801	1,598	23.5%	6,376	1,392	21.8%
Medicaid Managed Care	75,781	22,496	29.7%	75,228	22,249	29.6%	83,056	21,919	26.4%	94,446	22,870	24.2%	100,815	22,305	22.1%
Medicaid Fee for Service	3,192	1,232	38.6%	3,389	1,287	38.0%	3,097	939	30.3%	3,310	901	27.2%	3,443	902	26.2%
Total	78,973	23,728	30.0%	78,617	23,536	29.9%	86,153	22,858	26.5%	97,756	23,771	24.3%	104,258	23,207	22.3%

Most or moderately effective FDA-approved contraception methods include female sterilization, contraceptive implants, intrauterine devices or systems, injectables, oral pills, patch, or ring. Claims and encounters for the measurement year may not identify continued use of some methods which may have been initiated prior to the measurement year.

Eligible women were in the specified age range as of December 31 of the measurement year, were continuously enrolled in Medicaid or CHIP with medical or family planning benefits for at least 11 months of the measurement year, and were enrolled on December 31 of the measurement year. **Excludes** women who are eligible for both Medicaid and Medicare; women who have full third party liability; women who were infecund; women who had a live birth in the last three months of the measurement year; and women who were pregnant at the end of the measurement year.

Plan listed is the managed care plan that the woman was enrolled in for at least 11 months during the measurement year. Women may have been enrolled in more than one plan during the year. **Uncategorized** indicates that a woman had more months in managed care than in fee-for-service status but was not enrolled in a single managed care plan for at least 11 months. Primary Care Case Management (PCCM) is included in Medicaid Fee for Service.

Measure CCW: Contraceptive Care -- Women Ages 15-20
Percentage Who Were Provided a Most Effective or Moderately Effective FDA-approved Method of Contraception
By Race/Ethnicity (Mutually Exclusive) 2018 to 2022

	2018			2019			2020			2021			2022		
	TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 15-20	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
Hispanic	25,911	6,294	24.3%	26,816	6,671	24.9%	30,355	6,670	22.0%	34,387	7,036	20.5%	36,910	6,812	18.5%
Not Hispanic or Ethnicity Unknown															
White	33,979	12,611	37.1%	32,735	12,102	37.0%	34,535	11,492	33.3%	38,093	11,745	30.8%	39,461	11,347	28.8%
Asian	3,455	673	19.5%	3,308	684	20.7%	3,535	656	18.6%	3,981	620	15.6%	4,229	570	13.5%
Black	5,632	1,408	25.0%	5,575	1,367	24.5%	6,094	1,294	21.2%	6,908	1,338	19.4%	7,481	1,286	17.2%
American Indian/Alaska Native	3,031	1,030	34.0%	3,005	1,013	33.7%	3,200	989	30.9%	3,526	958	27.2%	3,699	970	26.2%
Hawaiian/Pacific Islander	2,153	418	19.4%	2,116	373	17.6%	2,402	376	15.7%	3,106	444	14.3%	3,451	475	13.8%
More Than One Race	1,264	484	38.3%	1,269	472	37.2%	1,387	464	33.5%	1,624	495	30.5%	1,816	492	27.1%
Other/Unknown	3,548	810	22.8%	3,793	854	22.5%	4,645	917	19.7%	6,131	1,135	18.5%	7,211	1,255	17.4%
Total	78,973	23,728	30.0%	78,617	23,536	29.9%	86,153	22,858	26.5%	97,756	23,771	24.3%	104,258	23,207	22.3%

Most or moderately effective FDA-approved contraception methods include female sterilization, contraceptive implants, intrauterine devices or systems, injectables, oral pills, patch, or ring. Claims and encounters for the measurement year may not identify continued use of some methods which may have been initiated prior to the measurement year.

Eligible women were in the specified age range as of December 31 of the measurement year, were continuously enrolled in Medicaid or CHIP with medical or family planning benefits for at least 11 months of the measurement year, and were enrolled on December 31 of the measurement year. **Excludes** women who are eligible for both Medicaid and Medicare; women who have full third party liability; women who were infecund; women who had a live birth in the last three months of the measurement year; and women who were pregnant at the end of the measurement year.

Race/ethnicity categories are mutually exclusive. Hispanic women may be of any race.

Measure CCW: Contraceptive Care -- Women Ages 15-20
Percentage Who Were Provided a Most Effective or Moderately Effective FDA-approved Method of Contraception
By Race/Ethnicity (Not Mutually Exclusive) 2018 to 2022

	2018			2019			2020			2021			2022		
	TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 15-20		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 15-20	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
American Indian/Alaska Native	4,003	1,376	34.4%	3,970	1,339	33.7%	4,246	1,296	30.5%	4,704	1,305	27.7%	4,967	1,314	26.5%
Asian	3,928	818	20.8%	3,770	833	22.1%	4,024	798	19.8%	4,517	752	16.6%	4,828	703	14.6%
Black or African American	7,011	1,893	27.0%	6,980	1,862	26.7%	7,640	1,764	23.1%	8,713	1,861	21.4%	9,508	1,818	19.1%
Hispanic or Latino	25,911	6,294	24.3%	26,816	6,671	24.9%	30,355	6,670	22.0%	34,387	7,036	20.5%	36,910	6,812	18.5%
Native Hawaiian/Pacific Islander	2,728	596	21.8%	2,683	556	20.7%	3,040	538	17.7%	3,898	637	16.3%	4,341	673	15.5%
White, Non-Hispanic (and none of the above)	33,979	12,611	37.1%	32,735	12,102	37.0%	34,535	11,492	33.3%	38,093	11,745	30.8%	39,461	11,347	28.8%
Other/Unknown	3,548	810	22.8%	3,793	854	22.5%	4,645	917	19.7%	6,131	1,135	18.5%	7,211	1,255	17.4%
Total	78,973	23,728	30.0%	78,617	23,536	29.9%	86,153	22,858	26.5%	97,756	23,771	24.3%	104,258	23,207	22.3%

Most or moderately effective FDA-approved contraception methods include female sterilization, contraceptive implants, intrauterine devices or systems, injectables, oral pills, patch, or ring. Claims and encounters for the measurement year may not identify continued use of some methods which may have been initiated prior to the measurement year.

Eligible women were in the specified age range as of December 31 of the measurement year, were continuously enrolled in Medicaid or CHIP with medical or family planning benefits for at least 11 months of the measurement year, and were enrolled on December 31 of the measurement year. **Excludes** women who are eligible for both Medicaid and Medicare; women who have full third party liability; women who were infecund; women who had a live birth in the last three months of the measurement year; and women who were pregnant at the end of the measurement year.

Race/ethnicity categories are not mutually exclusive with the exception of White, Non-Hispanic, which means women with multiple race/ethnicity categories are counted in each applicable category.

Measure CCW: Contraceptive Care -- Women Ages 21-44
Percentage Who Were Provided a Most Effective or Moderately Effective FDA-approved Method of Contraception
By Delivery System 2018 to 2022

	2018			2019			2020			2021			2022		
	TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 21-44	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
Medicaid Managed Care Plan															
Amerigroup Washington Inc	14,436	3,925	27.2%	15,132	3,971	26.2%	19,159	4,616	24.1%	24,736	5,669	22.9%	27,942	5,603	20.1%
Community Health Plan of WA	23,870	6,596	27.6%	20,264	5,692	28.1%	18,533	4,808	25.9%	23,505	5,812	24.7%	26,199	5,887	22.5%
Coordinated Care of WA	17,428	5,216	29.9%	14,904	4,396	29.5%	15,199	4,272	28.1%	19,168	4,915	25.6%	21,527	5,007	23.3%
Molina Healthcare of WA Inc	75,455	21,969	29.1%	72,850	21,079	28.9%	88,149	23,749	26.9%	114,266	28,884	25.3%	128,445	28,465	22.2%
United Health Care Community Plan	20,344	5,663	27.8%	14,786	3,969	26.8%	18,670	4,617	24.7%	24,499	5,755	23.5%	27,318	5,702	20.9%
Uncategorized	35,950	8,409	23.4%	36,721	8,491	23.1%	39,432	8,586	21.8%	29,833	5,722	19.2%	27,237	4,901	18.0%
Medicaid Managed Care	187,483	51,778	27.6%	174,657	47,598	27.3%	199,142	50,648	25.4%	236,007	56,757	24.0%	258,668	55,565	21.5%
Medicaid Fee for Service	9,523	2,933	30.8%	9,334	2,727	29.2%	7,961	1,859	23.4%	8,830	1,855	21.0%	9,892	1,695	17.1%
Total	197,006	54,711	27.8%	183,991	50,325	27.4%	207,103	52,507	25.4%	244,837	58,612	23.9%	268,560	57,260	21.3%

Most or moderately effective FDA-approved contraception methods include female sterilization, contraceptive implants, intrauterine devices or systems, injectables, oral pills, patch, or ring. Claims and encounters for the measurement year may not identify continued use of some methods which may have been initiated prior to the measurement year.

Eligible women were in the specified age range as of December 31 of the measurement year, were continuously enrolled in Medicaid or CHIP with medical or family planning benefits for at least 11 months of the measurement year, and were enrolled on December 31 of the measurement year. **Excludes** women who are eligible for both Medicaid and Medicare; women who have full third party liability; women who were infecund; women who had a live birth in the last three months of the measurement year; and women who were pregnant at the end of the measurement year.

Plan listed is the managed care plan that the woman was enrolled in for at least 11 months during the measurement year. Women may have been enrolled in more than one plan during the year. **Uncategorized** indicates that a woman had more months in managed care than in fee-for-service status but was not enrolled in a single managed care plan for at least 11 months. Primary Care Case Management (PCCM) is included in Medicaid Fee for Service.

Measure CCW: Contraceptive Care -- Women Ages 21-44
Percentage Who Were Provided a Most Effective or Moderately Effective FDA-approved Method of Contraception
By Race/Ethnicity (Mutually Exclusive) 2018 to 2022

	2018			2019			2020			2021			2022		
	TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 21-44	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
Hispanic	34,667	11,451	33.0%	33,529	11,078	33.0%	38,904	11,764	30.2%	47,089	13,463	28.6%	53,810	13,689	25.4%
Not Hispanic or Ethnicity Unknown															
White	117,430	31,589	26.9%	108,362	28,658	26.4%	120,030	29,528	24.6%	138,261	32,018	23.2%	147,920	30,443	20.6%
Asian	7,635	1,968	25.8%	6,866	1,739	25.3%	8,182	1,846	22.6%	9,960	2,242	22.5%	10,996	2,235	20.3%
Black	14,829	3,909	26.4%	14,146	3,509	24.8%	15,791	3,650	23.1%	18,576	4,191	22.6%	20,326	4,061	20.0%
American Indian/Alaska Native	8,305	2,112	25.4%	8,049	1,872	23.3%	9,051	1,989	22.0%	10,530	2,238	21.3%	11,475	2,100	18.3%
Hawaiian/Pacific Islander	5,042	1,196	23.7%	4,621	1,159	25.1%	5,535	1,268	22.9%	7,680	1,486	19.3%	9,044	1,561	17.3%
More Than One Race	2,552	777	30.4%	2,478	738	29.8%	2,881	839	29.1%	3,552	949	26.7%	4,125	984	23.9%
Other/Unknown	6,546	1,709	26.1%	5,940	1,572	26.5%	6,729	1,623	24.1%	9,189	2,025	22.0%	10,864	2,187	20.1%
Total	197,006	54,711	27.8%	183,991	50,325	27.4%	207,103	52,507	25.4%	244,837	58,612	23.9%	268,560	57,260	21.3%

Most or moderately effective FDA-approved contraception methods include female sterilization, contraceptive implants, intrauterine devices or systems, injectables, oral pills, patch, or ring. Claims and encounters for the measurement year may not identify continued use of some methods which may have been initiated prior to the measurement year.

Eligible women were in the specified age range as of December 31 of the measurement year, were continuously enrolled in Medicaid or CHIP with medical or family planning benefits for at least 11 months of the measurement year, and were enrolled on December 31 of the measurement year. **Excludes** women who are eligible for both Medicaid and Medicare; women who have full third party liability; women who were infecund; women who had a live birth in the last three months of the measurement year; and women who were pregnant at the end of the measurement year.

Race/ethnicity categories are mutually exclusive. Hispanic women may be of any race.

Measure CCW: Contraceptive Care -- Women Ages 21-44
Percentage Who Were Provided a Most Effective or Moderately Effective FDA-approved Method of Contraception
By Race/Ethnicity (Not Mutually Exclusive) 2018 to 2022

	2018			2019			2020			2021			2022		
	TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 21-44		TOTAL ELIGIBLE WOMEN	More/Most Effective Contraception Age 21-44	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
American Indian/Alaska Native	10,293	2,655	25.8%	10,008	2,404	24.0%	11,296	2,558	22.6%	13,211	2,888	21.9%	14,498	2,748	19.0%
Asian	8,511	2,233	26.2%	7,694	1,982	25.8%	9,224	2,152	23.3%	11,321	2,639	23.3%	12,573	2,625	20.9%
Black or African American	17,063	4,585	26.9%	16,324	4,157	25.5%	18,348	4,389	23.9%	21,641	4,993	23.1%	23,845	4,887	20.5%
Hispanic or Latino	34,667	11,451	33.0%	33,529	11,078	33.0%	38,904	11,764	30.2%	47,089	13,463	28.6%	53,810	13,689	25.4%
Native Hawaiian/Pacific Islander	6,179	1,554	25.1%	5,685	1,452	25.5%	6,818	1,620	23.8%	9,357	1,928	20.6%	10,997	2,013	18.3%
White, Non-Hispanic (and none of the above)	117,430	31,589	26.9%	108,362	28,658	26.4%	120,030	29,528	24.6%	138,261	32,018	23.2%	147,920	30,443	20.6%
Other/Unknown	6,546	1,709	26.1%	5,940	1,572	26.5%	6,729	1,623	24.1%	9,189	2,025	22.0%	10,864	2,187	20.1%
Total	197,006	54,711	27.8%	183,991	50,325	27.4%	207,103	52,507	25.4%	244,837	58,612	23.9%	268,560	57,260	21.3%

Most or moderately effective FDA-approved contraception methods include female sterilization, contraceptive implants, intrauterine devices or systems, injectables, oral pills, patch, or ring. Claims and encounters for the measurement year may not identify continued use of some methods which may have been initiated prior to the measurement year.

Eligible women were in the specified age range as of December 31 of the measurement year, were continuously enrolled in Medicaid or CHIP with medical or family planning benefits for at least 11 months of the measurement year, and were enrolled on December 31 of the measurement year. **Excludes** women who are eligible for both Medicaid and Medicare; women who have full third party liability; women who were infecund; women who had a live birth in the last three months of the measurement year; and women who were pregnant at the end of the measurement year.

Race/ethnicity categories are not mutually exclusive with the exception of White, Non-Hispanic, which means women with multiple race/ethnicity categories are counted in each applicable category.

Measure CCW: Contraceptive Care -- Women Ages 15-20
Percentage Who Were Provided a Long-acting Reversible Method of Contraception (LARC)
By Delivery System 2018 to 2022

	2018			2019			2020			2021			2022		
	TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
Amerigroup Washington Inc	3,425	213	6.2%	4,378	262	6.0%	5,882	300	5.1%	7,310	327	4.5%	8,179	313	3.8%
Community Health Plan of WA	11,664	658	5.6%	10,776	546	5.1%	10,962	466	4.3%	12,976	468	3.6%	13,805	460	3.3%
Coordinated Care of WA	8,723	498	5.7%	8,476	511	6.0%	9,145	525	5.7%	10,819	448	4.1%	11,595	451	3.9%
Molina Healthcare of WA Inc	34,647	2,003	5.8%	34,982	2,070	5.9%	41,547	2,004	4.8%	48,940	2,033	4.2%	52,521	2,007	3.8%
United Health Care Community Plan	5,834	341	5.8%	4,588	262	5.7%	6,050	307	5.1%	7,600	318	4.2%	8,339	306	3.7%
Uncategorized	11,488	645	5.6%	12,028	753	6.3%	9,470	470	5.0%	6,801	274	4.0%	6,376	260	4.1%
Medicaid Managed Care	75,781	4,358	5.8%	75,228	4,404	5.9%	83,056	4,072	4.9%	94,446	3,868	4.1%	100,815	3,797	3.8%
Medicaid Fee for Service	3,192	262	8.2%	3,389	305	9.0%	3,097	182	5.9%	3,310	178	5.4%	3,443	156	4.5%
Total	78,973	4,620	5.9%	78,617	4,709	6.0%	86,153	4,254	4.9%	97,756	4,046	4.1%	104,258	3,953	3.8%

LARC = long-acting reversible method of contraception (implant or IUD). Claims and encounters for the measurement year may not identify ongoing LARC use if initiated prior to the measurement year.

Eligible women were in the specified age range as of December 31 of the measurement year, were continuously enrolled in Medicaid or CHIP with medical or family planning benefits for at least 11 months of the measurement year, and were enrolled on December 31 of the measurement year. **Excludes** women who are eligible for both Medicaid and Medicare; women who have full third party liability; women who were infecund; women who had a live birth in the last three months of the measurement year; and women who were pregnant at the end of the measurement year.

Plan listed is the managed care plan that the woman was enrolled in for at least 11 months during the measurement year. Women may have been enrolled in more than one plan during the year. **Uncategorized** indicates that a woman had more months in managed care than in fee-for-service status but was not enrolled in a single managed care plan for at least 11 months. Primary Care Case Management (PCCM) is included in Medicaid Fee for Service.

Measure CCW: Contraceptive Care -- Women Ages 15-20
Percentage Who Were Provided a Long-acting Reversible Method of Contraception (LARC)
By Race/Ethnicity (Mutually Exclusive) 2018 to 2022

	2018			2019			2020			2021			2022		
	TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
Hispanic	25,911	1,319	5.1%	26,816	1,424	5.3%	30,355	1,375	4.5%	34,387	1,257	3.7%	36,910	1,241	3.4%
Not Hispanic or Ethnicity Unknown															
White	33,979	2,387	7.0%	32,735	2,351	7.2%	34,535	2,081	6.0%	38,093	1,928	5.1%	39,461	1,887	4.8%
Asian	3,455	110	3.2%	3,308	139	4.2%	3,535	102	2.9%	3,981	94	2.4%	4,229	94	2.2%
Black	5,632	264	4.7%	5,575	249	4.5%	6,094	196	3.2%	6,908	224	3.2%	7,481	197	2.6%
American Indian/Alaska Native	3,031	227	7.5%	3,005	224	7.5%	3,200	205	6.4%	3,526	193	5.5%	3,699	174	4.7%
Hawaiian/Pacific Islander	2,153	76	3.5%	2,116	75	3.5%	2,402	78	3.2%	3,106	88	2.8%	3,451	88	2.5%
More Than One Race	1,264	92	7.3%	1,269	87	6.9%	1,387	81	5.8%	1,624	72	4.4%	1,816	79	4.4%
Other/Unknown	3,548	145	4.1%	3,793	160	4.2%	4,645	136	2.9%	6,131	190	3.1%	7,211	193	2.7%
Total	78,973	4,620	5.9%	78,617	4,709	6.0%	86,153	4,254	4.9%	97,756	4,046	4.1%	104,258	3,953	3.8%

LARC = long-acting reversible method of contraception (implant or IUD). Claims and encounters for the measurement year may not identify ongoing LARC use if initiated prior to the measurement year.

Eligible women were in the specified age range as of December 31 of the measurement year, were continuously enrolled in Medicaid or CHIP with medical or family planning benefits for at least 11 months of the measurement year, and were enrolled on December 31 of the measurement year. **Excludes** women who are eligible for both Medicaid and Medicare; women who have full third party liability; women who were infertile; women who had a live birth in the last three months of the measurement year; and women who were pregnant at the end of the measurement year.

Race/ethnicity categories are mutually exclusive. Hispanic women may be of any race.

Measure CCW: Contraceptive Care -- Women Ages 15-20
Percentage Who Were Provided a Long-acting Reversible Method of Contraception (LARC)
By Race/Ethnicity (Not Mutually Exclusive) 2018 to 2022

	2018			2019			2020			2021			2022		
	TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20		TOTAL ELIGIBLE WOMEN	LARC Age 15-20	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
American Indian/Alaska Native	4,003	310	7.7%	3,970	309	7.8%	4,246	267	6.3%	4,704	258	5.5%	4,967	249	5.0%
Asian	3,928	137	3.5%	3,770	167	4.4%	4,024	131	3.3%	4,517	107	2.4%	4,828	116	2.4%
Black or African American	7,011	366	5.2%	6,980	340	4.9%	7,640	282	3.7%	8,713	307	3.5%	9,508	280	2.9%
Hispanic or Latino	25,911	1,319	5.1%	26,816	1,424	5.3%	30,355	1,375	4.5%	34,387	1,257	3.7%	36,910	1,241	3.4%
Native Hawaiian/Pacific Islander	2,728	113	4.1%	2,683	113	4.2%	3,040	112	3.7%	3,898	119	3.1%	4,341	123	2.8%
White, Non-Hispanic (and none of the above)	33,979	2,387	7.0%	32,735	2,351	7.2%	34,535	2,081	6.0%	38,093	1,928	5.1%	39,461	1,887	4.8%
Other/Unknown	3,548	145	4.1%	3,793	160	4.2%	4,645	136	2.9%	6,131	190	3.1%	7,211	193	2.7%
Total	78,973	4,620	5.9%	78,617	4,709	6.0%	86,153	4,254	4.9%	97,756	4,046	4.1%	104,258	3,953	3.8%

LARC = long-acting reversible method of contraception (implant or IUD). Claims and encounters for the measurement year may not identify ongoing LARC use if initiated prior to the measurement year.

Eligible women were in the specified age range as of December 31 of the measurement year, were continuously enrolled in Medicaid or CHIP with medical or family planning benefits for at least 11 months of the measurement year, and were enrolled on December 31 of the measurement year. **Excludes** women who are eligible for both Medicaid and Medicare; women who have full third party liability; women who were infecund; women who had a live birth in the last three months of the measurement year; and women who were pregnant at the end of the measurement year.

Race/ethnicity categories are not mutually exclusive with the exception of White, Non-Hispanic, which means women with multiple race/ethnicity categories are counted in each applicable category.

Measure CCW: Contraceptive Care -- Women Ages 21-44
Percentage Who Were Provided a Long-acting Reversible Method of Contraception (LARC)
By Delivery System 2018 to 2022

	2018			2019			2020			2021			2022		
	TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
Amerigroup Washington Inc	14,436	835	5.8%	15,132	901	6.0%	19,159	979	5.1%	24,736	1,196	4.8%	27,942	1,138	4.1%
Community Health Plan of WA	23,870	1,540	6.5%	20,264	1,348	6.7%	18,533	1,055	5.7%	23,505	1,268	5.4%	26,199	1,278	4.9%
Coordinated Care of WA	17,428	1,175	6.7%	14,904	1,015	6.8%	15,199	963	6.3%	19,168	1,077	5.6%	21,527	1,068	5.0%
Molina Healthcare of WA Inc	75,455	5,066	6.7%	72,850	4,949	6.8%	88,149	5,246	6.0%	114,266	6,269	5.5%	128,445	5,944	4.6%
United Health Care Community Plan	20,344	1,184	5.8%	14,786	857	5.8%	18,670	956	5.1%	24,499	1,153	4.7%	27,318	1,153	4.2%
Uncategorized	35,950	2,078	5.8%	36,721	2,119	5.8%	39,432	1,926	4.9%	29,833	1,288	4.3%	27,237	1,140	4.2%
Medicaid Managed Care	187,483	11,878	6.3%	174,657	11,189	6.4%	199,142	11,125	5.6%	236,007	12,251	5.2%	258,668	11,721	4.5%
Medicaid Fee for Service	9,523	782	8.2%	9,334	808	8.7%	7,961	434	5.5%	8,830	374	4.2%	9,892	324	3.3%
Total	197,006	12,660	6.4%	183,991	11,997	6.5%	207,103	11,559	5.6%	244,837	12,625	5.2%	268,560	12,045	4.5%

LARC = long-acting reversible method of contraception (implant or IUD). Claims and encounters for the measurement year may not identify ongoing LARC use if initiated prior to the measurement year.

Eligible women were in the specified age range as of December 31 of the measurement year, were continuously enrolled in Medicaid or CHIP with medical or family planning benefits for at least 11 months of the measurement year, and were enrolled on December 31 of the measurement year. **Excludes** women who are eligible for both Medicaid and Medicare; women who have full third party liability; women who were infecund; women who had a live birth in the last three months of the measurement year; and women who were pregnant at the end of the measurement year.

Plan listed is the managed care plan that the woman was enrolled in for at least 11 months during the measurement year. Women may have been enrolled in more than one plan during the year. **Uncategorized** indicates that a woman had more months in managed care than in fee-for-service status but was not enrolled in a single managed care plan for at least 11 months. Primary Care Case Management (PCCM) is included in Medicaid Fee for Service.

Measure CCW: Contraceptive Care -- Women Ages 21-44
Percentage Who Were Provided a Long-acting Reversible Method of Contraception (LARC)
By Race/Ethnicity (Mutually Exclusive) 2018 to 2022

	2018			2019			2020			2021			2022		
	TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
Hispanic	34,667	3,027	8.7%	33,529	2,996	8.9%	38,904	2,876	7.4%	47,089	3,213	6.8%	53,810	3,200	5.9%
Not Hispanic or Ethnicity Unknown															
White	117,430	6,940	5.9%	108,362	6,464	6.0%	120,030	6,234	5.2%	138,261	6,569	4.8%	147,920	5,901	4.0%
Asian	7,635	438	5.7%	6,866	391	5.7%	8,182	380	4.6%	9,960	503	5.1%	10,996	521	4.7%
Black	14,829	960	6.5%	14,146	871	6.2%	15,791	827	5.2%	18,576	875	4.7%	20,326	943	4.6%
American Indian/Alaska Native	8,305	474	5.7%	8,049	485	6.0%	9,051	436	4.8%	10,530	511	4.9%	11,475	444	3.9%
Hawaiian/Pacific Islander	5,042	274	5.4%	4,621	285	6.2%	5,535	287	5.2%	7,680	349	4.5%	9,044	373	4.1%
More Than One Race	2,552	179	7.0%	2,478	155	6.3%	2,881	172	6.0%	3,552	203	5.7%	4,125	179	4.3%
Other/Unknown	6,546	368	5.6%	5,940	350	5.9%	6,729	347	5.2%	9,189	402	4.4%	10,864	484	4.5%
Total	197,006	12,660	6.4%	183,991	11,997	6.5%	207,103	11,559	5.6%	244,837	12,625	5.2%	268,560	12,045	4.5%

LARC = long-acting reversible method of contraception (implant or IUD). Claims and encounters for the measurement year may not identify ongoing LARC use if initiated prior to the measurement year.

Eligible women were in the specified age range as of December 31 of the measurement year, were continuously enrolled in Medicaid or CHIP with medical or family planning benefits for at least 11 months of the measurement year, and were enrolled on December 31 of the measurement year. **Excludes** women who are eligible for both Medicaid and Medicare; women who have full third party liability; women who were infertile; women who had a live birth in the last three months of the measurement year; and women who were pregnant at the end of the measurement year.

Race/ethnicity categories are mutually exclusive. Hispanic women may be of any race.

Measure CCW: Contraceptive Care -- Women Ages 21-44
Percentage Who Were Provided a Long-acting Reversible Method of Contraception (LARC)
By Race/Ethnicity (Not Mutually Exclusive) 2018 to 2022

	2018			2019			2020			2021			2022		
	TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44		TOTAL ELIGIBLE WOMEN	LARC Age 21-44	
		N	% of Total		N	% of Total		N	% of Total		N	% of Total		N	% of Total
American Indian/Alaska Native	10,293	607	5.9%	10,008	622	6.2%	11,296	564	5.0%	13,211	671	5.1%	14,498	566	3.9%
Asian	8,511	508	6.0%	7,694	443	5.8%	9,224	444	4.8%	11,321	580	5.1%	12,573	600	4.8%
Black or African American	17,063	1,109	6.5%	16,324	1,021	6.3%	18,348	1,004	5.5%	21,641	1,045	4.8%	23,845	1,116	4.7%
Hispanic or Latino	34,667	3,027	8.7%	33,529	2,996	8.9%	38,904	2,876	7.4%	47,089	3,213	6.8%	53,810	3,200	5.9%
Native Hawaiian/Pacific Islander	6,179	361	5.8%	5,685	350	6.2%	6,818	367	5.4%	9,357	436	4.7%	10,997	462	4.2%
White, Non-Hispanic (and none of the above)	117,430	6,940	5.9%	108,362	6,464	6.0%	120,030	6,234	5.2%	138,261	6,569	4.8%	147,920	5,901	4.0%
Other/Unknown	6,546	368	5.6%	5,940	350	5.9%	6,729	347	5.2%	9,189	402	4.4%	10,864	484	4.5%
Total	197,006	12,660	6.4%	183,991	11,997	6.5%	207,103	11,559	5.6%	244,837	12,625	5.2%	268,560	12,045	4.5%

LARC = long-acting reversible method of contraception (implant or IUD). Claims and encounters for the measurement year may not identify ongoing LARC use if initiated prior to the measurement year.

Eligible women were in the specified age range as of December 31 of the measurement year, were continuously enrolled in Medicaid or CHIP with medical or family planning benefits for at least 11 months of the measurement year, and were enrolled on December 31 of the measurement year. **Excludes** women who are eligible for both Medicaid and Medicare; women who have full third party liability; women who were infecund; women who had a live birth in the last three months of the measurement year; and women who were pregnant at the end of the measurement year.

Race/ethnicity categories are not mutually exclusive with the exception of White, Non-Hispanic, which means women with multiple race/ethnicity categories are counted in each applicable category.