

Appendix D: Regional Comparison Results

Part II

Appendix D contains state maps comparing regional performance.

D-71. Follow-Up after Hospitalization for Mental Illness (FUH), 30-Day Follow-Up, 18-64 Years

Statewide Weighted Rate 53%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	66.5%	325	■	
Greater Columbia	71.6%	486	■	
King	King County Total	35.3%	1,989	■
	East King	38.1%	268	■
	Seattle	34.1%	1,005	■
	South King	36.0%	716	■
North Central	69.1%	94	■	
North Sound	60.0%	1,215	■	
Pierce	59.2%	957	■	
Salish	63.3%	267	■	
Southwest	55.7%	605	■	
Spokane	60.6%	762	■	
Thurston - Mason	57.9%	420	■	

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-72. Follow-Up after Hospitalization for Mental Illness (FUH), 30-Day Follow-Up, Total

Statewide Weighted Rate 57%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	70.0%	423	■	
Greater Columbia	71.5%	625	■	
King	King County Total	38.5%	2,278	■
	East King	41.9%	329	■
	Seattle	36.7%	1,096	■
	South King	39.4%	853	■
North Central	74.6%	138	■	
North Sound	63.6%	1,549	■	
Pierce	61.1%	1,132	■	
Salish	68.3%	353	■	
Southwest	59.7%	707	■	
Spokane	66.2%	1,076	■	
Thurston - Mason	60.4%	500	■	

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-73. Follow-Up after Hospitalization for Mental Illness (FUH), 7-Day Follow-Up, 6-17 Years

Statewide Weighted Rate 56%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	67.7%	96
Greater Columbia	49.6%	139
King	King County Total 44.6%	285
	East King	45.9% 61
	Seattle	48.9% 88
	South King	41.2% 136
North Central	70.5%	44
North Sound	56.0%	332
Pierce	63.4%	172
Salish	70.9%	86
Southwest	58.8%	102
Spokane	56.3%	311
Thurston - Mason	53.8%	80

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-74. Follow-Up after Hospitalization for Mental Illness (FUH), 7-Day Follow-Up, 18-64 Years

Statewide Weighted Rate 37%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	49.2%	325	■	
Greater Columbia	49.4%	486	■	
King	King County Total	23.7%	1,989	■
	East King	27.6%	268	■
	Seattle	22.1%	1,005	■
	South King	24.4%	716	■
North Central	53.2%	94	■	
North Sound	42.2%	1,215	■	
Pierce	40.6%	957	■	
Salish	45.7%	267	■	
Southwest	33.6%	605	■	
Spokane	43.7%	762	■	
Thurston - Mason	39.8%	420	■	

D-75. Follow-Up after Hospitalization for Mental Illness (FUH), 7-Day Follow-Up, Total

Statewide Weighted Rate 40%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	53.7%	423	■	
Greater Columbia	49.4%	625	■	
King	King County Total	26.3%	2,278	■
	East King	31.0%	329	■
	Seattle	24.2%	1,096	■
	South King	27.1%	853	■
North Central	58.7%	138	■	
North Sound	45.2%	1,549	■	
Pierce	44.1%	1,132	■	
Salish	51.8%	353	■	
Southwest	37.2%	707	■	
Spokane	47.2%	1,076	■	
Thurston - Mason	42.0%	500	■	

D-76. Follow-Up After Emergency Department Visit for Mental Illness (FUM), 30-Day Follow-Up, 6-17 Years

Statewide Weighted Rate 73%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	80.0%	150	
Greater Columbia	71.3%	223	
King	King County Total	55.7%	309
	East King	57.4%	54
	Seattle	54.4%	68
	South King	55.6%	187
North Central	84.2%	101	
North Sound	72.6%	321	
Pierce	76.1%	259	
Salish	75.3%	89	
Southwest	81.5%	195	
Spokane	77.3%	317	
Thurston - Mason	80.2%	121	

D-77. Follow-Up After Emergency Department Visit for Mental Illness (FUM), 30-Day Follow-Up, 18-64 Years


Statewide Weighted Rate 54%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile



D-78. Follow-Up After Emergency Department Visit for Mental Illness (FUM), 30-Day Follow-Up, Total


Statewide Weighted Rate 58%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile



D-79. Follow-Up After Emergency Department Visit for Mental Illness (FUM), 7-Day Follow-Up, 6-17 Years


Statewide Weighted Rate **58%**

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile



D-80. Follow-Up After Emergency Department Visit for Mental Illness (FUM), 7-Day Follow-Up, 18-64 Years

Statewide Weighted Rate 42%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	49.4%	360	■	
Greater Columbia	44.4%	651	■	
King	King County Total	30.5%	2,045	■
	East King	30.5%	220	■
	Seattle	29.5%	1,059	■
	South King	32.0%	766	■
North Central	61.2%	224	■	
North Sound	42.7%	1,147	■	
Pierce	36.2%	895	■	
Salish	52.1%	401	■	
Southwest	38.2%	563	■	
Spokane	56.4%	1,030	■	
Thurston - Mason	43.8%	324	■	

D-81. Follow-Up After Emergency Department Visit for Mental Illness (FUM), 7-Day Follow-Up, Total


Statewide Weighted Rate **45%**

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile



D-82. Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 30-Day Follow-Up, 18+ Years

Statewide Weighted Rate 29%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	28.5%	463	
Greater Columbia	30.4%	1,140	
King	King County Total	18.9%	3,498
	East King	21.5%	386
	Seattle	17.8%	1,908
	South King	19.8%	1,202
North Central	29.3%	352	
North Sound	34.2%	2,215	
Pierce	24.6%	1,348	
Salish	41.4%	690	
Southwest	27.0%	804	
Spokane	41.9%	1,806	
Thurston - Mason	28.2%	429	


Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-83. Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 30-Day Follow-Up, Total

Statewide Weighted Rate 29%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	28.3%	487	
Greater Columbia	28.8%	1,248	
King	King County Total	18.8%	3,582
	East King	21.8%	395
	Seattle	17.7%	1,922
	South King	19.4%	1,263
North Central	27.6%	392	
North Sound	33.5%	2,296	
Pierce	24.0%	1,394	
Salish	40.2%	717	
Southwest	27.0%	849	
Spokane	41.1%	1,897	
Thurston - Mason	28.1%	455	

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-84. Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 7-Day Follow-Up, 18+ Years

Statewide Weighted Rate 19%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	18.4%	463	
Greater Columbia	19.4%	1,140	
King	King County Total	10.2%	3,498
	East King	12.4%	386
	Seattle	9.7%	1,908
	South King	10.1%	1,202
North Central	20.2%	352	
North Sound	21.9%	2,215	
Pierce	15.1%	1,348	
Salish	29.7%	690	
Southwest	16.8%	804	
Spokane	32.2%	1,806	
Thurston - Mason	18.6%	429	

D-85. Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 7-Day Follow-Up, Total

Statewide Weighted Rate 19%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	18.3%	487	
Greater Columbia	18.2%	1,248	
King	King County Total	10.1%	3,582
	East King	12.9%	395
	Seattle	9.7%	1,922
	South King	10.0%	1,263
North Central	19.1%	392	
North Sound	21.5%	2,296	
Pierce	14.6%	1,394	
Salish	28.7%	717	
Southwest	16.6%	849	
Spokane	31.7%	1,897	
Thurston - Mason	18.5%	455	

D-86. Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 30-Day Follow-Up, 18-64 Years

Statewide Weighted Rate 58%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	61.3%	560	■	
Greater Columbia	61.1%	855	■	
King	King County Total	49.1%	1,428	■
	East King	47.1%	191	■
	Seattle	49.9%	674	■
	South King	48.8%	563	■
North Central	55.1%	243	■	
North Sound	62.9%	1,438	■	
Pierce	55.7%	1,146	■	
Salish	61.3%	586	■	
Southwest	56.1%	1,086	■	
Spokane	61.7%	1,027	■	
Thurston - Mason	59.7%	554	■	

Bar Chart Legend:

— Confidence Interval
 ⋮ Statewide Weighted Rate
 | National Average
 | National 75th Percentile

D-87. Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 30-Day Follow-Up, Total

Statewide Weighted Rate 58%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	61.3%	566	■	
Greater Columbia	60.9%	860	■	
King	King County Total	49.0%	1,448	■
	East King	48.0%	196	■
	Seattle	49.6%	679	■
	South King	48.5%	573	■
North Central	55.1%	245	■	
North Sound	62.8%	1,442	■	
Pierce	55.6%	1,149	■	
Salish	61.2%	587	■	
Southwest	55.9%	1,093	■	
Spokane	61.5%	1,039	■	
Thurston - Mason	59.8%	555	■	

Bar Chart Legend:

— Confidence Interval
 ⋮ Statewide Weighted Rate
 | National Average
 | National 75th Percentile

D-88. Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 7-Day Follow-Up, 18-64 Years

Statewide Weighted Rate 38%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:


Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	42.1%	560	
Greater Columbia	41.1%	855	
King	King County Total	27.3%	1,428
	East King	25.1%	191
	Seattle	28.9%	674
	South King	26.1%	563
North Central	36.6%	243	
North Sound	43.0%	1,438	
Pierce	36.1%	1,146	
Salish	42.5%	586	
Southwest	37.0%	1,086	
Spokane	41.7%	1,027	
Thurston - Mason	43.0%	554	

D-89. Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 7-Day Follow-Up, Total

Statewide Weighted Rate 38%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	42.2%	566	
Greater Columbia	41.0%	860	
King	King County Total	27.3%	1,448
	East King	26.0%	196
	Seattle	28.9%	679
	South King	25.8%	573
North Central	36.7%	245	
North Sound	42.9%	1,442	
Pierce	36.0%	1,149	
Salish	42.4%	587	
Southwest	37.0%	1,093	
Spokane	41.6%	1,039	
Thurston - Mason	43.1%	555	

D-90. Pharmacotherapy for Opioid Use Disorder (POD): 16-64 Years

Statewide Weighted Rate 19%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	32.4%	1,722	■
Greater Columbia	12.7%	2,126	■
King	King County 13.2%	3,993	■
	East King	18.1%	■
	421		
	Seattle	12.2%	■
	1,842		
	South King	13.0%	■
	1,730		
North Central	16.0%	607	■
North Sound	24.6%	4,723	■
Pierce	19.0%	2,511	■
Salish	19.7%	976	■
Southwest	22.3%	1,016	■
Spokane	15.6%	2,391	■
Thurston - Mason	21.2%	1,087	■

D-91. Pharmacotherapy for Opioid Use Disorder (POD): Total

Statewide Weighted Rate 19%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	32.4%	1,727	■	
Greater Columbia	12.6%	2,129	■	
King	King County Total	13.3%	4,017	■
	East King	18.2%	422	■
	Seattle	12.3%	1,852	■
	South King	13.1%	1,743	■
North Central	16.0%	607	■	
North Sound	24.7%	4,736	■	
Pierce	19.0%	2,514	■	
Salish	19.7%	977	■	
Southwest	22.4%	1,019	■	
Spokane	15.6%	2,392	■	
Thurston - Mason	21.2%	1,092	■	

D-92. Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medication (SSD)

Statewide Weighted Rate **77%**

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	73.9%	1,051	■	
Greater Columbia	75.6%	1,706	■	
King	King County Total	76.8%	3,216	■
	East King	76.8%	388	■
	Seattle	74.4%	1,617	■
	South King	80.1%	1,209	■
North Central	80.9%	564	■	
North Sound	78.2%	2,479	■	
Pierce	77.5%	2,041	■	
Salish	78.6%	955	■	
Southwest	74.2%	1,020	■	
Spokane	77.5%	2,021	■	
Thurston - Mason	78.1%	852	■	


Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-93. Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)

Statewide Weighted Rate 61%

<30 Patients
 Similar to State
 Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-94. Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)

Statewide Weighted Rate 67%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:


Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	64.6%	469	
Greater Columbia	71.9%	800	
King	King County Total	64.1%	1,950
	East King	65.1%	172
	Seattle	63.9%	1,021
	South King	64.2%	757
North Central	66.8%	253	
North Sound	68.9%	1,111	
Pierce	67.4%	1,047	
Salish	68.9%	396	
Southwest	72.8%	514	
Spokane	65.5%	953	
Thurston - Mason	64.2%	366	

D-95. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose Testing, 1-11 Years

Statewide Weighted Rate **36%**

<30 Patients
 Better Than State
 Similar to State
 Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-96. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose Testing, 12-17 Years

Statewide Weighted Rate **53%**

■ Better Than State
 ■ Similar to State



Great Rivers	51.0%	202	
Greater Columbia	50.7%	351	
King	King County Total	58.7%	247
	East King	74.4%	43
	Seattle	54.1%	74
	South King	55.8%	129
North Central	53.2%	111	
North Sound	52.7%	332	
Pierce	46.4%	207	
Salish	52.9%	155	
Southwest	56.1%	187	
Spokane	53.2%	551	
Thurston - Mason	53.2%	141	

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-97. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose Testing, Total

Statewide Weighted Rate **47%**

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	45.2%	347	■	
Greater Columbia	42.6%	538	■	
King	King County Total	51.5%	334	■
	East King	60.3%	58	■
	Seattle	47.8%	92	■
	South King	50.3%	183	■
North Central	51.2%	170	■	
North Sound	46.6%	461	■	
Pierce	40.1%	297	■	
Salish	48.0%	223	■	
Southwest	53.5%	260	■	
Spokane	50.4%	837	■	
Thurston - Mason	47.7%	195	■	

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-98. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Cholesterol Testing, 1-11 Years


Statewide Weighted Rate 28%

■ <30 Patients
 ■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile



**D-99. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM),
Cholesterol Testing, 12-17 Years**


Statewide Weighted Rate 28%

■ Better Than State ■ Similar to State



Bar Chart Legend:

— Confidence Interval ··· Statewide Weighted Rate | National Average | National 75th Percentile



D-100. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Cholesterol Testing, Total


Statewide Weighted Rate 28%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile



D-101. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose and Cholesterol Testing, 1-11 Years

Statewide Weighted Rate **26%**

■ <30 Patients
 ■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	29.7%	145	■	
Greater Columbia	18.7%	187	■	
King	King County Total	26.4%	87	■
	East King			
	Seattle			
	South King	31.5%	54	■
North Central	32.2%	59	■	
North Sound	17.8%	129	■	
Pierce	14.4%	90	■	
Salish	25.0%	68	■	
Southwest	30.1%	73	■	
Spokane	33.2%	286	■	
Thurston - Mason	25.9%	54	■	


Bar Chart Legend:

— Confidence Interval
 ⋮ Statewide Weighted Rate
 | National Average
 | National 75th Percentile

D-102. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose and Cholesterol Testing, 12-17 Years

Statewide Weighted Rate **28%**

■ Better Than State ■ Similar to State




Bar Chart Legend:

— Confidence Interval ··· Statewide Weighted Rate | National Average | National 75th Percentile

D-103. Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose and Cholesterol Testing, Total

Statewide Weighted Rate 27%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-104. Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS) (Note that a lower score is better for this measure)

Statewide Weighted Rate 0% Lower is Better

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	0.2%	3,432	
Greater Columbia	0.5%	12,154	
King	King County Total	0.1%	14,053
	East King	0.1%	2,092
	Seattle	0.2%	3,603
	South King	0.1%	8,356
North Central	0.3%	4,368	
North Sound	0.2%	10,380	
Pierce	0.2%	8,279	
Salish	0.3%	2,592	
Southwest	0.2%	5,144	
Spokane	0.3%	7,166	
Thurston - Mason	0.3%	2,890	

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-105. Appropriate Treatment for Upper Respiratory Infection (URI), 3 Months-17 Years

Statewide Weighted Rate 96%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	93.5%	4,628	
Greater Columbia	95.0%	18,896	
King	King County Total	97.4%	18,727
	East King	96.8%	2,180
	Seattle	97.9%	3,877
	South King	97.4%	12,667
North Central	96.2%	7,733	
North Sound	95.3%	14,555	
Pierce	96.1%	11,721	
Salish	95.4%	2,716	
Southwest	96.5%	5,715	
Spokane	93.9%	12,245	
Thurston - Mason	96.1%	3,801	


Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-106. Appropriate Treatment for Upper Respiratory Infection (URI), 18-64 Years

Statewide Weighted Rate 91%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	83.9%	1,642	
Greater Columbia	91.0%	5,503	
King	King County Total	94.1%	7,347
	East King	92.4%	930
	Seattle	94.3%	2,559
	South King	94.3%	3,858
North Central	92.3%	1,933	
North Sound	90.3%	4,953	
Pierce	89.9%	4,210	
Salish	90.3%	1,154	
Southwest	93.8%	2,131	
Spokane	88.3%	5,072	
Thurston - Mason	89.2%	1,415	

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-107. Appropriate Treatment for Upper Respiratory Infection (URI), Total

Statewide Weighted Rate 94%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:


Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	91.0%	6,273		
Greater Columbia	94.1%	24,403		
King	King County Total	96.4%	26,182	
	East King	95.5%	3,116	
	Seattle	96.4%	6,492	
	South King	96.6%	16,571	
North Central	95.4%	9,667		
North Sound	94.1%	19,535		
Pierce	94.5%	15,964		
Salish	93.9%	3,871		
Southwest	95.8%	7,847		
Spokane	92.3%	17,321		
Thurston - Mason	94.2%	5,218		

D-108. Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB), 3 Months-17 Years

Statewide Weighted Rate 75%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State




Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-109. Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB), 18-64 Years

Statewide Weighted Rate 51%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State




Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-110. Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB), Total


Statewide Weighted Rate **65%**

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile



D-111. Use of Imaging Studies for Low Back Pain (LBP)

Statewide Weighted Rate 77%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	69.7%	755	■	
Greater Columbia	76.6%	1,891	■	
King	King County Total	79.7%	3,010	■
	East King	78.7%	394	■
	Seattle	82.1%	950	■
	South King	78.6%	1,666	■
North Central	72.8%	677	■	
North Sound	76.7%	2,134	■	
Pierce	78.0%	1,731	■	
Salish	73.8%	549	■	
Southwest	77.2%	905	■	
Spokane	75.3%	1,983	■	
Thurston - Mason	79.4%	698	■	


Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-112. Use of Opioids at High Dosage (HDO) (Note that a lower score is better for this measure)

Statewide Weighted Rate 6% Lower is Better

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-113. Use of Opioids from Multiple Prescribers (UOP) (Note that a lower score is better for this measure)

Statewide Weighted Rate 22% Lower is Better

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	24.1%	2,113	■	
Greater Columbia	15.3%	3,798	■	
King	King County Total	24.9%	5,126	■
	East King	21.8%	758	■
	Seattle	26.5%	1,519	■
	South King	24.8%	2,846	■
North Central	15.0%	1,407	■	
North Sound	21.7%	4,796	■	
Pierce	24.0%	4,541	■	
Salish	21.7%	1,709	■	
Southwest	26.0%	2,013	■	
Spokane	23.5%	4,799	■	
Thurston - Mason	21.9%	1,455	■	

D-114. Use of Opioids from Multiple Pharmacies (UOP) (Note that a lower score is better for this measure)

Statewide Weighted Rate 4% Lower is Better

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	3.0%	2,113	
Greater Columbia	1.8%	3,798	
King	King County Total	6.0%	5,126
	East King	4.4%	758
	Seattle	6.6%	1,519
	South King	6.1%	2,846
North Central	2.7%	1,407	
North Sound	3.6%	4,796	
Pierce	5.1%	4,541	
Salish	2.1%	1,709	
Southwest	4.6%	2,013	
Spokane	2.9%	4,799	
Thurston - Mason	2.4%	1,455	


Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-115. Use of Opioids from Multiple Prescribers and Multiple Pharmacies (UOP) (Note that a lower score is better for this measure)

Statewide Weighted Rate 2% Lower is Better

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	2.4%	2,113	
Greater Columbia	1.2%	3,798	
King	King County Total 4.0%	5,126	
	East King 2.6%	758	
	Seattle 4.3%	1,519	
	South King 4.1%	2,846	
North Central	1.7%	1,407	
North Sound	2.2%	4,796	
Pierce	3.2%	4,541	
Salish	1.3%	1,709	
Southwest	3.1%	2,013	
Spokane	2.2%	4,799	
Thurston - Mason	1.5%	1,455	

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-116. Risk of Continued Opioid Use (COU), At least 15 days, 18-64 Years


Statewide Weighted Rate 6%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:


Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile



D-117. Risk of Continued Opioid Use (COU), At least 15 days, Total

Statewide Weighted Rate 6%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	7.4%	3,807	■	
Greater Columbia	6.5%	9,338	■	
King	King County Total	5.4%	15,536	■
	East King	4.9%	2,186	■
	Seattle	5.8%	4,972	■
	South King	5.4%	8,373	■
North Central	7.2%	3,233	■	
North Sound	6.3%	11,131	■	
Pierce	5.9%	11,074	■	
Salish	6.6%	2,875	■	
Southwest	5.9%	5,454	■	
Spokane	7.6%	9,770	■	
Thurston - Mason	7.4%	3,242	■	

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-118. Risk of Continued Opioid Use (COU), At least 30 days, 18-64 Years


Statewide Weighted Rate 3%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:


Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile



D-119. Risk of Continued Opioid Use (COU), At least 30 days, Total

Statewide Weighted Rate 3%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-120. Adults' Access to Preventive/Ambulatory Health Services (AAP), 20-44 Years

Statewide Weighted Rate 71%

■ Better Than State ■ Worse Than State



Great Rivers	70.3%	21,362	Worse Than State	
Greater Columbia	74.0%	51,727	Better Than State	
King	King County Total	67.8%	89,163	Worse Than State
	East King	66.8%	12,361	Worse Than State
	Seattle	66.5%	33,507	Worse Than State
	South King	69.1%	43,287	Worse Than State
North Central	75.6%	17,150	Better Than State	
North Sound	71.8%	59,628	Better Than State	
Pierce	68.5%	51,472	Worse Than State	
Salish	70.1%	18,917	Worse Than State	
Southwest	69.7%	27,249	Worse Than State	
Spokane	74.9%	47,728	Better Than State	
Thurston - Mason	69.7%	20,309	Worse Than State	

Bar Chart Legend:

— Confidence Interval ··· Statewide Weighted Rate | National Average | National 75th Percentile

D-121. Adults' Access to Preventive/Ambulatory Health Services (AAP), 45-64 Years

Statewide Weighted Rate 77%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	75.8%	13,028		
Greater Columbia	80.1%	20,648		
King	King County Total	76.2%	50,225	
	East King	74.9%	8,091	
	Seattle	75.1%	20,239	
	South King	77.7%	21,883	
North Central	80.1%	8,573		
North Sound	78.1%	31,502		
Pierce	76.0%	25,234		
Salish	76.6%	11,153		
Southwest	76.3%	13,450		
Spokane	78.8%	22,091		
Thurston - Mason	74.8%	10,427		

D-122. Adults' Access to Preventive/Ambulatory Health Services (AAP), 65+ Years

Statewide Weighted Rate 89%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	90.5%	284	Similar to State	
Greater Columbia	82.6%	167	Worse Than State	
King	King County Total	89.2%	2,665	Similar to State
	East King	84.2%	443	Worse Than State
	Seattle	89.5%	998	Similar to State
	South King	90.8%	1,224	Better Than State
North Central	73.3%	90	Worse Than State	
North Sound	90.1%	940	Similar to State	
Pierce	90.9%	902	Better Than State	
Salish	85.9%	177	Similar to State	
Southwest	78.3%	138	Worse Than State	
Spokane	76.7%	133	Worse Than State	
Thurston - Mason	89.6%	280	Similar to State	

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-123. Adults' Access to Preventive/Ambulatory Health Services (AAP), Total

Statewide Weighted Rate 73%

■ Better Than State ■ Worse Than State



Great Rivers	72.5%	34,674	Worse Than State
Greater Columbia	75.8%	72,542	Better Than State
King	71.2%	142,053	Worse Than State
King County Total	70.3%	20,895	Worse Than State
East King	70.1%	54,744	Worse Than State
Seattle	72.3%	66,394	Worse Than State
South King	77.1%	25,813	Better Than State
North Central	74.2%	92,070	Better Than State
North Sound	71.2%	77,608	Worse Than State
Pierce	72.6%	30,247	Worse Than State
Salish	71.9%	40,837	Worse Than State
Southwest	76.1%	69,952	Better Than State
Spokane	71.6%	31,016	Worse Than State
Thurston - Mason			Worse Than State

Bar Chart Legend:

— Confidence Interval ··· Statewide Weighted Rate | National Average | National 75th Percentile

D-124. Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Total: Initiation of AOD Treatment: 13-17 Years

Statewide Weighted Rate 36%

■ <30 Patients ■ Similar to State



Great Rivers	39.8%	83	
Greater Columbia	32.7%	318	
King	King County Total	35.6%	202
	East King		
	Seattle	36.4%	44
	South King	34.8%	132
North Central	32.0%	103	
North Sound	31.7%	208	
Pierce	31.3%	147	
Salish	37.3%	51	
Southwest	40.2%	127	
Spokane	40.0%	235	
Thurston - Mason	44.1%	68	

Bar Chart Legend:

— Confidence Interval ··· Statewide Weighted Rate | National Average | National 75th Percentile

D-125. Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Total: Engagement of AOD Treatment: 13-17 Years

Statewide Weighted Rate 11%

■ <30 Patients ■ Similar to State



Great Rivers	8.4%	83	
Greater Columbia	10.4%	318	
King	King County Total	12.9%	202
	East King		
	Seattle	15.9%	44
	South King	12.1%	132
North Central	9.7%	103	
North Sound	6.7%	208	
Pierce	8.2%	147	
Salish	7.8%	51	
Southwest	15.7%	127	
Spokane	13.6%	235	
Thurston - Mason	14.7%	68	


Bar Chart Legend:

— Confidence Interval ··· Statewide Weighted Rate | National Average | National 75th Percentile

**D-126. Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET),
Total: Initiation of AOD Treatment: 18+ Years**

Statewide Weighted Rate 45%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

**D-127. Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET),
Total: Engagement of AOD Treatment: 18+ Years**

Statewide Weighted Rate 17%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	18.8%	1,991	■	
Greater Columbia	16.3%	4,944	■	
King	King County Total	12.5%	7,359	■
	East King	11.6%	848	■
	Seattle	10.9%	3,342	■
	South King	14.3%	3,169	■
North Central	15.1%	1,882	■	
North Sound	17.1%	5,924	■	
Pierce	14.6%	4,607	■	
Salish	17.0%	1,580	■	
Southwest	16.5%	2,674	■	
Spokane	18.1%	5,359	■	
Thurston - Mason	14.8%	1,541	■	

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-128. Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Total: Initiation of AOD Treatment: Total

Statewide Weighted Rate 45%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	53.3%	2,074	■	
Greater Columbia	39.5%	5,262	■	
King	King County Total	45.0%	7,561	■
	East King	42.7%	874	■
	Seattle	43.1%	3,386	■
	South King	47.6%	3,301	■
North Central	38.5%	1,985	■	
North Sound	47.9%	6,132	■	
Pierce	47.9%	4,754	■	
Salish	53.5%	1,631	■	
Southwest	45.9%	2,801	■	
Spokane	45.1%	5,594	■	
Thurston - Mason	49.4%	1,609	■	

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-129. Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Total: Engagement of AOD Treatment: Total

Statewide Weighted Rate 16%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	18.4%	2,074	■	
Greater Columbia	15.9%	5,262	■	
King	King County Total	12.5%	7,561	■
	East King	11.6%	874	■
	Seattle	11.0%	3,386	■
	South King	14.2%	3,301	■
North Central	14.8%	1,985	■	
North Sound	16.7%	6,132	■	
Pierce	14.4%	4,754	■	
Salish	16.7%	1,631	■	
Southwest	16.5%	2,801	■	
Spokane	17.9%	5,594	■	
Thurston - Mason	14.8%	1,609	■	

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-130. Prenatal and Postpartum Care (PPC), Timeliness of Prenatal Care

Statewide Weighted Rate 83%

■ Similar to State ■ Worse Than State



Bar Chart Legend:

— Confidence Interval ··· Statewide Weighted Rate | National Average | National 75th Percentile

Great Rivers	72.0%	50	■	
Greater Columbia	81.9%	392	■	
King	King County Total	81.2%	398	■
	East King	64.5%	31	■
	Seattle	82.0%	111	■
	South King	82.8%	256	■
North Central	81.9%	83	■	
North Sound	83.5%	310	■	
Pierce	82.4%	244	■	
Salish	75.0%	52	■	
Southwest	77.5%	71	■	
Spokane	87.8%	188	■	
Thurston - Mason	87.5%	72	■	

D-131. Prenatal and Postpartum Care (PPC), Postpartum Care

Statewide Weighted Rate 77%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:


Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	74.0%	50		
Greater Columbia	82.7%	392		
King	King County Total	74.1%	398	
	East King	67.7%	31	
	Seattle	73.9%	111	
	South King	75.0%	256	
North Central	84.3%	83		
North Sound	71.6%	310		
Pierce	72.5%	244		
Salish	69.2%	52		
Southwest	73.2%	71		
Spokane	81.4%	188		
Thurston - Mason	77.8%	72		

D-132. Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP), 1-11 Years

Statewide Weighted Rate 63%

<30 Patients
 Better Than State
 Similar to State
 Worse Than State





Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-133. Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP), 12-17 Years

Statewide Weighted Rate **60%**

<30 Patients
Better Than State
Similar to State
Worse Than State



Bar Chart Legend:

Confidence Interval

 Statewide Weighted Rate



 National Average

 National 75th Percentile

D-134. Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP), Total

Statewide Weighted Rate **61%**

■ <30 Patients
 ■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-135. Well-Child Visits in the First 30 Months of Life (W30), 0-15 Months

Statewide Weighted Rate 54%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	53.4%	1,112	■	
Greater Columbia	62.5%	5,082	■	
King	King County Total	49.0%	6,196	■
	East King	47.9%	745	■
	Seattle	47.7%	1,362	■
	South King	49.6%	4,089	■
North Central	54.8%	1,862	■	
North Sound	52.8%	4,479	■	
Pierce	57.1%	3,660	■	
Salish	54.5%	754	■	
Southwest	44.5%	2,140	■	
Spokane	56.5%	3,115	■	
Thurston - Mason	53.0%	974	■	

D-136. Well-Child Visits in the First 30 Months of Life (W30), 16-30 Months

Statewide Weighted Rate 68%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

Great Rivers	72.6%	1,188	■	
Greater Columbia	69.5%	5,079	■	
King	King County Total	65.4%	6,284	■
	East King	65.8%	720	■
	Seattle	63.8%	1,457	■
	South King	66.0%	4,107	■
North Central	74.7%	1,839	■	
North Sound	69.1%	4,767	■	
Pierce	67.0%	3,930	■	
Salish	70.0%	797	■	
Southwest	63.3%	2,201	■	
Spokane	71.6%	3,190	■	
Thurston - Mason	68.3%	1,019	■	

D-137. Child and Adolescent Well-Care Visit (WCV), Age 3-11

Statewide Weighted Rate 47%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	49.0%	16,377	■	
Greater Columbia	48.1%	56,230	■	
King	King County Total	43.8%	69,079	■
	East King	43.3%	8,605	■
	Seattle	43.0%	16,601	■
	South King	44.1%	43,870	■
North Central	55.0%	20,259	■	
North Sound	47.7%	51,335	■	
Pierce	43.8%	42,577	■	
Salish	44.7%	12,123	■	
Southwest	46.7%	24,698	■	
Spokane	50.1%	35,912	■	
Thurston - Mason	44.6%	14,554	■	

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-138. Child and Adolescent Well-Care Visit (WCV), Age 12-17

Statewide Weighted Rate 35%

■ Better Than State ■ Worse Than State



Great Rivers	37.6%	10,137		
Greater Columbia	36.1%	36,534		
King	King County Total	32.2%	43,116	
	East King	32.1%	6,180	
	Seattle	32.4%	10,386	
	South King	32.2%	26,545	
North Central	41.0%	13,344		
North Sound	35.5%	31,656		
Pierce	32.7%	25,606		
Salish	29.7%	7,644		
Southwest	33.3%	15,920		
Spokane	37.6%	21,806		
Thurston - Mason	32.7%	8,580		


Bar Chart Legend:

— Confidence Interval ··· Statewide Weighted Rate | National Average | National 75th Percentile

D-139. Child and Adolescent Well-Care Visit (WCV), Age 18-21

Statewide Weighted Rate 18%

■ Better Than State
 ■ Similar to State
 ■ Worse Than State



Great Rivers	18.6%	4,514	
Greater Columbia	18.1%	15,969	
King	King County Total	18.1%	18,530
	East King	18.7%	2,828
	Seattle	17.5%	5,133
	South King	18.3%	10,569
North Central	18.1%	5,584	
North Sound	18.7%	13,274	
Pierce	16.0%	10,788	
Salish	14.3%	3,393	
Southwest	16.0%	6,579	
Spokane	19.9%	10,008	
Thurston - Mason	14.6%	3,825	

Bar Chart Legend:

Confidence Interval
 Statewide Weighted Rate
 National Average
 National 75th Percentile

D-140. Child and Adolescent Well-Care Visit (WCV), Total

Statewide Weighted Rate 39%

■ Better Than State ■ Worse Than State



Great Rivers	40.9%	31,028		
Greater Columbia	39.7%	108,733		
King	King County Total	36.3%	130,725	
	East King	35.4%	17,613	
	Seattle	35.5%	32,120	
	South King	36.8%	80,984	
North Central	44.9%	39,187		
North Sound	39.7%	96,265		
Pierce	36.4%	78,971		
Salish	35.3%	23,160		
Southwest	37.9%	47,197		
Spokane	41.6%	67,726		
Thurston - Mason	36.5%	26,959		

Bar Chart Legend:

— Confidence Interval ··· Statewide Weighted Rate | National Average | National 75th Percentile