CODE REVISER USE ONLY

PROPOSED RULE MAKING
----------------------



# CR-102 (December 2017) (Implements RCW 34.05.320) Do NOT use for expedited rule making

OFFICE OF THE CODE REVISER
STATE OF WASHINGTON
FILED

DATE: July 19, 2022 TIME: 4:44 PM

WSR 22-15-107

Agency: Health Care A	Authority		
Original Notice			
□ Supplemental Notic	ce to WSR		
□ Continuance of WS	SR		
☑ Preproposal Stater	nent of Inqu	uiry was filed as WSR 21-12-029	; or
Expedited Rule Ma	kingPropo	osed notice was filed as WSR	; or
Proposal is exemption	t under RC	N 34.05.310(4) or 34.05.330(1); oi	
Proposal is exemption			
Title of rule and other Methodology for calcula	identifying ating a perso	information: (describe subject) Won's risk score.	AC 182-557-0225, Health home services—
Hearing location(s):			
• • • • •	Time:	Location: (be specific)	Comment:
August 23, 2022		Until further notice, HCA continues to hold public hearings virtually without a physical meeting place. This promotes social distancing and the safety of the residents of Washington State.	To attend the virtual public hearing, you must register in advance: <u>https://us02web.zoom.us/webinar/register/WN_RT4WV</u> <u>YrRrOZ6tCJOhN7YQ</u> If the link above opens with an error message, please try using a different browser. After registering, you will receive a confirmation email containing information about joining the public hearing.
Date of intended adop	otion: Not se	ooner than August 24, 2022 (Note:	
Submit written comm			
Name: HCA Rules Coo Address: PO Box 4271 Email: <u>arc@hca.wa.gov</u> Fax: (360) 586-9727 Other: By (date) <u>August 23, 20</u>	I6, Olympia ⊻	WA 98504-2716	
Assistance for persor		bilities:	
Contact Johanna Larso Phone: (360) 725-1349 Fax: (360) 586-9727 TTY: Telecommunicatio Email: johanna.larson@ Other: By (date) <u>August 12, 20</u>	on on Relay Se <u>≬hca.wa.gov</u>	rvices (TRS): 711	

<b>Purpose of the proposal and its anticipated effects, including any changes in existing rules:</b> HCA is amending WAC 182-557-0225 (7) to update the risk score weights specifically pertaining to children of various age groups outlined and the weights for health diagnoses for children. This update aligns with the release of version 6.5 of the University of San Diego's					
Chronic Illness and Disability Payment System (CDPS).					
Reasons suppor	ting proposal: See Purp	oose.			
Statutory author	ity for adoption: RCW 4	1.05.021, 41.05.160			
Statute being im	plemented: RCW 41.05.	021. 41.05.160			
Is rule necessary					
Federal Lav					
State Court	urt Decision?		□ Yes ⊠ No □ Yes ⊠ No		
If yes, CITATION:					
matters: N/A		s, if any, as to statutory language, implementation, e			
Name of propone	ent: (person or organizat	ion) Health Care Authority	<ul> <li>□ Private</li> <li>□ Public</li> <li>⊠ Governmental</li> </ul>		
Name of agency	personnel responsible	for:			
	Name	Office Location	Phone		
Drafting:	Jason Crabbe	PO Box 42716, Olympia WA 98504-2716	360-725-9563		
Implementation:	Glenda Crump	PO Box 45502, Olympia WA 98502-5500	360-725-1338		
Enforcement:	Glenda Crump	PO Box 45502, Olympia WA 98502-5500	360-725-1338		
Is a school distri If yes, insert state	•	ent required under RCW 28A.305.135?	🗆 Yes 🛛 No		
Name: Address Phone: Fax: TTY: Email: Other:		nool district fiscal impact statement by contacting:			
	analysis required unde				
☐ Yes: A pre Name: Address Phone: Fax:		alysis may be obtained by contacting:			

	TY: mail:				
Other:					
☑ No: Please explain: RCW 34.05.328 does not apply to Health Care Authority rules unless requested by the Joint Administrative Rules Review Committee or applied voluntarily.					
Regulatory	y Fairness Act Cost Considerations for a Smal	l Busine	ess Economic Impact Statement:		
	oposal, or portions of the proposal, <b>may be exem</b> 85 RCW). Please check the box for any applicabl		requirements of the Regulatory Fairness Act (see otion(s):		
adopted so regulation t adopted. Citation and D This rul	e proposal, or portions of the proposal, is exempt lely to conform and/or comply with federal statute his rule is being adopted to conform or comply wi d description: e proposal, or portions of the proposal, is exempt RCW 34.05.313 before filing the notice of this pro	or regul th, and c because	ations. Please cite the specific federal statute or lescribe the consequences to the state if the rule is not e the agency has completed the pilot rule process		
	e proposal, or portions of the proposal, is exempt	under th	e provisions of RCW 15.65.570(2) because it was		
	e proposal, or portions of the proposal, is exempt	under R	CW 19.85.025(3). Check all that apply:		
	RCW 34.05.310 (4)(b)		RCW 34.05.310 (4)(e)		
	(Internal government operations)		(Dictated by statute)		
	RCW 34.05.310 (4)(c)		RCW 34.05.310 (4)(f)		
	(Incorporation by reference)		(Set or adjust fees)		
	RCW 34.05.310 (4)(d)		RCW 34.05.310 (4)(g)		
	(Correct or clarify language)		((i) Relating to agency hearings; or (ii) process		
			requirements for applying to an agency for a license or permit)		
This rul	e proposal, or portions of the proposal, is exempt	under R	CW		
Explanation	n of exemptions, if necessary:				
	COMPLETE THIS SECTION C	NLY IF	NO EXEMPTION APPLIES		
If the propo	osed rule is <b>not exempt</b> , does it impose more-than	n-minor	costs (as defined by RCW 19.85.020(2)) on businesses?		
	more-than-minor costs on businesses.		osts were calculated. <u>The proposed rule does not</u> e-than-minor cost to businesses, and a small business		
	ic impact statement is required. Insert statement				
	public may obtain a copy of the small business ec acting:	conomic	impact statement or the detailed cost calculations by		
	lame:				
	ddress:				
	hone:				
	ax: TY:				
	mail:				
	Dther:				
Date: July	19, 2022	Signat	ure:		
Name: We	Name: Wendy Barcus     Windy Barcus       Title: HCA Rules Coordinator     Windy Barcus				
		1			

AMENDATORY SECTION (Amending WSR 17-24-111, filed 12/6/17, effective 1/6/18)

WAC 182-557-0225 Health home services—Methodology for calculating a person's risk score. The agency uses eight steps to calculate a person's risk score.

(1) Step 1. Collect paid claims and health plan encounter data. The agency obtains a set of paid fee-for-service claims and managed care encounters for a client.

(a) For clients age ((seventeen)) <u>17</u> and younger, the agency uses all paid claims and encounters within the last ((twenty-four)) <u>24</u> months.

(b) For clients age ((eighteen)) <u>18</u> and older, the agency uses all paid claims and encounters within the last ((fifteen)) <u>15</u> months.

(i) The claims and encounters include the international classification of diseases (ICD) diagnosis codes and national drug codes (NDC) submitted by health care providers. These are used in steps 2 and 3 to create a set of risk categories.

(ii) The agency uses two algorithms developed by the University of San Diego:

(A) Chronic illness and disability payment system (CDPS) which assigns ICD diagnosis codes to CDPS risk categories (see Table 3 in subsection (5)(b) of this section); and

(B) Medical Rx (MRx) which assigns NDCs to MRx risk categories (see Table 2 in subsection (3)(b) of this section).

(2) Step 2. Group ICD diagnosis codes into chronic illness and disability payment system risk categories.

(a) To group ICD diagnosis codes into the CDPS risk categories (see Table 1 in (b) of this subsection), the agency uses an ICD diagnosis code to CDPS risk categories crosswalk in subsection (1) (b) (ii) (A) of this section. Each of the ICD diagnosis codes listed is assigned to one risk category. If an ICD diagnosis code is not listed in the crosswalk it does not map to a risk category that is used in the calculation of the risk score.

(b) Table 1. Titles of Chronic Illness and Disability Payment System Risk Categories

CARVH	Cardiovascular, very high
CARM	Cardiovascular, medium
CARL	Cardiovascular, low
CAREL	Cardiovascular, extra low
PSYH	Psychiatric, high
PSYM	Psychiatric, medium
PSYML	Psychiatric, medium low
PSYL	Psychiatric, low
SKCM	Skeletal, medium
SKCL	Skeletal, low
SKCVL	Skeletal, very low
CNSH	Central Nervous System, high
CNSM	Central Nervous System, medium
CNSL	Central Nervous System, low
PULVH	Pulmonary, very high
PULH	Pulmonary, high

[ 1 ]

	Dulas an and diama
PULM	Pulmonary, medium
PULL	Pulmonary, low
GIH	Gastro, high
GIM	Gastro, medium
GIL	Gastro, low
DIA1H	Diabetes, type 1 high
DIA1M	Diabetes, type 1 medium
DIA2M	Diabetes, type 2 medium
DIA2L	Diabetes, type 2 low
SKNH	Skin, high
SKNL	Skin, low
SKNVL	Skin, very low
RENEH	Renal, extra high
RENVH	Renal, very high
RENM	Renal, medium
RENL	Renal, low
SUBL	Substance abuse, low
SUBVL	Substance abuse, very low
CANVH	Cancer, very high
CANH	Cancer, high
CANM	Cancer, medium
CANL	Cancer, low
DDM	Developmental Disability, medium
DDL	Developmental Disability, low
GENEL	Genital, extra low
METH	Metabolic, high
METM	Metabolic, medium
METVL	Metabolic, very low
PRGCMP	Pregnancy, complete
PRGINC	Pregnancy, incomplete
EYEL	Eye, low
EYEVL	Eye, very low
CERL	Cerebrovascular, low
AIDSH	AIDS, high
INFH	Infectious, high
HIVM	HIV, medium
INFM	Infectious, medium
INFL	Infectious, low
HEMEH	Hematological, extra high
HEMVH	Hematological, very high
HEMM	Hematological, medium
HEML	Hematological, low
111/1711/	nonaciogical, iow

 $(\ensuremath{\exists})$  Step 3. Group national drug codes (NDCs) into MRx risk categories.

(a) To group the NDC codes into MRx risk categories (see Table 2 in (b) of this subsection), the agency uses a NDC code to MRx risk categories crosswalk in subsection (1) (b) (ii) (B) of this section.

## (b) Table 2. Titles of Medicaid Rx Risk Categories

Alcoholism

[2]

MRx2	Alzheimer's
MRx3	Anti-coagulants
MRx4	Asthma/COPD
MRx5	Attention Deficit
MRx6	Burns
MRx7	Cardiac
MRx8	Cystic Fibrosis
MRx9	Depression/Anxiety
MRx10	Diabetes
MRx11	EENT
MRx12	ESRD/Renal
MRx13	Folate Deficiency
MRx14	CMV Retinitis
MRx15	Gastric Acid Disorder
MRx16	Glaucoma
MRx17	Gout
MRx18	Growth Hormone
MRx19	Hemophilia/von Willebrands
MRx20	Hepatitis
MRx21	Herpes
MRx22	HIV
MRx23	Hyperlipidemia
MRx24	Infections, high
MRx25	Infections, medium
MRx26	Infections, low
MRx27	Inflammatory/Autoimmune
MRx28	Insomnia
MRx29	Iron Deficiency
MRx30	Irrigating Solution
MRx31	Liver Disease
MRx32	Malignancies
MRx33	Multiple Sclerosis/Paralysis
MRx34	Nausea
MRx35	Neurogenic Bladder
MRx36	Osteoporosis/Pagets
MRx37	Pain
MRx38	Parkinsons/Tremor
MRx39	Prenatal Care
MRx40	Psychotic Illness/Bipolar
MRx41	Replacement Solution
MRx42	Seizure Disorders
MRx43	Thyroid Disorder
MRx44	Transplant
MRx45	Tuberculosis

(4) **Step 4. Remove duplicate risk categories.** After mapping all diagnosis and drug codes to the risk categories, the agency eliminates duplicates of each client's risk categories so that there is only one occurrence of any risk category for each client.

### (5) Step 5. Select the highest CDPS risk category within a disease group.

(a) The agency organizes CPDS risk categories into risk category groups of different intensity levels. The high risk category in each group is used in the calculation of the risk score. The lower level risk categories are eliminated from further calculations.

### (b) Table 3. Chronic Disease Payment System Risk Category Groups

Group Description	Risk Categories (Ordered Highest to Lowest Intensity)
AIDS/HIV and Infection	AIDSH, INFH, HIVM, INFM, INFL
Cancer	CANVH, CANH, CANM, CANL
Cardiovascular	CARVH, CARM, CARL, CAREL
Central Nervous System	CNSH, CNSM, CNSL
Diabetes	DIA1H, DIA1M, DIA2M, DIA2L
Developmental Disability	DDM, DDL
Eye	EYEL, EYEVL
Gastrointestinal	GIH, GIM, GIL
Hematological	HEMEH, HEMVH, HEMM, HEML
Metabolic	METH, METM, METVL
Pregnancy	PRGCMP, PRGINC
Psychiatric	PSYH, PSYM, PSYML, PSYL
Substance Abuse	SUBL, SUBVL
Pulmonary	PULVH, PULH, PULM, PULL
Renal	RENEH, RENVH, RENM, RENL
Skeletal	SKCM, SKCL, SKCVL
Skin	SKNH, SKNL, SKNVL

#### (6) Step 6. Determine age/gender category.

(a) For each client, the agency selects the appropriate age/ gender category. The ((eleven)) 11 categories are listed in Table 4 in (b) of this subsection. The categories for ages below five and above ((sixty-five)) 65 are gender neutral. (b) Table 4. Age/Gender Categories

Age	Gender
Age <1	
Age 1 to 4	
Age 5 to 14	Male
Age 5 to 14	Female
Age 15 to 24	Male
Age 15 to 24	Female
Age 25 to 44	Male
Age 25 to 44	Female
Age 45 to 64	Male
Age 45 to 64	Female

Age	Gender

Age 65+

#### (7) Step 7. Apply risk weights.

(a) The agency assigns each risk category and age/gender category a weight. The weight comes from either the model for clients who are age ((seventeen))  $\underline{17}$  and younger or from the model for clients age ((eighteen))  $\underline{18}$  and older.

(b) In each model there are three types of weights.

(i) Age/gender - Weights that correspond to the age/gender category of a client.

(ii) CDPS - Weights that correspond to ((fifty-eight))  $\underline{58}$  of the CDPS risk categories.

(iii) MRx - Weights that correspond to ((forty-five))  $\underline{45}$  of the MRx risk categories.

(C) Table 5. Risk Score Weights

Category Type	Category	Description	Weights for Children (age <18)	Weights for Adults (age 18+)
Age/Gender	Age <1	Clients of age less than 1	(( <del>0.40671</del> )) <u>0.91261</u>	0.00000
	Age 1 to 4	Clients age 1 to 4	(( <del>0.40671</del> )) <u>0.31764</u>	0.00000
	Age 5 to 14, Male	Male clients age 5 to 14	(( <del>0.28867</del> )) <u>0.25834</u>	0.00000
	Age 5 to 14, Female	Female clients age 5 to 14	(( <del>0.29441</del> )) <u>0.26338</u>	0.00000
	Age 15 to 24, Male	Male clients age 15 to 24	(( <del>0.22630</del> )) <u>0.25662</u>	-0.01629
	Age 15 to 24, Female	Female clients age 15 to 24	(( <del>0.26930</del> )) <u>0.29685</u>	0.03640
	Age 25 to 44, Male	Male clients age 25 to 44	0.00000	0.04374
	Age 25 to 44, Female	Female clients age 25 to 44	0.00000	0.06923
	Age 45 to 64, Male	Male clients age 45 to 64	0.00000	0.13321
	Age 45 to 64, Female	Female clients age 45 to 64	0.00000	0.06841
	Age 65+	Clients age 65 and older	0.00000	-0.05623
CDPS	CARVH	Cardiovascular, very high	(( <del>0.53941</del> )) <u>0.84325</u>	2.86702
	CARM	Cardiovascular, medium	(( <del>0.23927</del> )) <u>0.33428</u>	0.73492
	CARL	Cardiovascular, low	((0.18510)) <u>0.12835</u>	0.24620
	CAREL	Cardiovascular, extra low	(( <del>0.06589</del> )) <u>0.04307</u>	0.06225
	PSYH	Psychiatric, high	(( <del>0.47759</del> )) <u>0.40351</u>	0.27085
	PSYM	Psychiatric, medium	(( <del>0.31301</del> )) <u>0.23892</u>	0.00000
	PSYML	Psychiatric, medium low	(( <del>0.16307</del> )) <u>0.13796</u>	0.00000
	PSYL	Psychiatric, low	(( <del>0.10344</del> )) <u>0.07675</u>	0.00000
	SKCM	Skeletal, medium	(( <del>0.23477</del> )) <u>0.21071</u>	0.42212
	SKCL	Skeletal, low	(( <del>0.10630</del> )) <u>0.08343</u>	0.15467

Category Type	Category	Description	Weights for Children (age <18)	Weights fo Adult (age 18+
	SKCVL	Skeletal, very low	(( <del>0.07873</del> ))	0.0677
	CNSH	Central Nervous System, high		0.7809
	CNSM	Central Nervous System, medium	((0.34386)) (.31945)	0.4088
	CNSL	Central Nervous System, low	((0.16334)) <u>0.15106</u>	0.1826
	PULVH	Pulmonary, very high	(( <del>1.28955</del> )) <u>1.14056</u>	4.0172
	PULH	Pulmonary, high	$((\frac{0.67772}{0.34356}))$	0.3930
	PULM	Pulmonary, medium	(( <del>0.39768</del> )) <u>0.35587</u>	0.3177
	PULL	Pulmonary, low	(( <del>0.14708</del> )) <u>0.11315</u>	0.1301
	GIH	Gastro, high	(( <del>0.78046</del> )) <u>0.65934</u>	1.3492
	GIM	Gastro, medium	(( <del>0.29755</del> )) <u>0.24699</u>	0.2437
	GIL	Gastro, low	(( <del>0.14579</del> )) <u>0.09767</u>	0.0510
	DIA1H	Diabetes, type 1 high	(( <del>0.31680</del> )) <u>0.27018</u>	1.0430
	DIA1M	Diabetes, type 1 medium	(( <del>0.31680</del> )) <u>0.27018</u>	0.2362
	DIA2M	Diabetes, type 2 medium	(( <del>0.16101</del> )) <u>0.13647</u>	0.1758
	DIA2L	Diabetes, type 2 low	(( <del>0.16101</del> )) <u>0.13647</u>	0.0963
	SKNH	Skin, high	(( <del>0.49898</del> )) <u>0.56322</u>	0.3798
	SKNL	Skin, low	((0.25185)) <u>0.23664</u>	0.4515
	SKNVL	Skin, very low	$((\frac{0.07523}{0.05697}))$	0.0211
	RENEH	Renal, extra high	(( <del>2.43609</del> )) <u>1.80489</u>	3.4199
	RENVH	Renal, very high	(( <del>0.93888</del> )) <u>0.59311</u>	0.6925
	RENM	Renal, medium	((0.33261)) <u>0.28630</u>	0.9284
	RENL	Renal, low	(( <del>0.17492</del> )) <u>0.21048</u>	0.1722
	SUBL	Substance Abuse, low	$((\frac{0.27104}{0.15170}))$	0.1610
	SUBVL	Substance Abuse, very low	$((\frac{0.04493}{0.01794}))$	0.0878
	CANVH	Cancer, very high	$((\frac{1.31064}{1.19700}))$	2.8007
	CANH	Cancer, high	$((\frac{0.57909}{0.51985}))$	0.9717
	CANM	Cancer, medium	(( <del>0.29642</del> )) <u>0.22164</u>	0.3802

Category Type	Category	Description	Weights for Children (age <18)	Weights for Adults (age 18+)
Category Type	CANL	Cancer, low	(( <del>0.15058</del> ))	0.22625
			<u>0.10350</u>	0.22020
	DDM	Developmental Disability, medium	(( <del>0.31414</del> )) <u>0.50073</u>	0.27818
	DDL	Developmental Disability, low	(( <del>0.11095</del> )) <u>0.19696</u>	0.05913
	GENEL	Genital, extra low	(( <del>0.02242</del> )) <u>0.00790</u>	0.01121
	METH	Metabolic, high	(( <del>0.51575</del> )) <u>0.47167</u>	0.47226
	METM	Metabolic, medium	(( <del>0.33856</del> )) <u>0.26297</u>	0.11310
	METVL	Metabolic, very low	(( <del>0.14658</del> )) <u>0.11546</u>	0.18678
	PRGCMP	Pregnancy, complete	(( <del>0.00000</del> )) <u>0.00244</u>	0.00000
	PRGINC	Pregnancy, incomplete	(( <del>0.17563</del> )) <u>0.12631</u>	0.51636
	EYEL	Eye, low	(( <del>0.11538</del> )) <u>0.09919</u>	0.13271
	EYEVL	Eye, very low	(( <del>0.04094</del> )) <u>0.02835</u>	0.00000
	CERL	Cerebrovascular, low	((0.10623))) 0.14294	0.00000
	AIDSH	AIDS, high	$((\overline{0.91357}))$ 0.70597	0.47361
	INFH	Infectious, high	$((\overline{0.91357}))$ 0.70597	0.79689
	HIVM	HIV, medium	((0.60245))) 0.26129	0.07937
	INFM	Infectious, medium	((0.41047)) 0.26129	0.79689
	INFL	Infectious, low	((0.15311)) 0.07784	0.05617
	HEMEH	Hematological, extra high	(( <del>2.80021</del> )) <u>5.37808</u>	12.71981
	HEMVH	Hematological, very high	(( <del>0.97895</del> )) <u>0.72873</u>	3.08836
	HEMM	Hematological, medium	(( <del>0.46032</del> )) <u>0.37824</u>	0.63211
	HEML	Hematological, low	(( <del>0.17762</del> )) <u>0.18676</u>	0.25601
MRx	MRx1	Alcoholism	(( <del>0.11051</del> )) <u>0.05982</u>	0.01924
	MRx2	Alzheimer's	0.00000	0.08112
	MRx3	Anti-coagulants	((0.31281)) <u>0.34428</u>	0.13523
	MRx4	Asthma/COPD	(( <del>0.09825</del> )) <u>0.08758</u>	0.0575
	MRx5	Attention Deficit	0.00000	0.00779
	MRx6	Burns	(( <del>0.13977</del> )) <u>0.16633</u>	0.00000

			Weights for Children	Weights for Adults
Category Type	Category	Description	(age <18)	(age 18+)
	MRx7	Cardiac	(( <del>0.09177</del> )) <u>0.0906</u>	0.06425
	MRx8	Cystic Fibrosis	(( <del>0.48222</del> )) <u>0.50399</u>	0.37265
	MRx9	Depression/Anxiety	(( <del>0.07013</del> )) <u>0.06743</u>	0.09436
	MRx10	Diabetes	(( <del>0.16852</del> )) <u>0.1519</u>	0.17046
	MRx11	EENT	0.00000	0.00072
	MRx12	ESRD/Renal	(( <del>1.32358</del> )) <u>1.24598</u>	1.20707
	MRx13	Folate Deficiency	(( <del>0.17618</del> )) <u>0.17973</u>	0.11899
	MRx14	CMV Retinitis	(( <del>0.41138</del> )) <u>0.37762</u>	0.00000
	MRx15	Gastric Acid Disorder	((0.11001)) <u>0.10082</u>	0.15470
	MRx16	Glaucoma	(( <del>0.03738</del> )) <u>0.04221</u>	0.1297
	MRx17	Gout	0.00000	0.0000
	MRx18	Growth Hormone	(( <del>0.97620</del> )) <u>0.9741</u>	1.5952
	MRx19	Hemophilia/von Willebrands	(( <del>11.68858</del> )) <u>13.56192</u>	89.1446
	MRx20	Hepatitis	(( <del>0.16213</del> )) <u>0.03018</u>	0.0000
	MRx21	Herpes	(( <del>0.04497</del> )) <u>0.0348</u>	0.0172
	MRx22	HIV	(( <del>0.69702</del> )) <u>0.65537</u>	1.0117
	MRx23	Hyperlipidemia	0.00000	0.0379
	MRx24	Infections, high	(( <del>1.23096</del> )) <u>1.38405</u>	1.5166
	MRx25	Infections, medium	(( <del>0.07841</del> )) <u>0.07462</u>	0.06192
	MRx26	Infections, low	0.00000	0.0091
	MRx27	Inflammatory/Autoimmune	(( <del>0.09058</del> )) <u>0.08075</u>	0.2004
	MRx28	Insomnia	(( <del>0.08510</del> )) <u>0.07093</u>	0.0643
	MRx29	Iron Deficiency	(( <del>0.12948</del> )) <u>0.13306</u>	0.15054
	MRx30	Irrigating Solution	(( <del>0.64194</del> )) <u>0.87573</u>	0.1638
	MRx31	Liver Disease	(( <del>0.34084</del> )) <u>0.45314</u>	0.2268
	MRx32	Malignancies	(( <del>0.36730</del> )) <u>0.36859</u>	0.44200
	MRx33	Multiple Sclerosis/Paralysis	(( <del>0.03542</del> )) <u>0.0345</u>	0.04353
	MRx34	Nausea	$((\frac{0.16101}{0.18219}))$	0.17120

Category Type	Category	Description	Weights for Children (age <18)	Weights for Adults (age 18+)
	MRx35	Neurogenic Bladder	(( <del>0.13864</del> )) <u>0.15282</u>	0.07675
	MRx36	Osteoporosis/Pagets	0.00000	0.00000
	MRx37	Pain	(( <del>0.04154</del> )) <u>0.0295</u>	0.04151
	MRx38	Parkinsons/Tremor	(( <del>0.17179</del> )) <u>0.17163</u>	0.06257
	MRx39	Prenatal Care	0.00000	0.13192
	MRx40	Psychotic Illness/Bipolar	(( <del>0.24399</del> )) <u>0.22819</u>	0.20274
	MRx41	Replacement Solution	(( <del>0.47152</del> )) <u>0.58622</u>	1.49405
	MRx42	Seizure Disorders	(( <del>0.23418</del> )) <u>0.23997</u>	0.19837
	MRx43	Thyroid Disorder	(( <del>0.04267</del> )) <u>0.03948</u>	0.06326
	MRx44	Transplant	(( <del>0.34858</del> )) <u>0.37388</u>	0.05810
	MRx45	Tuberculosis	(( <del>0.22778</del> )) <u>0.20006</u>	0.00000

(8) Step 8. Sum risk weights to obtain the risk score. After obtaining the weights that correspond to a client's age/ gender category and set of risk categories, the agency takes a sum of the values of all of the weights. This sum is the risk score for a client.