December 2024 Apple Health Preferred Drug List Class: Antidiabetics




Overview

- Recap:
 - ➤ Top 25 classes 2021 to 2023
 - ► Antidiabetics Subclasses
 - ► GLP-1 Agonists
- GLP-1 Agonists and Diagnoses




Top 25 Classes by Net Paid – PMPM Increase 2021 to 2023






Antidiabetics – PMPM 2021 to 2023





GLP-1 Agonists Policy – Effective 2/1/2022






GLP-1 Agonists and Chronic Conditions

Methodology:

- Pharmacy and medical claims
- ▶ Pharmacy claims service date range: 1/1/2020 to 6/30/2024
- ► For medical claims ICD-10s: 1/1/2018 to 6/30/2024




Population





Population




Population: GLP1 Utilization - Plan

Annual Clients by Plan Using a GLP-1							
CALENDER_YEAR	Community Health Plan of Washington	Coordinated Care of Washington	FFS	Molina Healthcare of Washington Inc	United Health Care Community Plan	Wellpoint Washington Inc	Total
2020	822	613	260	2940	1091	949	6675
2021	1519	1068	372	5018	1786	1532	11295
2022	2245	1592	501	7075	2255	2020	15688
2023	3570	2437	721	10781	3764	2933	24206
2024	3148	2086	479	9582	3456	2389	21140



Population – GLP1 Use: Drug





GLP1 Policy Analysis

Inclusion Criteria:


- ► Type 2 diabetes with established cardiovascular disease or multiple risk factors
- ► Type 2 diabetes that meet trial and failure criteria

Assumptions:

- Patient has appropriately met all trial and failure criteria
- ► Patient has appropriately met A1C requirement
- ► ICD10s are accurate and appropriate




GLP1 Policy – Trial and Failure or Established CVD/Multiple Risk Factors






GLP1 Policy – Trial and Failure or Established CVD/Multiple Risk Factors: Plan






GLP1 Policy – Trial and Failure or Established CVD/Multiple Risk Factors: Preferred Drugs





GLP1 Policy – Trial and Failure or Established CVD/Multiple Risk Factors: Non-Preferred Drugs





Wegovy Analysis

Inclusion Criteria:


- ▶ Diagnosis of obesity or overweight
- Established cardiovascular disease
- ► No diagnosis of diabetes

Assumptions:

- ► Patient does not have A1C > 6.5%
- Patient is receiving appropriate therapy (e.g. antiplatelet, antihypertensive, lipid lower therapy)
- ► ICD10s are accurate and appropriate




Wegovy – Policy Criteria Met






Wegovy – Policy Criteria Met: Plan





Wegovy – Policy Criteria Met: Age Group



GLP1 Utilization – Predicting Use for Weight Loss

Inclusion Criteria:


- ▶ No diagnosis of diabetes
- ► Has a diagnosis for obesity which includes, but is not limited to:
 - > Overweight
 - ➤ Adults: Body Mass Index 27.0 or greater
 - > Pediatrics: Body Mass Index 85th percentile or greater
 - Obesity

Assumptions:

- ► GLP1s that meet inclusion criteria are being prescribed for weight loss
- ► ICD10s are accurate and appropriate




GLP1 Utilization – Predicting Use for Weight Loss






GLP1 Utilization – Predicting Use for Weight Loss: Plan






GLP1 Utilization – Predicting Use for Weight Loss: Age Group





GLP1 Utilization – Predicting Use for Weight Loss: Drug






GLP1 Utilization – Predicting Use for Sleep Apnea

- Inclusion Criteria:
 - Diagnosis of both obesity and sleep apnea
 - ► No diagnosis of diabetes
- Assumptions:
 - ▶ Patients who meet inclusion criteria are being prescribed a GLP1 for sleep apnea
 - ► ICD10s are accurate and appropriate




GLP1 Utilization – Predicting Use for Sleep Apnea






GLP1 Utilization – Predicting Use for Sleep Apnea: Plan





GLP1 Utilization – Predicting Use for Sleep Apnea: Drug





Discussion

- Expect continued growth in utilization
- Pipeline
- Questions?

