Washington State PCAP: Comparative Demographics

Numbers below include PCAP clients enrolled with a PCAP ASI between January 1, 2019 and June 30, 2022, including those subsequently exited (unenrolled or graduated). Data for transfers between sites appear under the originating site.

				URBAN C	OUNTIES §						R	URAL COUNTIES	; §			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM	GRAYSHAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
CONTRACT CAPACITY	146	131	133	103	108	139	68	83	109	105	106	76	55	71	30	1463
Clients enrolled in PCAP since 1/1/2019	151	205	137	101	140	131	73	92	112	104	121	53	60	64	45	1589
Clients with PCAP intake data	151	176	129	97	140	118	67	87	110	90	121	50	60	57	42	1495
Clients with missing intakes	0	29	8	4	0	13	6	5	2	14	0	3	0	7	3	94
Unenrolled since 1/1/2019	21	47	10	10	16	7	9	14	12	9	7	1	5	6	6	180
AGE OF CLIENTS																
Range	18–47 yrs	1944 yrs	19–44 yrs	18–46 yrs	18–42 yrs	19–41 yrs	18–41 yrs	18–40 yrs	18–41 yrs	19–42 yrs	18–40 yrs	19–42 yrs	20–42 yrs	21–43 yrs	20–40 yrs	18–47 yrs
Mean (Std Dev)	30.0 (5.7)	30.0 (5.3)	30.1 (5.5)	30.0 (5.8)	28.4 (5.5)	29.0 (5.2)	29.0 (5.2)	29.2 (5.5)	30.0 (5.3)	29.0 (4.6)	27.3 (5.7)	30.0 (5.4)	30.0 (5.0)	28.3 (5.8)	29.1 (5.3)	29.2 (5.5)
18–21 yrs	(14/151) 9%	(12/176) 7%	(8/130) 6%	(8/97) 8%	(18/140) 13%	(10/118) 8%	(7/67) 10%	(7/87) 8%	(9/110) 8%	(8/91) 9%	(26/121) 21%	(2/50) 4%	(2/60) 3%	(10/57) 18%	(2/42) 5%	(143/1497) 10%
22–29 yrs	(64/151) 42%	(79/176) 45%	(53/130) 41%	(41/97) 42%	(63/140) 45%	(54/118) 46%	(32/67) 48%	(36/87) 41%	(45/110) 41%	(40/91) 44%	(50/121) 41%	(20/50) 40%	(26/60) 43%	(25/57) 44%	(21/42) 50%	(649/1497) 43%
30+ yrs	(73/151) 48%	(85/176) 48%	(69/130) 53%	(48/97) 49%	(59/140) 42%	(54/118) 46%	(28/67) 42%	(44/87) 51%	(56/110) 51%	(43/91) 47%	(45/121) 37%	(28/50) 56%	(32/60) 53%	(22/57) 39%	(19/42) 45%	(705/1497) 47%
RACE / ETHNICITY OF CLIENTS																
Native American	(28/151) 19%	(25/176) 14%	(13/130) 10%	(12/97) 12%	(8/140) 6%	(15/118) 13%	(2/67) 3%	(15/87) 17%	(22/110) 20%	(10/91) 11%	(29/119) 24%	(5/50) 10%	(13/60) 22%	(10/57) 18%	(4/42) 10%	(211/1495) 14%
Asian, Pacific Islander	(1/151) 1%	(5/176) 3%	(3/130) 2%	(3/97) 3%	(1/140) 1%	(4/118) 3%	(0/67) 0%	(1/87) 1%	(0/110) 0%	(1/91) 1%	(0/119) 0%	(0/50) 0%	(0/60) 0%	(0/57) 0%	(0/42) 0%	(19/1495) 1%
African American/Black	(12/151) 8%	(15/176) 9%	(23/130) 18%	(21/97) 22%	(10/140)	(1/118) 1%	(5/67)	(4/87) 5%	(14/110)	(5/91) 5%	(8/119) 7%	(1/50) 2%	(2/60)	(2/57) 4%	(4/42) 10%	(127/1495) 8%
Hispanic	(3/151)	(2/176) 1%	(3/130)	(4/97) 4%	(3/140)	(1/118)	(0/67)	(4/87) 5%	(0/110)	(1/91) 1%	(1/119) 1%	(0/50)	(1/60) 2%	(0/57)	(1/42) 2%	(24/1495) 2%
White	(5/151) 3%	(13/176)	(16/130) 12%	(4/97) 4%	(15/140) 11%	(9/118) 8%	(17/67) 25%	(8/87) 9%	(26/110) 24%	(6/91) 7%	(5/119) 4%	(3/50)	(5/60) 8%	(6/57) 11%	(8/42) 19%	(146/1495) 10%
Other	(99/151) 66%	(116/176) 66%	(72/130) 55%	(53/97) 55%	(103/140) 74%	(87/118) 74%	(42/67) 63%	(55/87) 63%	(48/110) 44%	(66/91) 73%	(75/119) 63%	(41/50) 82%	(36/60)	(39/57)	(25/42) 60%	(957/1495) 64%
Multiracial/multiethnic	(3/151)	(0/176)	(0/130)	(0/97)	(0/140)	(1/118)	(1/67)	(0/87)	(0/110)	(2/91)	(1/119)	(0/50)	(3/60)	(0/57)	(0/42)	(11/1495)
	2%	0%	0%	0%	0%	1%	1%	0%	0%	2%	1%	0%	5%	0%	0%	1%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification.

				URBAN C	OUNTIES §						R	URAL COUNTIES	§]
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLiTZ	CLALLAM	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
(n=)	151	176	129	97	140	118	67	87	110	90	121	50	60	57	42	1495
Marital Status																
Married	(11/144) 8%	(14/172) 8%	(21/126) 17%	(16/96) 17%	(18/134) 13%	(16/116) 14%	(5/66) 8%	(11/86) 13%	(13/108) 12%	(9/91) 10%	(12/119) 10%	(8/45) 18%	(11/57) 19%	(10/52) 19%	(8/40) 20%	(183/1452) 13%
Single/Sep./Divorced/Widowed	(133/144) 92%	(158/172) 92%	(105/126) 83%	(80/96) 83%	(116/134) 87%	(100/116) 86%	(61/66) 92%	(75/86) 87%	(95/108) 88%	(82/91) 90%	(107/119) 90%	(37/45) 82%	(46/57) 81%	(42/52) 81%	(32/40) 80%	(1269/1452) 87%
EDUCATION																
Range	6–19 yrs	0–18 yrs	5–16 yrs	0–16 yrs	8–16 yrs	5–19 yrs	7–18 yrs	7–16 yrs	5–15 yrs	8–15 yrs	9–16 yrs	5–15 yrs	8–15 yrs	7–14 yrs	9–15 yrs	0–19 yrs
Mean	11.6 (1.6)	11.6 (1.9)	12.0 (1.7)	11.0 (2.4)	11.6 (1.6)	11.7 (1.8)	11.7 (1.9)	12.1 (1.4)	11.1 (2.0)	11.6 (1.3)	11.7 (1.3)	11.5 (1.6)	11.4 (1.9)	11.4 (1.4)	11.9 (1.2)	11.6 (1.7)
No H.S. diploma or GED	(52/151) 34%	(63/176) 36%	(39/130) 30%	(35/98) 36%	(51/139) 37%	(32/118) 27%	(28/67) 42%	(17/86) 20%	(51/109) 47%	(30/91) 33%	(43/120) 36%	(19/47) 40%	(27/60) 45%	(21/56) 38%	(12/41) 29%	(520/1489) 35%
Ninth grade or less	(14/151) 9%	(17/176) 10%	(8/130) 6%	(16/98) 16%	(16/139) 12%	(13/118) 11%	(8/67) 12%	(4/86) 5%	(20/109) 18%	(8/91) 9%	(8/120) 7%	(4/47) 9%	(12/60) 20%	(6/56) 11%	(1/41) 2%	(155/1489) 10%
Any college	(29/151) 19%	(28/176) 16%	(32/130) 25%	(7/98) 7%	(23/139) 17%	(27/118) 23%	(12/67) 18%	(24/86) 28%	(16/109) 15%	(10/91) 11%	(21/120) 18%	(10/47) 21%	(17/60) 28%	(4/56) 7%	(7/41) 17%	(267/1489) 18%
PARITY (including Target Child)																
Range	1–10	1–10	1–10	1–10	1–7	1–9	1–9	1–9	1–13	1–8	1–7	1–7	1–9	1–6	1–9	1–13
Mean	2.8 (1.6)	2.6 (1.5)	2.2 (1.6)	2.8 (1.7)	2.4 (1.4)	2.7 (1.8)	2.6 (1.7)	2.5 (1.6)	3.1 (2.1)	2.7 (1.5)	2.0 (1.3)	2.9 (1.8)	2.7 (1.9)	2.0 (1.3)	3.1 (2.0)	2.6 (1.7)
Target child (TC) is firstborn	(36/151) 24%	(46/176) 26%	(58/130) 45%	(23/97) 24%	(49/140) 35%	(32/116) 28%	(21/66) 32%	(31/86) 36%	(29/110) 26%	(24/91) 26%	(65/120) 54%	(13/47) 28%	(20/56) 36%	(23/53) 43%	(11/41) 27%	(481/1480) 33%
3 or more children	(82/151) 54%	(81/176) 46%	(44/130) 34%	(46/97) 47%	(54/140) 39%	(52/116) 45%	(32/66) 48%	(35/86) 41%	(57/110) 52%	(44/91) 48%	(33/120) 28%	(26/47) 55%	(25/56) 45%	(13/53) 25%	(21/41) 51%	(645/1480) 44%
Previous Children																
# LIVING WITH CLIENT †																
Range, # children	0–4	0–5	0–3	0–5	0–5	0–6	0–3	0–4	0–4	0–4	0–4	0–3	0–4	0–2	0–1	0–6
Mean, std dev	0.3 (0.7)	0.2 (0.6)	0.2 (0.5)	0.3 (0.8)	0.3 (0.8)	0.2 (1.2)	0.4 (0.7)	0.3 (0.8)	0.2 (0.5)	0.4 (0.8)	0.3 (0.8)	0.3 (0.6)	0.2 (1.5)	0.3 (0.5)	0.1 (0.3)	0.3 (0.8)
# NOT LIVING WITH CLIENT † (Not incl. those age 18 & over)																
Range, # children	0–9	0–6	0–8	0–9	0–6	0–7	0–8	0–8	0–8	0–7	0–6	0–6	0–6	0–5	0–8	0–9
Mean, std	1.5 (1.7)	1.4 (1.4)	1.1 (1.6)	1.5 (1.7)	1.0 (1.3)	1.4 (1.5)	1.2 (1.7)	1.2 (1.5)	1.9 (1.8)	1.3 (1.5)	0.6 (1.1)	1.7 (1.7)	1.4 (1.7)	0.8 (1.2)	2.0 (2.0)	1.3 (1.6)

[†] not including TC § According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						R	URAL COUNTIES	§]
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLiTZ	CLALLAM	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
(n=)	151	176	129	97	140	118	67	87	110	90	121	50	60	57	42	1495
CLIENT HAS LEGAL CUSTODY OF TARGET CHILD																
Yes	(76/151) 50%	(91/205) 44%	(78/137) 57%	(57/101) 56%	(81/140) 58%	(55/131) 42%	(43/73) 59%	(50/92) 54%	(59/112) 53%	(60/104) 58%	(89/121) 74%	(12/53) 23%	(34/60) 57%	(32/64) 50%	(18/45) 40%	(835/1589) 53%
No	(48/151) 32%	(52/205) 25%	(26/137) 19%	(33/101) 33%	(45/140) 32%	(39/131)	(13/73) 18%	(24/92) 26%	(27/112) 24%	(14/104) 13%	(24/121) 20%	(7/53) 13%	(13/60) 22%	(10/64) 16%	(16/45) 36%	(391/1589) 25%
Custody unresolved at interview, or baby not born yet	(26/151) 17%	(62/205) 30%	(33/137) 24%	(11/101) 11%	(12/140) 9%	(35/131)	(17/73) 23%	(18/92) 20%	(26/112) 23%	(30/104) 29%	(7/121) 6%	(34/53) 64%	(12/60) 20%	(22/64) 34%	(10/45) 22%	(355/1589) 22%
TC never born/TC deceased	(1/151) 1%	(0/205) 0%	(0/137) 0%	(0/101)	(2/140) 1%	(2/131) 2%	(0/73) 0%	(0/92) 0%	(0/112) 0%	(0/104) 0%	(1/121) 1%	(0/53) 0%	(1/60) 2%	(0/64) 0%	(1/45) 2%	(8/1589) 1%
CPS INVOLVEMENT																
Open CPS case at enrollment (incl. TC)	(79/150) 53%	(119/176) 68%	(54/121) 45%	(56/98) 57%	(75/138) 54%	(76/115) 66%	(36/66) 55%	(38/85) 45%	(75/109) 69%	(47/85) 55%	(38/116) 33%	(27/45) 60%	(26/57) 46%	(30/52) 58%	(21/41) 51%	(797/1454) 55%
PRENATAL CARE, SELF-REPORT																
Mean # visits, (SD)	11.0 (8.4)	9.3 (7.6)	14.5 (9.9)	17.0 (14.9)	9.8 (6.0)	8.2 (6.5)	9.8 (9.8)	8.7 (6.0)	7.3 (6.6)	10.5 (7.4)	7.0 (3.8)	11.6 (6.3)	6.7 (7.3)	12.5 (9.4)	9.1 (6.8)	10.2 (8.6)
No prenatal care, any trimester	(18/125) 14%	(12/144) 8%	(2/103) 2%	(6/94) 6%	(13/133) 10%	(13/99) 13%	(6/56) 11%	(6/77) 8%	(18/86) 21%	(10/75) 13%	(7/115) 6%	(1/19) 5%	(4/41) 10%	(2/40) 5%	(1/35) 3%	(119/1242) 10%
No prenatal care, 1st trimester	(47/125) 38%	(70/145) 48%	(47/107) 44%	(43/94) 46%	(58/133) 44%	(58/103) 56%	(25/56) 45%	(46/77) 60%	(50/89) 56%	(35/76) 46%	(58/115) 50%	(3/19) 16%	(15/41) 37%	(13/40) 33%	(12/35) 34%	(580/1255) 46%
No prenatal care, 2nd trimester	(33/125) 26%	(33/145) 23%	(17/106) 16%	(22/94) 23%	(28/133) 21%	(29/102) 28%	(13/56) 23%	(20/77) 26%	(36/88) 41%	(14/75) 19%	(20/115) 17%	(2/19) 11%	(14/41) 34%	(7/40) 18%	(8/35) 23%	(296/1251) 24%
No prenatal care, 3rd trimester	(20/126) 16%	(17/144) 12%	(5/104) 5%	(12/94) 13%	(14/133) 11%	(19/99) 19%	(7/56) 13%	(7/77) 9%	(25/86) 29%	(12/76) 16%	(5/115) 4%	(1/19) 5%	(11/41) 27%	(2/40) 5%	(4/35) 11%	(161/1245) 13%
CLIENT ENROLLED:																
Prenatally	(23/127) 18%	(26/147) 18%	(35/107) 33%	(20/95) 21%	(29/134) 22%	(25/106) 24%	(9/57) 16%	(22/77) 29%	(17/101) 17%	(24/80) 30%	(46/115) 40%	(3/19) 16%	(12/48) 25%	(8/42) 19%	(11/37) 30%	(310/1292) 24%
Avg. mos. before birth, if known	-2.9 (1.6)	-3.4 (2.4)	-3.1 (2.0)	-2.8 (1.9)	-3.3 (2.2)	-3.2 (2.3)	-3.9 (1.8)	-3.6 (1.6)	-5.0 (2.9)	-4.0 (2.4)	-3.8 (1.8)	-3.0 (1.0)	-3.6 (2.4)	-3.8 (1.9)	-4.1 (2.4)	-3.5 (2.1)
Postnatally (incl. at delivery)	(104/127) 82%	(121/147) 82%	(72/107) 67%	(75/95) 79%	(105/134) 78%	(81/106) 76%	(48/57) 84%	(55/77) 71%	(84/101) 83%	(56/80) 70%	(69/115) 60%	(16/19) 84%	(36/48) 75%	(34/42) 81%	(26/37) 70%	(982/1292) 76%
Avg. mos. after birth, if known	6.5 (5.4)	6.9 (6.2)	5.1 (5.7)	5.7 (3.8)	6.3 (6.3)	4.2 (5.0)	5.8 (5.0)	6.5 (5.8)	5.0 (5.0)	5.6 (6.6)	6.2 (5.9)	8.8 (6.6)	7.9 (6.9)	8.4 (7.0)	8.8 (7.0)	6.1 (5.8)

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

	151 176 129 97 140 118 67 87 110 90 121 50 60 57															
	SPOKANE	Snohomish	KING	PIERCE	CLARK	MASON-		KITSAP	Yакіма	CowLitz	CLALLAM		SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
(n=)	151	176	129	97	140	118	67	87	110	90	121	50	60	57	42	1495
TARGET CHILD:																
GESTATIONAL AGE																
Mean, in weeks	37.9 (2.8)	38.0 (2.6)	37.8 (2.8)	37.7 (3.6)	37.8 (2.7)	37.7 (2.9)	38.0 (2.4)	38.6 (2.2)	37.7 (2.3)	38.0 (2.5)	38.0 (3.0)	38.4 (1.6)	37.2 (3.0)	38.1 (2.7)	37.7 (4.1)	37.9 (2.8)
Term (above 37 weeks)	, ,	` ,	,	, ,	, ,	, ,	, ,	` '	` ,	,	,	` ,	` ,	` ,	(24/35) 69%	(811/1240) 65%
33-37 weeks gestation	, ,	` ,	` ,	, ,	, ,	, ,	,	` '	` ,	,	` ,	` ,	` ,	` ,	(9/35) 26%	(360/1240) 29%
27-32 weeks gestation		` ,	,	, ,	, ,	` ,	, ,	` ,	` ,	, ,	,	, ,	` '	` ,	(1/35) 3%	(59/1240) 5%
less than 27 weeks gestation	` ,	` ,	,	` ,	` ,	(/	` ,	` ,	` ,	, ,	,	` ,	` ,	` ,	(1/35) 3%	(10/1240) 1%
BIRTH WEIGHT																
Range, in pounds	2.38 -10.19	1.75 –10.19	1.50 -8.50	1.13 –9.81	1.13 –10.06	4.44 -10.31	3.50 -9.63	5.19 –9.75	3.50 -9.50	1.88 -9.88	2.94 -10.00	4.50 -10.25	4.38 -8.69	4.00 -9.56	3.00-9.88	1.13 –10.31
Mean, in pounds (std dev)	6.9 (1.4)	6.8 (1.4)	6.6 (1.4)	6.8 (1.6)	6.8 (1.4)	6.8 (1.3)	6.8 (1.4)	7.3 (1.1)	6.8 (1.2)	6.9 (1.4)	7.0 (1.4)	6.9 (1.5)	6.6 (1.4)	7.3 (1.2)	6.7 (1.3)	6.9 (1.4)
Normal birthweight (≥5¹/2 lbs)	(106/122) 87%	(118/143) 83%	(80/97) 82%	(76/94) 81%	(110/130) 85%	(78/94) 83%	(42/55) 76%	(73/76) 96%	(74/89) 83%	(64/73) 88%	(98/114) 86%	(14/19) 74%	(26/38) 68%	(38/42) 90%	(31/34) 91%	(1028/1220) 84%
Low birthweight (31/3–51/2 lbs)	(13/122) 11%	(23/143) 16%	(14/97) 14%	(14/94) 15%	(15/130) 12%	(16/94) 17%	(13/55) 24%	(3/76) 4%	(15/89) 17%	(7/73) 10%	(14/114) 12%	(5/19) 26%	(12/38) 32%	(4/42) 10%	(2/34) 6%	(170/1220) 14%
Very low birthweight (≤3⅓ lbs)	(3/122) 2%	(2/143) 1%	(3/97) 3%	(4/94) 4%	(5/130) 4%	(0/94) 0%	(0/55) 0%	(0/76) 0%	(0/89) 0%	(2/73) 3%	(2/114) 2%	(0/19) 0%	(0/38) 0%	(0/42) 0%	(1/34) 3%	(22/1220) 2%
BIRTH LENGTH																
Range, in inches	11"—22.5"	14"—23.5"	11.5"—23"	12"—23"	11.5"—23"	14"—24"	15"—23"	16"—22"	15"—23"	14.5"—29"	13"—29"	17"—21.5"	12"—21.5"	18"—22"	15"—21.2"	11.0"—29.0"
Mean, in inches	19.5 (1.6)	19.2 (1.6)	18.8 (1.8)	19.3 (1.8)	19.6 (1.6)	19.2 (1.7)	19.0 (1.6)	19.7 (1.3)	19.1 (1.5)	20.0 (2.1)	19.4 (2.0)	18.9 (1.2)	19.0 (1.8)	19.8 (1.1)	19.4 (1.3)	19.4 (1.7)

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						Ru	IRAL COUNTIES	§]
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
(n=)	151	176	129	97	140	118	67	87	110	90	121	50	60	57	42	1495
SUBSTANCE USE DURING TARGET PREGNANCY																
Both Alcohol & Drugs	(29/125)	(16/139)	(26/106)	(17/89)	(33/130)	(23/102)	(22/57)	(33/77)	(18/87)	(18/77)	(48/115)	(8/17)	(9/39)	(12/41)	(5/19)	(317/1220)
	23%	12%	25%	19%	25%	23%	39%	43%	21%	23%	42%	47%	23%	29%	26%	26%
Drugs ONLY	(93/125)	(120/139)	(79/106)	(70/89)	(96/130)	(76/102)	(34/57)	(42/77)	(66/87)	(59/77)	(60/115)	(8/17)	(29/39)	(29/41)	(13/19)	(874/1220)
	74%	86%	75%	79%	74%	75%	60%	55%	76%	77%	52%	47%	74%	71%	68%	72%
Alcohol only	(3/126)	(3/145)	(1/107)	(2/95)	(1/131)	(3/106)	(1/57)	(2/77)	(3/90)	(0/78)	(7/115)	(1/19)	(1/42)	(0/42)	(1/34)	(29/1264)
	2%	2%	1%	2%	1%	3%	2%	3%	3%	0%	6%	5%	2%	0%	3%	2%
Any Illicit Drug Use	(123/126)	(142/145)	(106/107)	(93/95)	(130/131)	(103/106)	(56/57)	(75/77)	(87/90)	(78/78)	(108/115)	(18/19)	(41/42)	(42/42)	(33/34)	(1235/1264)
	98%	98%	99%	98%	99%	97%	98%	97%	97%	100%	94%	95%	98%	100%	97%	98%
Any ALCOHOL Use	(32/125)	(18/139)	(27/106)	(19/89)	(34/130)	(26/102)	(23/57)	(35/77)	(21/87)	(18/77)	(52/115)	(9/17)	(10/39)	(12/41)	(6/19)	(342/1220)
	26%	13%	25%	21%	26%	25%	40%	45%	24%	23%	45%	53%	26%	29%	32%	28%
Binge Alcohol (>4 drinks)	(14/122)	(12/139)	(11/105)	(9/87)	(17/127)	(11/99)	(11/57)	(24/77)	(12/84)	(7/76)	(33/114)	(4/16)	(3/36)	(3/40)	(2/17)	(173/1196)
	11%	9%	10%	10%	13%	11%	19%	31%	14%	9%	29%	25%	8%	8%	12%	14%
Cannabis	(59/125)	(57/143)	(54/107)	(38/91)	(71/131)	(55/106)	(35/57)	(55/77)	(31/89)	(42/78)	(80/115)	(10/18)	(22/41)	(25/42)	(22/33)	(656/1253)
	47%	40%	50%	42%	54%	52%	61%	71%	35%	54%	70%	56%	54%	60%	67%	52%
Methamphetamines	(98/125)	(112/145)	(88/107)	(79/93)	(104/129)	(76/104)	(43/56)	(62/75)	(72/91)	(63/77)	(53/113)	(14/18)	(27/41)	(26/42)	(27/34)	(944/1250)
	78%	77%	82%	85%	81%	73%	77%	83%	79%	82%	47%	78%	66%	62%	79%	76%
Cocaine	(8/124)	(4/143)	(17/105)	(6/89)	(8/129)	(6/104)	(4/54)	(3/75)	(6/87)	(2/77)	(6/113)	(1/15)	(2/40)	(4/42)	(1/34)	(78/1231)
	6%	3%	16%	7%	6%	6%	7%	4%	7%	3%	5%	7%	5%	10%	3%	6%
Crack cocaine	(1/124)	(0/143)	(13/105)	(3/89)	(3/129)	(2/104)	(1/54)	(2/75)	(2/87)	(0/77)	(0/113)	(1/15)	(1/40)	(1/42)	(0/34)	(30/1231)
	1%	0%	12%	3%	2%	2%	2%	3%	2%	0%	0%	7%	3%	2%	0%	2%
Heroin	(51/125)	(81/143)	(75/107)	(54/90)	(39/129)	(42/104)	(13/54)	(38/75)	(32/88)	(40/78)	(31/113)	(5/15)	(16/40)	(16/42)	(10/33)	(543/1236)
	41%	57%	70%	60%	30%	40%	24%	51%	36%	51%	27%	33%	40%	38%	30%	44%
Other opiate (incl oxycodone)	(13/124)	(19/143)	(16/105)	(12/92)	(9/129)	(10/105)	(13/54)	(13/76)	(23/89)	(2/77)	(19/113)	(1/15)	(8/40)	(7/42)	(4/33)	(169/1237)
	10%	13%	15%	13%	7%	10%	24%	17%	26%	3%	17%	7%	20%	17%	12%	14%
Nicotine (cigarettes/vaping)	(100/121)	(125/143)	(92/102)	(77/87)	(103/128)	(81/104)	(35/49)	(67/73)	(37/87)	(69/76)	(88/109)	(13/15)	(32/40)	(34/42)	(27/33)	(980/1209)
	83%	87%	90%	89%	80%	78%	71%	92%	43%	91%	81%	87%	80%	81%	82%	81%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

	SPOKANE SNOHOMISH KING PIERCE CLARK THURSTON-LEWIS FRANKLIN KITSAP YAKIMA COWLITZ CLALLAM GRAYSHAR-BOR-PACIFIC SKAGIT WHATCOM CHELAN]				
	SPOKANE	Snohomish	King	PIERCE	CLARK	MASON-		KITSAP	Yакіма	CowLitz	CLALLAM	-	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
(n=)	151	176	129	97	140	118	67	87	110	90	121	50	60	57	42	1495
CLIENT'S FAMILY & CHILDHOOD HX																
One/both parents abused alcohol/drugs	` '	, ,	` ,	` ,	, ,	,	,	` ,	` ,	` ,	(,	(/	, ,	` '	` ,	(1270/1404) 90%
Reported problematic alcohol/drug use by mother																(974/1440) 68%
Reported heavy alcohol use by mother	, ,	, ,	,	, ,	'	,	, ,	` ′	` ,	, ,	, ,	, ,	, ,	. ,	` '	(719/1432) 50%
Drank while pregnant w/client	, ,	` ′	,	` ,	, ,	` ,	` ,	, ,	, ,	` ,	` ′	, ,	` ,	` ′	` ,	(207/1138) 18%
Client's ACEs Score, mean (SD)	5.4 (2.8)	4.7 (2.8)	4.8 (3.0)	5.3 (2.5)	5.8 (2.7)	5.5 (2.9)	5.3 (2.6)	6.3 (2.7)	4.8 (3.1)	4.7 (3.0)	6.4 (2.5)	4.9 (2.8)	5.3 (2.7)	5.6 (3.2)	4.9 (2.7)	5.3 (2.8)
Physical/sexual abuse as a child	` ,	(,	(/	,	(, ,	,	, ,	((/	` ,	` ,	` ,	, ,	` ,	(26/41) 63%
Reported physical abuse	(83/150) 55%	(71/176) 40%	(55/129) 43%	(52/98) 53%	(66/136) 49%	(60/116) 52%	(35/66) 53%	(46/86) 53%	(50/109) 46%	(40/91) 44%	(86/120) 72%	(20/46) 43%	(30/58) 52%	(24/53) 45%	(19/41) 46%	(737/1475) 50%
Reported sexual abuse	(68/150) 45%	(74/176) 42%	(59/128) 46%	(49/98) 50%	(70/129) 54%	(67/115) 58%	(41/66) 62%	(58/86) 67%	(45/109) 41%	(41/91) 45%	(44/120) 37%	(19/45) 42%	(27/58) 47%	(25/53) 47%	(18/41) 44%	(705/1465) 48%
As a child, in foster care system	(43/151) 28%	(24/176) 14%	(19/130) 15%	(15/97) 15%	(25/137) 18%	(29/116) 25%	(19/66) 29%	(18/85) 21%	(29/109) 27%	(25/91) 27%	(37/120) 31%	(10/47) 21%	(15/57) 26%	(15/53) 28%	(10/41) 24%	(333/1476) 23%
As a child, CPS involved	(59/150) 39%	(52/176) 30%	(39/129) 30%	(35/97) 36%	(44/135) 33%	(52/114) 46%	(26/66) 39%	(30/84) 36%	(33/108) 31%	(34/86) 40%	(52/120) 43%	(20/46) 43%	(21/39) 54%	(21/52) 40%	(12/41) 29%	(530/1443) 37%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						R	URAL COUNTIES	§			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLiTZ	CLALLAM	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
(n=)	151	176	129	97	140	118	67	87	110	90	121	50	60	57	42	1495
OTHER CLIENT HISTORY																
Ever in life jailed	(134/149)	(140/172)	(114/129)	(76/93)	(83/129)	(63/112)	(55/66)	(65/86)	(82/108)	(73/87)	(64/119)	(27/46)	(45/55)	(42/54)	(29/39)	(1092/1444)
	90%	81%	88%	82%	64%	56%	83%	76%	76%	84%	54%	59%	82%	78%	74%	76%
Has sold sex, i.e., sex worker (online or in person)	(23/151)	(23/176)	(28/130)	(16/98)	(16/138)	(11/118)	(9/67)	(12/86)	(21/110)	(10/91)	(5/119)	(3/49)	(4/60)	(5/56)	(5/42)	(191/1491)
	15%	13%	22%	16%	12%	9%	13%	14%	19%	11%	4%	6%	7%	9%	12%	13%
Has exchanged sex for drugs/money †	(26/152)	(29/151)	(41/176)	(39/130)	(21/98)	(22/138)	(19/118)	(18/67)	(18/86)	(31/110)	(21/91)	(12/119)	(7/49)	(7/60)	(8/56)	(10/42)
	17%	19%	23%	30%	21%	16%	16%	27%	21%	28%	23%	10%	14%	12%	14%	24%
Client's usual living arrangements †																
With partner	(39/151)	(79/176)	(47/130)	(35/97)	(58/139)	(56/116)	(22/65)	(27/85)	(36/109)	(45/91)	(33/116)	(28/45)	(33/58)	(20/53)	(22/41)	(580/1472)
	26%	45%	36%	36%	42%	48%	34%	32%	33%	49%	28%	62%	57%	38%	54%	39%
With family	(21/151)	(14/176)	(21/130)	(14/97)	(16/139)	(18/116)	(17/65)	(12/85)	(23/109)	(12/91)	(20/116)	(5/45)	(13/58)	(10/53)	(3/41)	(219/1472)
	14%	8%	16%	14%	12%	16%	26%	14%	21%	13%	17%	11%	22%	19%	7%	15%
Alone, with friends, or no stable arrangements	(91/151)	(83/176)	(62/130)	(48/97)	(65/139)	(42/116)	(26/65)	(46/85)	(50/109)	(34/91)	(63/116)	(12/45)	(12/58)	(23/53)	(16/41)	(673/1472)
	60%	47%	48%	49%	47%	36%	40%	54%	46%	37%	54%	27%	21%	43%	39%	46%
Domestic Violence:																
Current domestic violence in relationship	(27/150)	(17/176)	(17/130)	(6/97)	(23/137)	(12/114)	(10/66)	(28/82)	(9/110)	(13/90)	(45/120)	(6/46)	(13/58)	(6/49)	(5/41)	(237/1466)
	18%	10%	13%	6%	17%	11%	15%	34%	8%	14%	38%	13%	22%	12%	12%	16%
Ever beaten as an adult by partner	(126/150)	(143/176)	(94/130)	(79/96)	(112/138)	(90/114)	(57/66)	(64/86)	(85/110)	(76/91)	(78/120)	(33/47)	(45/58)	(41/53)	(29/41)	(1152/1476)
	84%	81%	72%	82%	81%	79%	86%	74%	77%	84%	65%	70%	78%	77%	71%	78%
Ever beaten while pregnant	(63/150)	(59/176)	(41/130)	(38/96)	(65/139)	(44/114)	(27/66)	(25/86)	(55/110)	(39/91)	(44/120)	(14/47)	(19/56)	(17/53)	(19/41)	(569/1475)
	42%	34%	32%	40%	47%	39%	41%	29%	50%	43%	37%	30%	34%	32%	46%	39%
Multiple head injuries, any cause	(23/151)	(11/176)	(29/130)	(10/98)	(9/138)	(24/118)	(18/67)	(8/86)	(31/110)	(13/91)	(56/119)	(9/49)	(13/60)	(7/56)	(3/42)	(264/1491)
	15%	6%	22%	10%	7%	20%	27%	9%	28%	14%	47%	18%	22%	13%	7%	18%
Father of the baby:																
Not involved or unknown	(54/125)	(39/145)	(25/102)	(35/92)	(42/127)	(28/100)	(25/53)	(13/77)	(30/88)	(28/79)	(19/112)	(4/19)	(14/47)	(16/41)	(15/35)	(387/1242)
	43%	27%	25%	38%	33%	28%	47%	17%	34%	35%	17%	21%	30%	39%	43%	31%
Has hx of psych problems	(83/132)	(89/165)	(44/112)	(25/86)	(82/122)	(49/98)	(22/48)	(61/77)	(45/100)	(38/75)	(30/99)	(23/42)	(31/54)	(21/48)	(16/40)	(659/1298)
	63%	54%	39%	29%	67%	50%	46%	79%	45%	51%	30%	55%	57%	44%	40%	51%
Has hx of drug abuse	(127/138)	(141/167)	(86/116)	(75/93)	(116/127)	(83/100)	(42/51)	(71/81)	(89/101)	(72/81)	(79/102)	(38/44)	(46/57)	(39/48)	(38/41)	(1142/1347)
	92%	84%	74%	81%	91%	83%	82%	88%	88%	89%	77%	86%	81%	81%	93%	85%
Has hx of alcohol abuse	(74/133)	(52/165)	(27/115)	(35/92)	(68/125)	(47/100)	(21/51)	(39/78)	(45/100)	(30/81)	(47/102)	(23/43)	(28/57)	(19/46)	(22/40)	(577/1328)
	56%	32%	23%	38%	54%	47%	41%	50%	45%	37%	46%	53%	49%	41%	55%	43%

[†] over past 3 years, at intake § According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						R	URAL COUNTIES	§			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLiTZ	CLALLAM	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
(n=)	151	176	129	97	140	118	67	87	110	90	121	50	60	57	42	1495
PSYCHIATRIC HISTORY																
Have had psychiatric evaluation	(124/149) 82%	(133/174) 76%	(96/129) 74%	(76/93) 82%	(119/138) 86%	(102/117) 87%	(52/65) 80%	(78/85) 92%	(72/109) 66%	(74/88) 84%	(107/120) 89%	(39/46) 85%	(43/58) 74%	(45/51) 88%	(31/41) 76%	(1191/1463) 81%
Have received a MH diagnosis	(113/149) 76%	(116/174) 67%	(92/129) 71%	(68/93) 73%	(113/138) 82%	(90/117) 77%	(47/65) 72%	(75/85) 88%	(63/109) 58%	(66/88) 75%	(106/120) 88%	(33/45) 73%	(40/58) 69%	(38/51) 75%	(29/41) 71%	(1089/1462) 74%
Of those with psychiatric evaluation,																
Result of evaluation:																
No diagnosis	(11/124) 9%	(17/133) 13%	(4/96) 4%	(8/76) 11%	(6/119) 5%	(12/102) 12%	(5/52) 10%	(3/78) 4%	(9/72) 13%	(8/74) 11%	(1/107) 1%	(6/39) 15%	(3/43) 7%	(7/45) 16%	(2/31) 6%	(102/1191) 9%
Diagnosis unknown	(2/124) 2%	(9/133) 7%	(1/96) 1%	(3/76) 4%	(3/119) 3%	(3/102) 3%	(1/52) 2%	(2/78) 3%	(2/72) 3%	(2/74) 3%	(0/107) 0%	(3/39) 8%	(0/43) 0%	(0/45) 0%	(1/31) 3%	(32/1191) 3%
Diagnosis known	(111/124) 90%	(107/133) 80%	(91/96) 95%	(65/76) 86%	(110/119) 92%	(87/102) 85%	(46/52) 88%	(73/78) 94%	(61/72) 85%	(64/74) 86%	(106/107) 99%	(30/39) 77%	(40/43) 93%	(38/45) 84%	(28/31) 90%	(1057/1191) 89%
More than 1 condition	(95/124) 77%	(89/133) 67%	(65/96) 68%	(54/76) 71%	(88/119) 74%	(65/102) 64%	(39/52) 75%	(51/78) 65%	(52/72) 72%	(51/74) 69%	(95/107) 89%	(25/39) 64%	(35/43)	(29/45) 64%	(24/31) 77%	(857/1191) 72%
Of those with known self-reported diagnoses:	1170	07 %	00%	7 1 76	7470	04%	73%	03%	1270	09%	0976	04%	0176	04%	1176	1270
Mood disorder *	(88/111) 79%	(88/107) 82%	(74/91) 81%	(57/65) 88%	(91/110) 83%	(62/87) 71%	(35/46) 76%	(62/73) 85%	(52/61) 85%	(53/64) 83%	(87/106) 82%	(26/30) 87%	(31/40) 78%	(33/38) 87%	(20/28) 71%	(859/1057) 79%
Depression	(73/111) 66%	(80/107) 75%	(60/91) 66%	(49/65) 75%	(86/110) 78%	(50/87) 57%	(26/46) 57%	(48/73) 66%	(47/61) 77%	(44/64) 69%	(80/106) 75%	(21/30) 70%	(26/40) 65%	(31/38) 82%	(16/28) 57%	(737/1057) 70%
Bipolar	(31/111) 28%	(20/107) 19%	(21/91) 23%	(14/65) 22%	(22/110) 20%	(18/87) 21%	(14/46) 30%	(20/73) 27%	(12/61) 20%	(17/64) 27%	(25/106) 24%	(7/30) 23%	(12/40) 30%	(9/38) 24%	(6/28) 21%	(248/1057) 23%
Attention/deficit disorder	(18/111) 16%	(14/107) 13%	(13/91) 14%	(7/65) 11%	(3/110) 3%	(12/87) 14%	(12/46) 26%	(6/73) 8%	(7/61) 11%	(10/64) 16%	(18/106) 17%	(8/30) 27%	(11/40) 28%	(7/38) 18%	(5/28) 18%	(151/1057) 14%
Stress/anxiety/panic disorder	(91/111) 82%	(92/111) 83%	(92/107) 86%	(70/91) 77%	(54/65) 83%	(89/110) 81%	(70/87) 80%	(38/46)	(52/73) 71%	(47/61) 77%	(54/64) 84%	(88/106) 83%	(22/30)	(36/40)	(33/38)	(22/28) 79%
PTSD	(55/111) 50%	(46/107) 43%	(44/91) 48%	(34/65) 52%	(46/110) 42%	(42/87) 48%	(23/46) 50%	(33/73)	(40/61) 66%	(34/64)	(51/106) 48%	(16/30) 53%	(25/40) 63%	(17/38) 45%	(10/28)	(516/1057) 49%
Personality disorder	(14/111)	(14/107) 13%	(11/91) 12%	(6/65) 9%	(4/110) 4%	(4/87) 5%	(5/46) 11%	(10/73) 14%	(4/61) 7%	(7/64) 11%	(7/106) 7%	(3/30)	(4/40) 10%	(2/38)	(4/28) 14%	(99/1057) 9%
Schizophrenia or psychotic disorder	(4/111) 4%	(2/107)	(3/91)	(3/65)	(2/110) 2%	(4/87) 5%	(2/46) 4%	(6/73) 8%	(0/61) 0%	(6/64) 9%	(0/106) 0%	(2/30) 7%	(1/40)	(1/38) 3%	(0/28)	(36/1057)

[§]According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification *Mood disorder included depression and bipolar

				URBAN C	OUNTIES §						R	URAL COUNTIES	; §			1
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	Yакіма	CowLiTZ	CLALLAM	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
(n=)	151	176	129	97	140	118	67	87	110	90	121	50	60	57	42	1495
ADVERSE CHILDHOOD EXPERIENCES (ACE QUESTIONNAIRE)																
ACE Score, Mean (SD)	5.4 (2.8)	4.7 (2.8)	4.8 (3.0)	5.3 (2.5)	5.8 (2.7)	5.5 (2.9)	5.3 (2.6)	6.3 (2.7)	4.8 (3.1)	4.7 (3.0)	6.4 (2.5)	4.9 (2.8)	5.3 (2.7)	5.6 (3.2)	4.9 (2.7)	5.3 (2.8)
Abuse:																
Psychological Abuse (Q1)	(94/150)	(91/176)	(63/129)	(62/98)	(87/136)	(67/116)	(38/66)	(58/86)	(59/109)	(45/91)	(93/120)	(28/46)	(33/58)	(30/53)	(21/41)	(869/1475)
	63%	52%	49%	63%	64%	58%	58%	67%	54%	49%	78%	61%	57%	57%	51%	59%
Physical Abuse (Q2)	(83/150)	(71/176)	(55/129)	(52/98)	(66/136)	(60/116)	(35/66)	(46/86)	(50/109)	(40/91)	(86/120)	(20/46)	(30/58)	(24/53)	(19/41)	(737/1475)
	55%	40%	43%	53%	49%	52%	53%	53%	46%	44%	72%	43%	52%	45%	46%	50%
Sexual Abuse (Q3)	(68/150)	(74/176)	(59/128)	(49/98)	(70/129)	(67/115)	(41/66)	(58/86)	(45/109)	(41/91)	(44/120)	(19/45)	(27/58)	(25/53)	(18/41)	(705/1465)
	45%	42%	46%	50%	54%	58%	62%	67%	41%	45%	37%	42%	47%	47%	44%	48%
Neglect:																
Emotional Neglect (Q4)	(88/149)	(84/176)	(66/129)	(54/98)	(80/134)	(71/116)	(44/65)	(51/86)	(56/109)	(46/91)	(67/120)	(28/46)	(31/58)	(33/53)	(26/41)	(825/1471)
	59%	48%	51%	55%	60%	61%	68%	59%	51%	51%	56%	61%	53%	62%	63%	56%
Physical Neglect (Q5)	(49/150)	(40/176)	(38/130)	(22/98)	(51/134)	(38/115)	(21/66)	(30/86)	(45/109)	(23/91)	(64/120)	(21/46)	(16/58)	(24/52)	(12/41)	(494/1472)
	33%	23%	29%	22%	38%	33%	32%	35%	41%	25%	53%	46%	28%	46%	29%	34%
Household Dysfunction:																
Parental Sep/Divorce (Q6)	(113/150)	(134/176)	(92/130)	(76/98)	(107/134)	(97/116)	(47/66)	(74/86)	(56/107)	(69/90)	(102/120)	(31/46)	(45/58)	(43/52)	(24/40)	(1110/1469)
	75%	76%	71%	78%	80%	84%	71%	86%	52%	77%	85%	67%	78%	83%	60%	76%
Battered Mother (Q7)	(62/150)	(71/175)	(53/129)	(43/98)	(87/128)	(53/115)	(26/66)	(48/86)	(49/107)	(37/91)	(58/120)	(16/46)	(26/58)	(25/53)	(14/40)	(668/1462)
	41%	41%	41%	44%	68%	46%	39%	56%	46%	41%	48%	35%	45%	47%	35%	46%
Substance Abuse (Q8)	(113/150)	(130/175)	(85/130)	(71/98)	(109/134)	(73/116)	(48/66)	(73/86)	(72/108)	(58/91)	(103/120)	(33/46)	(46/58)	(39/53)	(27/41)	(1080/1472)
	75%	74%	65%	72%	81%	63%	73%	85%	67%	64%	86%	72%	79%	74%	66%	73%
Mental Illness (Q9)	(76/150)	(86/176)	(64/129)	(50/98)	(92/133)	(63/116)	(33/66)	(72/86)	(54/108)	(41/91)	(97/120)	(17/46)	(36/58)	(34/53)	(26/41)	(841/1471)
	51%	49%	50%	51%	69%	54%	50%	84%	50%	45%	81%	37%	62%	64%	63%	57%
Criminal Behavior (Q10)	(58/150)	(46/176)	(39/130)	(36/98)	(42/133)	(46/116)	(19/66)	(29/86)	(35/107)	(27/91)	(50/120)	(11/46)	(20/58)	(17/53)	(12/41)	(487/1471)
	39%	26%	30%	37%	32%	40%	29%	34%	33%	30%	42%	24%	34%	32%	29%	33%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

Client Outcomes for Clients Currently In Progress

Biannual Report Data

Client Outcomes In Progress (Women Currently Involved 6 to 30 months): Washington State PCAP

Each client has been assigned to a case manager who helps the client identify and prioritize realistic goals and take steps toward achieving those goals. Every 6 months, based on client's enrollment date, case managers assess their clients' progress using the *Biannual Documentation of Client Progress*. Client status to date for clients currently enrolled in PCAP for at least 6 months are presented below. Note that clients are reported by site where biannual was completed, not by client location at end of June 2022.

				URBAN Co	OUNTIES §						R	URAL COUNTIES	; §			
As of June 30, 2021:	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	Kitsap	Yакіма	CowLitz	CLALLAM	GRAYS HAR- BOR-PACIFIC	Skagit	WHATCOM	CHELAN	PCAP STATEWIDE
TOTAL ENROLLED	116	130	108	89	88	106	55	64	94	77	85	57	50	67	28	1214
Enrolled Less Than 1 year	39	58	52	36	34	47	26	27	42	31	33	20	18	18	13	494
1-2 Years	44	43	41	37	38	32	16	21	23	25	23	16	16	24	9	408
Enrolled 2-3 Years	33	29	15	16	16	27	13	16	29	21	29	21	16	25	6	312
FAMILIES WITH BIANNUAL DATA (N)	99	89	91	74	78	81	42	49	80	61	75	51	40	58	19	987
Families Enrolled <6 Mos., no biannual due yet	17	41	17	15	10	25	13	15	14	15	10	6	10	8	9	225
Families Enrolled >6 Mos., biannual due but Missing	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						RURAL	COUNTIES §				
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
N= ALCOHOL/DRUG TREATMENT	99	89	91	74	78	81	42	49	80	61	75	51	40	58	19	987
While involved with PCAP: Tx completed or in progress	(72/96)	(69/89)	(81/91)	(56/74)	(50/78)	(62/76)	(30/42)	(43/49)	(63/79)	(44/60)	(39/75)	(29/50)	(25/39)	(35/56)	(11/19)	(709/973)
	75%	78%	89%	76%	64%	82%	71%	88%	80%	73%	52%	58%	64%	63%	58%	73%
TYPES OF TX																
Inpatient tx	(26/96)	(46/89)	(32/91)	(21/74)	(19/78)	(36/75)	(12/42)	(15/49)	(36/79)	(16/60)	(9/74)	(11/50)	(11/39)	(14/56)	(4/19)	(308/971)
	27%	52%	35%	28%	24%	48%	29%	31%	46%	27%	12%	22%	28%	25%	21%	32%
Completed	(19/96)	(38/89)	(26/91)	(18/74)	(18/78)	(32/75)	(9/42)	(13/49)	(32/79)	(15/60)	(7/74)	(10/50)	(9/39)	(14/56)	(3/19)	(263/971)
	20%	43%	29%	24%	23%	43%	21%	27%	41%	25%	9%	20%	23%	25%	16%	27%
Outpatient tx	(69/96)	(65/89)	(77/91)	(51/73)	(48/77)	(53/76)	(27/42)	(39/48)	(53/79)	(44/59)	(39/75)	(23/49)	(23/38)	(34/54)	(10/19)	(655/965)
	72%	73%	85%	70%	62%	70%	64%	81%	67%	75%	52%	47%	61%	63%	53%	68%
In- or Outpatient tx	(70/96)	(69/89)	(79/91)	(54/74)	(50/78)	(59/76)	(29/42)	(41/49)	(60/79)	(44/60)	(39/75)	(27/50)	(24/39)	(35/56)	(10/19)	(690/973)
	73%	78%	87%	73%	64%	78%	69%	84%	76%	73%	52%	54%	62%	63%	53%	71%
Other type [†] alc/drug tx	(36/96)	(46/89)	(63/91)	(20/73)	(28/76)	(40/74)	(21/42)	(31/49)	(47/79)	(34/60)	(20/75)	(18/50)	(14/37)	(23/56)	(9/19)	(450/966)
	38%	52%	69%	27%	37%	54%	50%	63%	60%	57%	27%	36%	38%	41%	47%	47%
ABSTINENCE FROM ALCOHOL/DRUGS																
Abstinent at last assessment date	(45/81)	(55/77)	(52/76)	(40/58)	(36/71)	(40/57)	(24/32)	(26/39)	(42/60)	(32/57)	(36/74)	(18/44)	(16/30)	(27/39)	(9/15)	(498/810)
	56%	71%	68%	69%	51%	70%	75%	67%	70%	56%	49%	41%	53%	69%	60%	61%
Unknown if currently abstinent	(18/99)	(12/89)	(15/91)	(16/74)	(7/78)	(24/81)	(10/42)	(10/49)	(20/80)	(4/61)	(1/75)	(7/51)	(10/40)	(19/58)	(4/19)	(177/987)
	18%	13%	16%	22%	9%	30%	24%	20%	25%	7%	1%	14%	25%	33%	21%	18%
Estimated abstinent, if we assume missing = no	(81/99)	(77/89)	(76/91)	(58/74)	(71/78)	(57/81)	(32/42)	(39/49)	(60/80)	(57/61)	(74/75)	(44/51)	(30/40)	(39/58)	(15/19)	(810/987)
	82%	87%	84%	78%	91%	70%	76%	80%	75%	93%	99%	86%	75%	67%	79%	82%
Abstinent for any 6 mo period since enrollment	(60/93)	(72/87)	(54/86)	(42/66)	(47/74)	(45/70)	(29/40)	(32/44)	(49/73)	(41/58)	(48/74)	(28/48)	(24/32)	(37/47)	(13/19)	(621/911)
	65%	83%	63%	64%	64%	64%	73%	73%	67%	71%	65%	58%	75%	79%	68%	68%
Abstinent for any 12 mo period since enrollment ¶	(37/78)	(48/74)	(30/55)	(28/48)	(27/56)	(26/55)	(16/31)	(23/36)	(30/51)	(29/44)	(26/58)	(22/38)	(14/26)	(24/44)	(7/15)	(387/709)
	47%	65 %	55%	58%	48%	47%	52%	64%	64%	48%	45%	58%	54%	56%	48%	55%

 $[\]dagger$ Other type tx includes treatment support groups, counseling and treatment programs in jail

[¶] No relapses

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						RURAL	COUNTIES §				
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
N=	99	89	91	74	78	81	42	49	80	61	75	51	40	58	19	987
Regular use currently	(47/88)	(39/82)	(38/71)	(36/59)	(36/75)	(25/51)	(10/36)	(22/42)	(34/67)	(31/55)	(35/73)	(19/45)	(11/25)	(24/42)	(8/17)	(415/828)
	53%	48%	54%	61%	48%	49%	28%	52%	51%	56%	48%	42%	44%	57%	47%	50%
Current family planning use	(11/99)	(6/89)	(20/91)	(15/74)	(3/78)	(30/81)	(6/42)	(7/49)	(13/80)	(5/61)	(2/75)	(6/51)	(15/40)	(16/58)	(2/19)	(157/987)
status unknown	11%	7%	22%	20%	4%	37%	14%	14%	16%	8%	3%	12%	38%	28%	11%	16%
METHODS:																
Tubal, Depo Provera Shot,	(40/88)	(29/82)	(37/71)	(33/59)	(35/75)	(23/51)	(7/36)	(16/42)	(21/67)	(29/55)	(28/73)	(17/45)	(11/25)	(18/42)	(5/17)	(349/828)
Hormonal implant, or IUD	45%	35%	52%	56%	47%	45%	19%	38%	31%	53%	38%	38%	44%	43%	29%	42%
Tubal Ligation	(14/88)	(8/82)	(10/71)	(6/59)	(15/75)	(4/51)	(2/36)	(7/42)	(5/67)	(9/55)	(7/73)	(5/45)	(2/25)	(3/42)	(3/17)	(100/828)
	16%	10%	14%	10%	20%	8%	6%	17%	7%	16%	10%	11%	8%	7%	18%	12%
Regular Depo Provera Shots	(2/88)	(4/82)	(0/71)	(10/59)	(3/75)	(5/51)	(1/36)	(0/42)	(4/67)	(0/55)	(3/73)	(4/45)	(1/25)	(1/42)	(1/17)	(39/828)
	2%	5%	0%	17%	4%	10%	3%	0%	6%	0%	4%	9%	4%	2%	6%	5%
IUD	(16/88)	(10/82)	(14/71)	(6/59)	(12/75)	(5/51)	(1/36)	(3/42)	(5/67)	(4/55)	(10/73)	(3/45)	(6/25)	(8/42)	(1/17)	(104/828)
	18%	12%	20%	10%	16%	10%	3%	7%	7%	7%	14%	7%	24%	19%	6%	13%
Hormonal Implant	(8/88)	(7/82)	(14/71)	(10/59)	(5/75)	(10/51)	(3/36)	(6/42)	(7/67)	(16/55)	(7/73)	(5/45)	(2/25)	(6/42)	(0/17)	(106/828)
	9%	9%	20%	17%	7%	20%	8%	14%	10%	29%	10%	11%	8%	14%	0%	13%
Regular use of other method, such as pills, condoms, etc.	(7/88)	(10/82)	(1/71)	(3/59)	(1/75)	(2/51)	(3/36)	(6/42)	(13/67)	(2/55)	(7/73)	(2/45)	(0/25)	(6/42)	(3/17)	(66/828)
	8%	12%	1%	5%	1%	4%	8%	14%	19%	4%	10%	4%	0%	14%	18%	8%
Tubal, Depo, Norplant, IUD <u>OR</u>	(43/88)	(34/82)	(37/71)	(35/59)	(36/75)	(24/51)	(8/36)	(20/42)	(25/67)	(29/55)	(32/73)	(19/45)	(11/25)	(21/42)	(8/17)	(382/828)
Pills, Patch or Nuvaring	49%	41%	52%	59%	48%	47%	22%	48%	37%	53%	44%	42%	44%	50%	47%	46%
SUBSEQUENT PREGNANCIES & BIRTHS																
Subsequent pregnancy, # women with	(20/97)	(15/88)	(7/88)	(7/72)	(22/78)	(21/77)	(15/42)	(17/47)	(3/76)	(11/60)	(20/74)	(16/50)	(8/39)	(9/51)	(4/19)	(195/958)
	21%	17%	8%	10%	28%	27%	36%	36%	4%	18%	27%	32%	21%	18%	21%	20%
Subsequent birth, # women with	(10/97)	(3/88)	(0/88)	(4/72)	(9/78)	(3/77)	(4/42)	(2/47)	(1/76)	(5/60)	(0/74)	(7/50)	(3/39)	(4/51)	(0/19)	(55/958)
	10%	3%	0%	6%	12%	4%	10%	4%	1%	8%	0%	14%	8%	8%	0%	6%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						RURAL	COUNTIES §				
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	Y АКІМА	CowLiTZ	CLALLAM	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
CURRENT HOUSING	99	89	91	74	78	81	42	49	80	61	75	51	40	58	19	987
Permanent, Stable	(46/88)	(38/78)	(37/84)	(30/57)	(44/73)	(26/68)	(16/35)	(19/44)	(10/64)	(35/56)	(48/73)	(26/47)	(14/31)	(28/47)	(2/19)	(419/864)
	52%	49%	44%	53%	60%	38%	46%	43%	16%	63%	66%	55%	45%	60%	11%	48%
Transitional Clean & Sober	(6/88)	(5/78)	(4/84)	(8/57)	(7/73)	(8/68)	(5/35)	(2/44)	(12/64)	(3/56)	(0/73)	(4/47)	(0/31)	(2/47)	(1/19)	(67/864)
Housing	7%	6%	5%	14%	10%	12%	14%	5%	19%	5%	0%	9%	0%	4%	5%	8%
Transitional Housing	(2/88)	(5/78)	(8/84)	(3/57)	(1/73)	(3/68)	(0/35)	(3/44)	(1/64)	(1/56)	(2/73)	(1/47)	(3/31)	(3/47)	(2/19)	(38/864)
	2%	6%	10%	5%	1%	4%	0%	7%	2%	2%	3%	2%	10%	6%	11%	4%
Inpatient Treatment	(4/88)	(4/78)	(6/84)	(2/57)	(1/73)	(4/68)	(1/35)	(1/44)	(0/64)	(0/56)	(2/73)	(2/47)	(1/31)	(1/47)	(1/19)	(30/864)
	5%	5%	7%	4%	1%	6%	3%	2%	0%	0%	3%	4%	3%	2%	5%	3%
Temporary Housing (motels, friends)	(15/88)	(23/78)	(19/84)	(10/57)	(13/73)	(19/68)	(10/35)	(14/44)	(31/64)	(11/56)	(13/73)	(11/47)	(8/31)	(11/47)	(12/19)	(220/864)
	17%	29%	23%	18%	18%	28%	29%	32%	48%	20%	18%	23%	26%	23%	63%	25%
Homeless	(12/88)	(3/78)	(7/84)	(3/57)	(6/73)	(6/68)	(2/35)	(4/44)	(7/64)	(6/56)	(4/73)	(1/47)	(4/31)	(1/47)	(1/19)	(67/864)
	14%	4%	8%	5%	8%	9%	6%	9%	11%	11%	5%	2%	13%	2%	5%	8%
Ever Homeless During	(1/88)	(0/78)	(0/84)	(0/57)	(0/73)	(1/68)	(1/35)	(0/44)	(1/64)	(0/56)	(1/73)	(0/47)	(0/31)	(0/47)	(0/19)	(5/864)
the 6 month period	1%	0%	0%	0%	0%	1%	3%	0%	2%	0%	1%	0%	0%	0%	0%	1%
Incarcerated	(2/88)	(0/78)	(3/84)	(1/57)	(1/73)	(1/68)	(0/35)	(1/44)	(2/64)	(0/56)	(3/73)	(2/47)	(1/31)	(1/47)	(0/19)	(18/864)
	2%	0%	4%	2%	1%	1%	0%	2%	3%	0%	4%	4%	3%	2%	0%	2%
Other	(11/99)	(10/89)	(7/91)	(17/74)	(5/78)	(13/81)	(7/42)	(5/49)	(16/80)	(4/61)	(2/75)	(4/51)	(9/40)	(11/58)	(0/19)	(121/987)
	11%	11%	8%	23%	6%	16%	17%	10%	20%	7%	3%	8%	23%	19%	0%	12%
Missing Housing Data	(11/99)	(10/89)	(7/91)	(17/74)	(5/78)	(13/81)	(7/42)	(5/49)	(16/80)	(4/61)	(2/75)	(4/51)	(9/40)	(11/58)	(0/19)	(121/987)
	11%	11%	8%	23%	6%	16%	17%	10%	20%	7%	3%	8%	23%	19%	0%	12%
EDUCATION																
Attended some type of class (GED, college, work training)	(20/97)	(14/86)	(20/90)	(8/70)	(22/77)	(18/77)	(6/40)	(10/48)	(14/76)	(10/57)	(28/75)	(10/50)	(9/36)	(20/55)	(2/19)	(211/953)
	21%	16%	22%	11%	29%	23%	15%	21%	18%	18%	37%	20%	25%	36%	11%	22%
Completed some type of class (GED, college, work training)	(3/97)	(4/86)	(3/90)	(4/70)	(11/77)	(8/77)	(2/40)	(5/48)	(5/76)	(1/57)	(12/75)	(6/50)	(1/36)	(4/55)	(0/19)	(69/953)
	3%	5%	3%	6%	14%	10%	5%	10%	7%	2%	16%	12%	3%	7%	0%	7%
Parenting Classes	(28/96)	(41/87)	(21/85)	(21/66)	(28/74)	(36/72)	(15/40)	(20/47)	(39/74)	(21/59)	(29/75)	(22/48)	(10/38)	(25/52)	(6/19)	(362/932)
	29%	47%	25%	32%	38%	50%	38%	43%	53%	36%	39%	46%	26%	48%	32%	39%
Completed Parenting Classes	(20/96)	(24/87)	(9/83)	(17/66)	(18/74)	(16/67)	(10/40)	(11/47)	(29/72)	(12/59)	(17/75)	(12/48)	(7/37)	(6/52)	(5/19)	(213/922)
	21%	28%	11%	26%	24%	24%	25%	23%	40%	20%	23%	25%	19%	12%	26%	23%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						RURAL	COUNTIES §]
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
N= EMPLOYMENT / INCOME	99	89	91	74	78	81	42	49	80	61	75	51	40	58	19	987
TANF/Public Assistance																
Currently	(37/91)	(32/79)	(63/81)	(30/56)	(21/72)	(33/57)	(19/32)	(14/43)	(31/62)	(30/56)	(18/72)	(11/44)	(11/33)	(23/38)	(6/19)	(379/835)
	41%	41%	78%	54%	29%	58%	59%	33%	50%	54%	25%	25%	33%	61%	32%	45%
Main source income	(25/74)	(27/64)	(52/77)	(27/54)	(21/64)	(32/56)	(12/30)	(14/39)	(30/59)	(25/50)	(7/71)	(7/39)	(5/29)	(17/33)	(2/19)	(303/758)
	34%	42%	68%	50%	33%	57%	40%	36%	51%	50%	10%	18%	17%	52%	11%	40%
Employment																
Empl. within last 6 mos.	(27/89)	(19/80)	(20/80)	(19/59)	(37/73)	(8/64)	(12/30)	(14/44)	(21/58)	(22/56)	(38/73)	(17/46)	(14/29)	(13/47)	(7/19)	(288/847)
	30%	24%	25%	32%	51%	13%	40%	32%	36%	39%	52%	37%	48%	28%	37%	34%
Currently employed	(18/89)	(18/81)	(11/80)	(16/59)	(31/73)	(6/65)	(10/30)	(13/44)	(18/58)	(18/56)	(30/73)	(16/46)	(15/30)	(11/47)	(9/19)	(240/850)
	20%	22%	14%	27%	42%	9%	33%	30%	31%	32%	41%	35%	50%	23%	47%	28%
Full-time employed	(12/89)	(9/80)	(4/80)	(11/59)	(19/73)	(3/64)	(6/30)	(5/44)	(8/58)	(7/56)	(21/73)	(7/46)	(9/29)	(5/47)	(5/19)	(131/847)
	13%	11%	5%	19%	26%	5%	20%	11%	14%	13%	29%	15%	31%	11%	26%	15%
Main source income	(13/74)	(17/64)	(8/77)	(14/54)	(27/64)	(6/56)	(7/30)	(11/39)	(15/59)	(14/50)	(27/71)	(15/39)	(13/29)	(9/33)	(9/19)	(205/758)
	18%	27%	10%	26%	42%	11%	23%	28%	25%	28%	38%	38%	45%	27%	47%	27%
DOMESTIC VIOLENCE (DV)																
Any DV reported while in PCAP (CM report)	(31/99)	(24/89)	(25/88)	(10/73)	(31/77)	(23/80)	(19/41)	(27/47)	(9/80)	(11/58)	(44/75)	(13/50)	(18/38)	(19/55)	(6/19)	(310/969)
	31%	27%	28%	14%	40%	29%	46%	57%	11%	19%	59%	26%	47%	35%	32%	32%
DV in current relationship (CM report)	(10/61)	(7/64)	(6/46)	(7/38)	(21/53)	(6/40)	(3/21)	(8/29)	(3/40)	(2/43)	(9/56)	(2/33)	(10/21)	(10/33)	(6/13)	(110/591)
	16%	11%	13%	18%	40%	15%	14%	28%	8%	5%	16%	6%	48%	30%	46%	19%
DV Services for client	(12/91)	(2/87)	(4/84)	(8/68)	(5/74)	(8/66)	(5/41)	(9/47)	(9/74)	(0/58)	(8/73)	(6/48)	(2/36)	(9/48)	(2/19)	(89/914)
	13%	2%	5%	12%	7%	12%	12%	19%	12%	0%	11%	13%	6%	19%	11%	10%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						RURAL	COUNTIES §				
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	Kitsap	YAKIMA	CowLitz	CLALLAM	GRAYS HAR- BOR-PACIFIC	Skagit	WHATCOM	CHELAN	PCAP STATEWIDE
Target Child (TC)	99	89	91	74	78	81	42	49	80	61	75	51	40	58	19	987
Including target children <u>living</u> with client or family only :	73	81	89	52	52	49	29	34	61	57	66	35	25	48	15	766
Regular well-child visits	(55/56)	(70/72)	(68/72)	(37/41)	(44/47)	(31/31)	(18/20)	(29/29)	(49/51)	(44/46)	(47/61)	(27/29)	(23/23)	(34/36)	(11/11)	(587/625)
	98%	97%	94%	90%	94%	100%	90%	100%	96%	96%	77%	93%	100%	94%	100%	94%
Well-child info unknown	(1/56)	(2/72)	(4/72)	(4/41)	(3/47)	(0/31)	(2/20)	(0/29)	(2/51)	(2/46)	(14/61)	(2/29)	(0/23)	(2/36)	(0/11)	(38/625)
	2%	3%	6%	10%	6%	0%	10%	0%	4%	4%	23%	7%	0%	6%	0%	6%
Immunizations up-to-date	(57/64)	(70/71)	(65/72)	(33/40)	(43/48)	(27/28)	(15/18)	(28/31)	(51/54)	(44/45)	(44/60)	(27/29)	(23/23)	(30/32)	(11/11)	(568/626)
	89%	99%	90%	83%	90%	96%	83%	90%	94%	98%	73%	93%	100%	94%	100%	91%
LEGAL CUSTODY OF TARGET CHILD																
Bio mom	(63/98)	(67/86)	(75/89)	(42/62)	(43/72)	(40/70)	(22/36)	(31/47)	(48/70)	(49/59)	(54/75)	(28/45)	(21/35)	(41/52)	(9/19)	(633/915)
	64%	78%	84%	68%	60%	57%	61%	66%	69%	83%	72%	62%	60%	79%	47%	69%
Bio dad (without client)	(5/98)	(2/86)	(1/89)	(3/62)	(0/72)	(3/70)	(0/36)	(1/47)	(5/70)	(0/59)	(2/75)	(3/45)	(2/35)	(1/52)	(2/19)	(30/915)
	5%	2%	1%	5%	0%	4%	0%	2%	7%	0%	3%	7%	6%	2%	11%	3%
Other family	(1/98)	(8/86)	(4/89)	(2/62)	(1/72)	(0/70)	(4/36)	(0/47)	(2/70)	(2/59)	(4/75)	(1/45)	(1/35)	(3/52)	(2/19)	(35/915)
	1%	9%	4%	3%	1%	0%	11%	0%	3%	3%	5%	2%	3%	6%	11%	4%
State/Foster Care system	(22/98)	(6/86)	(8/89)	(14/62)	(20/72)	(22/70)	(5/36)	(12/47)	(14/70)	(7/59)	(6/75)	(10/45)	(9/35)	(4/52)	(5/19)	(164/915)
	22%	7%	9%	23%	28%	31%	14%	26%	20%	12%	8%	22%	26%	8%	26%	18%
Adopted	(2/98)	(1/86)	(0/89)	(1/62)	(1/72)	(1/70)	(1/36)	(0/47)	(0/70)	(0/59)	(0/75)	(2/45)	(0/35)	(0/52)	(0/19)	(9/915)
	2%	1%	0%	2%	1%	1%	3%	0%	0%	0%	0%	4%	0%	0%	0%	1%
Through Tribal Courts/	(0/98)	(1/86)	(0/89)	(0/62)	(0/72)	(1/70)	(0/36)	(0/47)	(1/70)	(0/59)	(0/75)	(0/45)	(0/35)	(1/52)	(0/19)	(4/915)
Tribal CPS	0%	1%	0%	0%	0%	1%	0%	0%	1%	0%	0%	0%	0%	2%	0%	<1%
Other, incl guardianship	(2/98)	(0/86)	(0/89)	(0/62)	(3/72)	(1/70)	(1/36)	(1/47)	(0/70)	(0/59)	(3/75)	(1/45)	(0/35)	(1/52)	(0/19)	(13/915)
	2%	0%	0%	0%	4%	1%	3%	2%	0%	0%	4%	2%	0%	2%	0%	1%
No live birth or TC deceased	(2/98)	(0/86)	(0/89)	(0/62)	(1/72)	(1/70)	(1/36)	(1/47)	(0/70)	(0/59)	(2/75)	(0/45)	(1/35)	(0/52)	(1/19)	(10/915)
	2%	0%	0%	0%	1%	1%	3%	2%	0%	0%	3%	0%	3%	0%	5%	1%
Not born yet	(1/98)	(1/86)	(1/89)	(0/62)	(3/72)	(1/70)	(2/36)	(1/47)	(0/70)	(1/59)	(4/75)	(0/45)	(1/35)	(1/52)	(0/19)	(17/915)
	1%	1%	1%	0%	4%	1%	6%	2%	0%	2%	5%	0%	3%	2%	0%	2%
Custody Status Unknown	(1/99)	(3/89)	(2/91)	(12/74)	(6/78)	(11/81)	(6/42)	(2/49)	(10/80)	(2/61)	(0/75)	(6/51)	(5/40)	(6/58)	(0/19)	(72/987)
	1%	3%	2%	16%	8%	14%	14%	4%	13%	3%	0%	12%	13%	10%	0%	7%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

PCAP Client Exit Outcomes

Exit ASI Interview Data

Exit Outcomes Among PCAP Clients: Washington State PCAP

PCAP clients exit the program three years after their PCAP enrollment. These tables present PCAP exit information over the past 6 years, i.e., data for clients exiting July 2016—June 2022, including 44 "early exits" whose projected three-year exit dates were between July 2021-November 2022. Some of the tables include information for 399 clients who have not been located for Exit Interview but for whom we have cumulative program data. Data are separated by site based on where clients exited rather than by site where they were enrolled.

				URBAN C	OUNTIES §						RURAL (COUNTIES §				
	SPOKANE/ SPOKANE	EVERETT/ SNOHOMISH	SEATTLE/ KING	TACOMA/ PIERCE	VANCOUVER/ CLARK	OLYMPIA/ THURSTON- MASON	RICHLAND/ BENTON- FRANKLIN	BREMERTON/ KITSAP	YAKIMA/ YAKIMA	KELSO/ COWLITZ	PT ANGELES/ CLALLAM	MONTESANO/ GRAYS HAR- BOR-PACIFIC	MT VERNON/ SKAGIT	BELLINGHAM/ WHATCOM	WENATCHEE/ CHELAN	PCAP STATEWIDE
Exited between July 2015 and June 2022 (n)	207	116	178	156	163	112	67	100	168	153	151	139	83	56	22	1871
Exited in past year (July 2021— June 2022)	22	38	38	28	32	38	17	21	20	22	27	35	15	14	19	386
Of these, "Early Exits"	1	14	2	3	8	2	3	3	2	0	0	5	0	1	0	44
Clients with Exit Interview (n)	151 (151/207) 73%	106 (106/116) 91%	117 (117/178) 66%	101 (101/156) 65%	120 (120/163) 74%	83 (83/112) 74%	58 (58/67) 87%	89 (89/100) 89%	153 (153/168) 91%	129 (129/153) 84%	146 (146/151) 97%	118 (118/139) 85%	46 (46/83) 55%	50 (50/56) 89%	5 (5/22) 23%	1472 (1472/1871) 79%
% Lost to Follow-up, or Not yet interviewed	56 (56/207) 27%	10 (10/116) 9%	61 (61/178) 34%	55 (55/156) 35%	43 (43/163) 26%	29 (29/112) 26%	9 (9/67) 13%	11 (11/100) 11%	15 (15/168) 9%	24 (24/153) 16%	5 (5/151) 3%	21 (21/139) 15%	37 (37/83) 45%	6 (6/56) 11%	17 (17/22) 77%	399 (399/1871) 21%
Of these, past exit, being traced; not lost post exit yet	1	3	7	2	1	16	2	1	3	3	1	2	3	2	12	59
% as of previous report, June 2020	57 (57/217) 26%	21 (21/110) 19%	53 (53/165) 32%	46 (46/149) 31%	45 (45/142) 32%	16 (16/76) 21%	11 (11/54) 20%	12 (12/107) 11%	17 (17/181) 9%	25 (25/165) 15%	3 (3/151) 2%	18 (18/112) 16%	38 (38/81) 47%	29 (29/69) 42%	3 (3/4) 75%	394 (394/1783) 22%
% as of previous report, June 2019	(55/212) 26%	(14/71) 20%	(54/160) 34%	(39/161) 24%	(38/105) 36%	(16/56) 29%	(2/26) 8%	(10/96) 10%	(10/167) 6%	(29/158) 18%	(3/138) 2%	(8/73) 9%	(48/84) 57%	(26/54) 48%	_	(352/1561) 23%
% as of previous report, June 2018	(48/213) 23%	(9/34) 26%	(53/158) 34%	(26/150) 17%	(28/72) 39%	(9/24) 38%	(2/21) 10%	(11/87) 13%	(11/169) 7%	(17/148) 11%	(3/129) 2%	(13/67) 19%	(42/79) 53%	(12/26) 46%	_	(284/1377) 21%
% as of previous report, June 2017	(37/183) 20%	(2/12) 17%	(29/112) 26%	(17/127) 13%	(21/48) 44%	(0/2) 0%	(2/6) 33%	(6/69) 9%	(18/150) 12%	(18/130) 14%	(6/102) 6%	(5/35) 14%	(30/50) 60%	(2/10) 20%	_	(193/1036) 19%
% as of previous report, June 2016	(35/214) 16%	_	(40/147) 27%	(26/160) 16%	(19/25) 76%	_	_	(6/98) 6%	(16/167) 10%	(17/152) 11%	(0/112) 0%	(4/12) 33%	(38/75) 51%	_	_	(209/1218) 17%
% as of previous report, June 2015	(29/205) 14%	_	(33/140) 24%	(22/148) 15%	_	_	_	(7/91) 8%	(22/172) 13%	(13/149) 9%	(6/87) 7%	(0/3) 0%	(31/80) 39%	_	_	(169/1122) 15%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification.

Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

				URBAN C	COUNTIES						F	RURAL COUNTIE	s			
	SPOKANE/ SPOKANE	EVERETT/ SNOHOMISH	SEATTLE/ KING	TACOMA/ PIERCE	Vancouver/ Clark	OLYMPIA/ THURSTON- MASON	RICHLAND/ BENTON- FRANKLIN	BREMERTON/ KITSAP	YAKIMA/ YAKIMA	KELSO/ COWLITZ	PT ANGELES/ CLALLAM	Montesano/ Grays Har- Bor-Pacific	MT VERNON/ SKAGIT	BELLINGHAM/ WHATCOM	WENATCHEE/ CHELAN	PCAP STATEWIDE
n=	151	106	117	101	120	83	58	89	153	129	146	118	46	50	5	1472
REDUCED RISK OF EXPOSED BIRTH AT EXIT * †																
Clean & sober ≥6 mo or has IUD, regular Depo Provera shots, hormonal implant, or tubal ligation	(99/151) 66%	(84/106) 79%	(83/117) 71%	(76/101) 75%	(80/120) 67%	(65/83) 78%	(37/58) 64%	(71/89) 80%	(124/153) 81%	(104/129) 81%	(101/146) 69%	(88/118) 75%	(36/46) 78%	(40/50) 80%	(5/5) 100%	(1093/1472) 74%
Clean & sober ≥6 mo or has IUD, regular Depo Provera shots, hormonal implant, or tubal ligation or uses birth control pills regularly	(105/151) 70%	(89/106) 84%	(86/117) 74%	(83/101) 82%	(91/120) 76%	(68/83) 82%	(42/58) 72%	(73/89) 82%	(127/153) 83%	(108/129) 84%	(109/146) 75%	(93/118) 79%	(37/46) 80%	(41/50) 82%	(5/5) 100%	(1157/1472) 79%
Clean & sober ≥6 mo or regular birth control use	(114/151) 75%	(95/106) 90%	(91/117) 78%	(83/101) 82%	(101/120) 84%	(71/83) 86%	(43/58) 74%	(75/89) 84%	(127/153) 83%	(111/129) 86%	(112/146) 77%	(95/118) 81%	(38/46) 83%	(41/50) 82%	(5/5) 100%	(1202/1472) 82%

[†] An additional 60 women who are not represented in the table because they were not seen at exit also have tubal ligations: 10 in Spokane, 1 in Snohomish, 12 in King, 9 in Pierce, 12 in Clark, 2 in Thurston, 0 in Benton-Franklin, 2 in Kitsap, 3 in Yakima, 5 in Cowlitz, 0 in Clallam, 1 in Grays Harbor, 0 in Skagit and 0 in Whatcom counties

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

DURING PROGRAM

				URBAN (COUNTIES						R	URAL COUNTIE	:S			
	SPOKANE/ SPOKANE	EVERETT/ SNOHOMISH	SEATTLE/ KING	TACOMA/ PIERCE	Vancouver/ Clark	OLYMPIA/ THURSTON- MASON	RICHLAND/ BENTON- FRANKLIN	BREMERTON/ KITSAP	YAKIMA/ YAKIMA	KELSO/ COWLITZ	PT ANGELES/ CLALLAM	MONTESANO/ GRAYS HAR- BOR-PACIFIC	MT VERNON/ SKAGIT	BELLINGHAM/ WHATCOM	WENATCHEE/ CHELAN	PCAP STATEWIDE
n=	207	116	178	156	163	112	67	100	168	153	151	139	83	56	22	1871
ALCOHOL/DRUG TREATMENT (TX) DURING PCAP																
Of all PCAP clients, some form tx completed or in progress	(200/207)	(113/116)	(171/178)	(147/156)	(132/162)	(98/112)	(51/67)	(92/100)	(156/168)	(139/153)	(128/151)	(123/139)	(63/79)	(52/56)	(16/22)	(1681/1866)
	97%	97%	96%	94%	81%	88%	76%	92%	93%	91%	85%	88%	80%	93%	73%	90%
INPATIENT TREATMENT																
Of all PCAP clients:																
Inpatient tx completed or in progress	(99/207)	(58/116)	(98/178)	(61/156)	(36/162)	(34/112)	(19/67)	(38/100)	(125/168)	(76/153)	(52/151)	(49/139)	(28/79)	(18/56)	(9/22)	(800/1866)
	48%	50%	55%	39%	22%	30%	28%	38%	74%	50%	34%	35%	35%	32%	41%	43%
Did not attend inpatient tx	(108/207)	(58/116)	(80/178)	(95/156)	(126/162)	(78/112)	(48/67)	(62/100)	(43/168)	(77/153)	(99/151)	(90/139)	(51/79)	(38/56)	(13/22)	(1066/1866)
	52%	50%	45%	61%	78%	70%	72%	62%	26%	50%	66%	65%	65%	68%	59%	57%
Of those who entered inpatient:																
Completed tx	(96/114)	(55/63)	(95/110)	(56/73)	(33/49)	(33/45)	(17/23)	(37/47)	(124/139)	(72/89)	(48/69)	(47/62)	(22/31)	(17/20)	(8/9)	(760/943)
	84%	87%	86%	77%	67%	73%	74%	79%	89%	81%	70%	76%	71%	85%	89%	81%
Completed tx or were in progress at exit	(99/114)	(58/63)	(98/110)	(61/73)	(36/49)	(34/45)	(19/23)	(38/47)	(125/139)	(76/89)	(52/69)	(49/62)	(28/31)	(18/20)	(9/9)	(800/943)
	87%	92%	89%	84%	73%	76%	83%	81%	90%	85%	75%	79%	90%	90%	100%	85%
Unable to complete/dropped	(15/114)	(5/63)	(12/110)	(12/73)	(13/49)	(11/45)	(4/23)	(9/47)	(14/139)	(13/89)	(17/69)	(13/62)	(3/31)	(2/20)	(0/9)	(143/943)
	13%	8%	11%	16%	27%	24%	17%	19%	10%	15%	25%	21%	10%	10%	0%	15%
OUTPATIENT TREATMENT																
Of all PCAP clients:																
Outpatient tx completed or	(179/207)	(107/116)	(158/178)	(135/156)	(111/162)	(91/112)	(45/67)	(87/100)	(147/168)	(132/153)	(113/151)	(110/139)	(59/75)	(46/56)	(16/22)	(1536/1862)
in progress	86%	92%	89%	87%	69%	81%	67%	87%	88%	86%	75%	79%	79%	82%	73%	82%
Did not attend outpatient tx	(28/207)	(9/116)	(20/178)	(21/156)	(51/162)	(21/112)	(22/67)	(13/100)	(21/168)	(21/153)	(38/151)	(29/139)	(16/75)	(10/56)	(6/22)	(326/1862)
	14%	8%	11%	13%	31%	19%	33%	13%	13%	14%	25%	21%	21%	18%	27%	18%
Of those who entered outpatient:																
Completed tx	(102/193)	(81/108)	(83/169)	(68/146)	(69/125)	(59/97)	(32/49)	(62/89)	(112/154)	(75/141)	(69/123)	(69/116)	(37/60)	(30/47)	(9/16)	(957/1633)
	53%	75%	49%	47%	55%	61%	65%	70%	73%	53%	56%	59%	62%	64%	56%	59%
Completed tx or were in progress at exit	(179/193)	(107/108)	(158/169)	(135/146)	(111/125)	(91/97)	(45/49)	(87/89)	(147/154)	(132/141)	(113/123)	(110/116)	(59/60)	(46/47)	(16/16)	(1536/1633)
	93%	99%	93%	92%	89%	94%	92%	98%	95%	94%	92%	95%	98%	98%	100%	94%
Unable to complete/dropped	(14/193)	(1/108)	(11/169)	(11/146)	(14/125)	(6/97)	(4/49)	(2/89)	(7/154)	(9/141)	(10/123)	(6/116)	(1/60)	(1/47)	(0/16)	(97/1633)
	7%	1%	7%	8%	11%	6%	8%	2%	5%	6%	8%	5%	2%	2%	<i>0%</i>	6%

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

								20								
				URBAN C	COUNTIES						F	RURAL COUNTIE	:S			
	SPOKANE/ SPOKANE	EVERETT/ SNOHOMISH	SEATTLE/ KING	TACOMA/ PIERCE	VANCOUVER/ CLARK	OLYMPIA/ THURSTON- MASON	RICHLAND/ BENTON- FRANKLIN	BREMERTON/ KITSAP	YAKIMA/ YAKIMA	KELSO/ COWLITZ	PT ANGELES/ CLALLAM	MONTESANO/ GRAYS HAR- BOR-PACIFIC	MT VERNON/ SKAGIT	BELLINGHAM/ WHATCOM	WENATCHEE/ CHELAN	PCAP STATEWIDE
n=	207	116	178	156	163	112	67	100	168	153	151	139	83	56	22	1871
ALCOHOL/DRUG TREATMENT (TX) DURING PCAP, CONTINUED																
INPATIENT OR OUTPATIENT TX																
Of all PCAP clients:																
Either completed or in progress	(189/207) 91%	(108/116) 93%	(164/178) 92%	(136/156) 87%	(117/162) 72%	(91/112) 81%	(47/67) 70%	(89/100) 89%	(155/168) 92%	(137/153) 90%	(114/151) 75%	(113/139) 81%	(61/79) 77%	(46/56) 82%	(16/22) 73%	(1583/1866) 85%
Did not attend either type of treatment	(18/207) 9%	(8/116) 7%	(14/178) 8%	(20/156) 13%	(45/162) 28%	(21/112) 19%	(20/67) 30%	(11/100) 11%	(13/168) 8%	(16/153) 10%	(37/151) 25%	(26/139) 19%	(18/79) 23%	(10/56) 18%	(6/22) 27%	(283/1866) 15%
Of those who entered either:																
Completed tx	(144/200) 72%	(95/110) 86%	(127/171) 74%	(91/147) 62%	(82/131) 63%	(69/98) 70%	(38/50) 76%	(73/90) 81%	(147/161) 91%	(108/145) 74%	(88/123) 72%	(86/118) 73%	(41/63) 65%	(35/47) 74%	(11/16) <i>6</i> 9%	(1235/1670) 74%
Completed tx or were in progress at exit	(189/200) 95%	(108/110) 98%	(164/171) 96%	(136/147) 93%	(117/131) 89%	(91/98) 93%	(47/50) 94%	(89/90) 99%	(155/161) 96%	(137/145) 94%	(114/123) 93%	(113/118) 96%	(61/63) 97%	(46/47) 98%	(16/16) 100%	(1583/1670) 95%
Unable to complete/dropped	(11/200) 6%	(2/110) 2%	(7/171) 4%	(11/147) 7%	(14/131) 11%	(7/98) 7%	(3/50) 6%	(1/90) 1%	(6/161) 4%	(8/145) 6%	(9/123) 7%	(5/118) 4%	(2/63) 3%	(1/47) 2%	(0/16) 0%	(87/1670) 5%
OTHER TYPES ALCOHOL/DRUG TX																
Other type [†] alc/drug tx completed or in progress	(176/206) 85%	(101/116) 87%	(166/178) 93%	(137/156) 88%	(122/162) 75%	(90/112) 80%	(43/67) 64%	(85/100) 85%	(137/168) 82%	(122/153) 80%	(114/151) 75%	(114/139) 82%	(56/75) 75%	(51/56) 91%	(15/22) 68%	(1529/1861) 82%

[†]Includes treatment support groups, counseling, and treatment programs in jail.

^{→ *} Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

CLARK (n=120)

AT EXIT

(63/108) 58%

(17/108) 16%

(34/108) 31%

(13/108) 12%

(39/108) 36%

(2/108) 2%

(5/107) 5%

(4/97) 4%

(9/108) 8%

(88/108) 81%

THURSTON-MASON-LEWIS (n=83)

DURING TARGET PREGNANCY

(83/83) 100%

(71/82) 87%

(20/80) 25%

(8/79) 10%

(37/81) 46%

(4/76) 5%

(25/76) 33%

(9/74) 12%

(56/80) 70%

(59/82) 72%

AT EXIT

(29/81) 36%

(8/81) 10%

(13/81) 16%

(4/81) 5%

(18/80) 23%

(0/80) 0%

(4/80) 5%

(1/78) 1%

(3/81) 4%

(58/80) 73%

						UF	RBAN C	OUNTIES			
	SPOKANE	(n=151)	Snohomish	H(n=106)	King (n	=117)		PIERCE (r	n=101)	CLARK	(r
ALCOHOL/DRUG USE *	DURING TARGET PREGNANCY	AT EXIT	DURING TARGET PREGNANCY	AT EXIT	DURING TARGET PREGNANCY	AT EXIT	∞	DURING TARGET PREGNANCY	AT EXIT	DURING TARGET PREGNANCY	
Use of alcohol, cannabis, or any illicit substance	(151/151) 100%	(72/151) 48%	(106/106) 100%	(29/106) 27%	(117/117) 100%	(50/107)	47%	(101/101) 100%	(53/100) 53%	(120/120) 100%)
Any illicit drug (all drugs, not including alcohol or cannabis)	(135/144) 94%	(34/151) 23%	(49/52) 94%	(8/106) 8%	(105/110) 95%	(24/107)	22%	(95/98) 97%	(26/100) 26%	(104/114) 91%	
Alcohol	(33/142) 23%	(32/151) 21%	(6/51) 12%	(9/106) 8%	(40/109) 37%	(19/103)	18%	(34/88) 39%	(26/98) 27%	(30/117) 26%	
Binge alcohol	(17/142) 12%	(8/151) 5%	(2/50) 4%	(3/106) 3%	(29/108) 27%	(9/102)	9%	(9/78) 12%	(4/97) 4%	(13/117) 11%	
Cannabis	(82/143) 57%	(50/151) 33%	(17/51) 33%	(24/106) 23%	(60/109) 55%	(27/105)	26%	(56/88) 64%	(28/100) 28%	(68/117) 58%	Ī
Cocaine	(6/141) 4%	(0/150) 0%	(0/49) 0%	(1/106) 1%	(19/103) 18%	(2/104)	2%	(10/83) 12%	(1/100) 1%	(7/100) 7%	Ī
Heroin	(56/143) 39%	(13/147) 9%	(31/52) 60%	(3/106) 3%	(66/104) 63%	(10/100)	10%	(46/84) 55%	(11/97) 11%	(29/94) 31%	Ī
Other opiates (incl. fentanyl)	(28/141) 20%	(9/104) 9%	(1/50) 2%	(0/69) 0%	(13/107) 12%	(3/78) 4	1%	(16/79) 20%	(4/93) 4%	(8/103) 8%	
Methamphetamines	(105/144) 73%	(18/151) 12%	(43/51) 84%	(3/106) 3%	(80/109) 73%	(12/105)	11%	(79/92) 86%	(18/100) 18%	(84/106) 79%	
Nicotine (cigarettes/vaping)	(114/144) 79%	(110/150) 73%	(37/51) 73%	(64/106) 60%	(94/109) 86%	(68/104)	65%	(79/97) 81%	(66/95) 69%	(92/117) 79%	1
	BENTON-FRA	NKLIN (n=58)	KITSAP	(n=89)	s	TATEWIDE (n=1472	2)			
	DURING TARGET PREGNANCY	AT EXIT	DURING TARGET PREGNANCY	AT EXIT	DURING TARG PREGNANCY	SET		ω AT EXIT			
Use of alcohol, cannabis, or any illicit substance	(58/58) 100%	(32/57) 56%	(89/89) 100%	(33/85) 39%	(1472/1472)	100%	(63	39/1433) 45%			
Any illicit drug (all drugs, not including alcohol or cannabis)	(29/37) 78%	(7/56) 13%	(82/87) 94%	(15/85) 18%	(1209/1325)	91%	(24	7/1433) 17%			
Alcohol	(12/37) 32%	(17/56) 30%	(36/86) 42%	(21/85) 25%	(382/1288) 3	30%	(29:	5/1396) 21%			
Binge alcohol	(7/37) 19%	(6/56) 11%	(21/86) 24%	(4/85) 5%	(188/1267)	15%	(76	6/1388) 6%			
Cannabis	(23/37) 62%	(23/56) 41%	(61/87) 70%	(22/85) 26%	(717/1292) 5	55%	(42	2/1428) 30%			
Cocaine	(0/36) 0%	(0/54) 0%	(6/79) 8%	(0/85) 0%	(84/1209)	7%	(1:	3/1423) 1%			
Heroin	(6/36) 17%	(0/44) 0%	(35/79) 44%	(3/83) 4%	(520/1211)	43%	(9	0/1306) 7%			
Other opiates (incl. fentanyl)	(2/36) 6%	(1/39) 3%	(11/82) 13%	(2/82) 2%	(169/1226)	14%	(4	4/1116) 4%			
Methamphetamines	(27/37) 73%	(5/550) 9%	(72/85) 85%	(11/84) 13%	(984/1283)	77%	(14	6/1425) 10%			
				_			_		7		

(81/87) 93%

(25/35) 71%

(38/54) 70%

Nicotine (cigarettes/vaping)

AT EXIT COMPARED TO INTAKE, OF THOSE WITH EXIT INTERVIEWS

(1025/1391) 74%

(69/84) 82%

Client Exit Outcomes PCAP Report to DBHR, June 30, 2022 9/30/2022 Page 29

(1068/1318) 81%

[∞] 30 days prior to exit

^{→ *} Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

						RURAL C	COUNTIES					
	YAKIMA (n=153)	Cowlitz	(n=129)	CLALLAN	(n=146)	GRAYS HARBOR-	PACIFIC (n=118)	SKAGIT	(n=46)	WHATCOM	n (n=50)
ALCOHOL/DRUG USE *	DURING TARGET PREGNANCY	AT EXIT	DURING TARGET PREGNANCY	AT EXIT	DURING TARGET PREGNANCY	AT EXIT	DURING TARGET PREGNANCY	AT EXIT	DURING TARGET PREGNANCY	AT EXIT	DURING TARGET PREGNANCY	AT EXIT
Use of alcohol, cannabis, or any illicit substance	(153/153) 100%	(52/151) 34%	(129/129) 100%	(37/128) 299	% (146/146) 100%	(83/146) 57%	(118/118) 100%	(65/115) 57%	(46/46) 100%	(16/45) 36%	(50/50) 100%	(23/48) 4
Any illicit drug (all drugs, not including alcohol or cannabis)	(139/148) 94%	(28/151) 19%	(118/127) 93%	(17/128) 139	% (133/145) 92%	(30/146) 21%	(91/112) 81%	(16/115) 14%	(34/41) 83%	(10/45) 22%	(21/23) 91%	(7/49) 14
Alcohol	(41/147) 28%	(29/150) 19%	(39/125) 31%	(7/128) 5%	(45/136) 33%	(39/146) 27%	(23/104) 22%	(33/112) 29%	(12/40) 30%	(5/29) 17%	(7/21) 33%	(11/38) 2
Binge alcohol	(22/146) 15%	(9/149) 6%	(14/125) 11%	(1/128) 1%	(24/131) 18%	(4/143) 3%	(13/102) 13%	(11/111) 10%	(5/40) 13%	(0/29) 0%	(3/21) 14%	(2/37) 5
Cannabis	(64/146) 44%	(30/150) 20%	(70/127) 55%	(27/128) 219	% (88/135) 65%	(60/146) 41%	(55/106) 52%	(45/115) 39%	(21/39) 54%	(10/45) 22%	(12/21) 57%	(18/48) 3
Cocaine	(11/145) 8%	(2/150) 1%	(6/125) 5%	(0/128) 0%	(7/114) 6%	(2/144) 1%	(0/96) 0%	(2/115) 2%	(3/38) 8%	(0/45) 0%	(5/20) 25%	(1/49) 2
Heroin	(40/145) 28%	(5/96) 5%	(61/124) 49%	(6/128) 5%	(58/112) 52%	(19/144) 13%	(39/100) 39%	(6/111) 5%	(15/37) 41%	(2/27) 7%	(13/22) 59%	(3/31) 10
Other opiates (incl. fentanyl)	(12/145) 8%	(4/102) 4%	(9/123) 7%	(4/114) 4%	(49/128) 38%	(3/115) 3%	(6/97) 6%	(5/70) 7%	(4/39) 10%	(2/34) 6%	(1/19) 5%	(2/38) 5
Methamphetamines	(120/148) 81%	(16/150) 11%	(106/127) 83%	(13/127) 109	% (90/131) 69%	(20/145) 14%	(77/106) 73%	(8/115) 7%	(25/39) 64%	(6/45) 13%	(17/23) 74%	(4/48) 8
Nicotine (cigarettes/vaping)	(112/147) 76%	(99/140) 71%	(113/126) 90%	(100/128) 78	% (123/142) 87%	(114/145) 79%	(81/113) 72%	(79/114) 69%	(36/41) 88%	(35/37) 95%	(17/22) 77%	(34/41) 8
	CHELAN	I (N=5)	St	ATEWIDE (n=1	472)							
	DURING TARGET PREGNANCY	AT EXIT	DURING TARGET F	PREGNANCY	AT EXIT ∞							
Use of alcohol, cannabis, or any illicit substance	(5/5) 100%	(5/5) 100%	(1472/1472)	100%	(639/1433) 45%							
Any illicit drug (all drugs, not including alcohol or cannabis)	(3/5) 60%	(0/5) 0%	(1209/1325	91%	(247/1433) 17%							
Alcohol	(4/5) 80%	(4/5) 80%	(382/1288)	30%	(295/1396) 21%							
Binge alcohol	(1/5) 20%	(1/5) 20%	(188/1267)	15%	(76/1388) 6%							
Cannabis	(3/5) 60%	(3/5) 60%	(717/1292)	55%	(422/1428) 30%							
Cocaine	(0/4) 0%	(0/4) 0%	(84/1209)	7%	(13/1423) 1%							

AT EXIT

(23/48) 48%

(7/49) 14%

(11/38) 29% (2/37) 5%

(18/48) 38%

(1/49) 2%

(3/31) 10%

(2/38) 5%

(4/48) 8%

(34/41) 83%

Heroin

Other opiates (incl. fentanyl)

Methamphetamines

Nicotine (cigarettes/vaping)

(0/3) 0%

(0/3) 0%

(3/5) 60%

(5/5) 100%

(0/3) 0%

(0/3) 0%

(0/5) 0%

(5/5) 100%

(520/1211) 43%

(169/1226) 14%

(984/1283) 77%

(1068/1318) 81%

Client Exit Outcomes PCAP Report to DBHR, June 30, 2022 9/30/2022 Page 30

(90/1306) 7%

(44/1116) 4%

(146/1425) 10%

(1025/1391) 74%

[∞]30 days prior to exit

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

				Urban (COUNTIES						R	RURAL COUNTIE	s			
	SPOKANE/ SPOKANE	EVERETT/ SNOHOMISH	SEATTLE/ KING	TACOMA/ PIERCE	VANCOUVER/ CLARK	OLYMPIA/ THURSTON- MASON	RICHLAND/ BENTON- FRANKLIN	BREMERTON/ KITSAP	YAKIMA/ YAKIMA	KELSO/ COWLITZ	PT ANGELES/ CLALLAM	MONTESANO/ GRAYS HAR- BOR-PACIFIC	MT VERNON/ SKAGIT	BELLINGHAM/ WHATCOM	WENATCHEE/ CHELAN	PCAP STATEWIDE
N=	151	106	117	101	120	83	58	89	153	129	146	118	46	50	5	1472
CURRENT ABSTINENCE AT EXIT *																
≥1 month	(79/151)	(77/106)	(57/107)	(47/100)	(63/108)	(52/81)	(25/57)	(52/85)	(99/151)	(90/128)	(63/146)	(50/115)	(29/45)	(25/48)	(4/5)	(794/1433)
	52%	73%	53%	47%	42%	64%	44%	61%	66%	70%	43%	43%	64%	52%	80%	55%
≥ 6 months	(55/151)	(65/106)	(57/117)	(40/101)	(46/120)	(44/83)	(20/58)	(52/89)	(92/153)	(71/129)	(52/146)	(47/118)	(26/46)	(28/50)	(3/5)	(698/1472)
	36%	61%	49%	40%	38%	53%	35%	58%	60%	55%	36%	40%	57%	56%	60%	47%
≥12 months	(40/151)	(52/106)	(49/117)	(32/101)	(39/120)	(41/83)	(19/58)	(44/89)	(78/153)	(61/129)	(38/146)	(38/118)	(24/46)	(26/50)	(2/5)	(583/1472)
	26%	49%	42%	32%	33%	49%	33%	49%	51%	47%	26%	32%	52%	52%	40%	40%
≥18 month	(32/151)	(45/106)	(48/117)	(26/101)	(36/120)	(37/83)	(17/58)	(37/89)	(66/153)	(57/129)	(27/146)	(31/118)	(23/46)	(23/50)	(2/5)	(507/1472)
	21%	42%	41%	26%	30%	45%	29%	42%	43%	44%	18%	26%	50%	46%	40%	34%
≥24 months	(26/151)	(39/106)	(42/117)	(25/101)	(35/120)	(33/83)	(15/58)	(32/89)	(54/153)	(52/129)	(22/146)	(29/118)	(20/46)	(22/50)	(2/5)	(448/1472)
	17%	37%	36%	25%	29%	40%	26%	36%	35%	40%	15%	25%	43%	44%	40%	30%
≥30 months	(21/151)	(36/106)	(39/117)	(21/101)	(32/120)	(29/83)	(13/58)	(30/89)	(46/153)	(50/129)	(18/146)	(22/118)	(17/46)	(21/50)	(2/5)	(397/1472)
	14%	34%	33%	21%	27%	35%	22%	34%	30%	39%	12%	19%	37%	42%	40%	27%
LONGEST ABSTINENCE WHILE IN PROGRAM *																
≥ 6 months	(125/150)	(94/105)	(79/102)	(79/100)	(55/106)	(70/80)	(37/55)	(64/82)	(134/151)	(94/126)	(64/145)	(65/114)	(33/43)	(36/49)	(3/5)	(1032/1413)
	83%	90%	77%	79%	52%	88%	67%	78%	89%	75%	44%	57%	77%	73%	60%	73%
≥12 months	(94/150)	81/105)	(69/102)	(66/100)	(42/106)	(62/80)	(28/55)	(58/82)	(122/151)	(80/126)	(48/145)	(59/114)	(28/43)	(29/49)	(1/5)	(867/1413)
	63%	77%	68%	66%	40%	78%	51%	71%	81%	63%	33%	52%	65%	59%	20%	61%
≥24 months	(52/150)	(47/105)	(43/102)	(41/100)	(22/106)	(46/80)	(16/55)	(33/82)	(78/151)	(61/126)	(30/145)	(46/114)	(21/43)	(16/49)	(1/5)	(553/1413)
	35%	45%	42%	41%	21%	58%	29%	40%	52%	48%	21%	40%	49%	33%	20%	39%
≥30 months	(36/150)	(35/105)	(35/102)	(29/100)	(16/106)	(40/80)	(13/55)	(26/82)	(57/151)	(54/126)	(22/145)	(40/114)	(15/43)	(13/49)	(1/5)	(432/1413)
	24%	33%	34%	29%	15%	50%	24%	32%	38%	43%	15%	35%	35%	27%	20%	31%

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

DURING THE PROGRAM, OF THOSE WITH EXIT INTERVIEWS

				URBAN	COUNTIES						R	RURAL COUNTIE	ES			
	SPOKANE/ SPOKANE	EVERETT/ SNOHOMISH	SEATTLE/ KING	TACOMA/ PIERCE	VANCOUVER/ CLARK	OLYMPIA/ THURSTON- MASON	RICHLAND/ BENTON- FRANKLIN	BREMERTON/ KITSAP	YAKIMA/ YAKIMA	KELSO/ COWLITZ	PT ANGELES/ CLALLAM	MONTESANO/ GRAYS HAR- BOR-PACIFIC	MT VERNON/ SKAGIT	BELLINGHAM/ WHATCOM	WENATCHEE/ CHELAN	SPOKANE/ SPOKANE
N=	151	106	117	101	120	83	58	89	153	129	146	118	46	50	5	1472
SUBSEQUENT PREGNANCY & BIRTH *																
Subsequent pregnancy,	(51/151)	(33/104)	(19/104)	(17/100)	(35/109)	(35/82)	(21/57)	(27/85)	(54/152)	(44/129)	(53/146)	(35/114)	(19/45)	(21/49)	(1/5)	(465/1432)
# women with	34%	32%	18%	17%	32%	43%	37%	32%	36%	34%	36%	31%	42%	43%	20%	32%
More than one subs pregnancy	(10/151)	(10/104)	(4/104)	(3/100)	(9/109)	(2/82)	(2/57)	(2/85)	(12/152)	(6/129)	(5/146)	(3/114)	(5/45)	(6/49)	(1/5)	(80/11432)
	7%	10%	4%	3%	8%	2%	4%	2%	8%	5%	3%	3%	11%	12%	20%	6%
Pregnancy terminated	(10/151)	(8/104)	(4/104)	(8/100)	(7/108)	(6/82)	(1/57)	(8/85)	(4/152)	(5/129)	(9/145)	(4/114)	(4/44)	(2/48)	(0/5)	(80/1428)
	7%	8%	4%	8%	7%	7%	2%	9%	3%	4%	6%	4%	9%	4%	0%	6%
Miscarried	(14/151)	(6/104)	(5/104)	(4/100)	(9/108)	(6/82)	(5/57)	(9/84)	(14/152)	(7/129)	(20/145)	(14/114)	(5/43)	(5/49)	(0/5)	(123/1427)
	9%	6%	5%	4%	8%	7%	9%	11%	9%	5%	14%	12%	12%	10%	0%	9%
Pregnant at exit	(10/151)	(11/104)	(3/103)	(5/98)	(4/110)	(6/82)	(1/57)	(4/83)	(7/152)	(7/129)	(15/146)	(7/114)	(3/45)	(3/42)	(0/5)	(86/1421)
	7%	11%	3%	5%	4%	7%	2%	5%	5%	5%	10%	6%	7%	7%	0%	6%
Subsequent birth,	(30/151)	(21/105)	(13/104)	(10/100)	(25/110)	(22/82)	(16/57)	(11/84)	(39/152)	(31/129)	(29/145)	(29/114)	(13/45)	(15/49)	(1/5)	(305/1432)
# women with	20%	20%	13%	10%	23%	27%	28%	13%	26%	24%	20%	25%	29%	31%	20%	21%
# with two subs. births	(3/151) 2%	(2/105) 2%	(1/104) 1%	(2/100) 2%	(3/110) 3%	(0/82) 0%	(0/57) 0%	(0/84) 0%	(5/152) 3%	(1/129) 1%	(1/145) 1%	(2/114) 2%	(2/45) 4%	(1/49) 2%	(1/5) 20%	(24/1432) 2%
Total # subsequent births	33	23	14	12	28	22	16	11	44	32	30	31	15	16	2	329
Exposed subsequent births, # women with	(18/151)	(9/105)	(6/104)	(8/100)	(11/110)	(11/82)	(8/57)	(7/84)	(18/152)	(17/129)	(12/145)	(10/114)	(6/45)	(7/49)	(1/5)	(149/1432)
	12%	9%	6%	8%	10%	13%	14%	8%	12%	13%	8%	9%	13%	14%	20%	10%
Of women w/ subsequent births:	30	21	13	10	25	22	16	11	39	32	29	39	13	15	1	288
Abstinent or quit using during pregnancy	(22/30)	(17/21)	(8/13)	(6/10)	(17/25)	(10/22)	(11/16)	(10/11)	(24/39)	(23/31)	(14/29)	(22/29)	(8/13)	(12/15)	(1/1)	(205/305)
	73%	81%	62%	60%	68%	45%	69%	91%	62%	74%	48%	76%	62%	80%	100%	67%
Quit using during pregnancy	(12/30)	(6/21)	(3/13)	(4/10)	(6/25)	(7/22)	(6/16)	(6/11)	(11/39)	(11/31)	(6/29)	(9/29)	(1/13)	(8/15)	(1/1)	(97/305)
	40%	29%	23%	40%	24%	32%	38%	55%	28%	35%	21%	31%	8%	53%	100%	32%
Abstinent throughout pregnancy	(10/30)	(11/21)	(5/13)	(2/10)	(11/25)	(3/22)	(5/16)	(4/11)	(13/39)	(12/31)	(8/29)	(13/29)	(7/13)	(4/15)	(0/1)	(108/305)
	33%	52%	38%	20%	44%	14%	31%	36%	3%	39%	28%	45%	54%	27%	0%	35%
Completed TX during pregnancy	(8/30)	(9/21)	(3/13)	(3/10)	(5/25)	(4/22)	(2/16)	(4/11)	(7/39)	(12/31)	(6/29)	(8/29)	(0/13	(1/15)	(0/1)	(72/305)
	27%	43%	23%	30%	20%	18%	13%	36%	18%	39%	21%	28%	0%	7%	0%	24%
Custody of subsequent child with client	(21/30)	(17/21)	(9/13)	(6/10)	(18/25)	(17/22)	(14/16)	(6/11)	(26/39)	(25/31)	(20/29)	(22/29)	(9/13)	(12/15)	(0/1)	(222/305)
	70%	81%	69%	60%	72%	77%	88%	55%	67%	81%	69%	76%	69%	80%	0%	73%

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

	SPOKANE	(n=151)	Snohomisi	н (n=106)	KING (n	=117)	PIERCE (n=101)	CLARK	(n=120)	Thurston-Maso	on-Lewis (n=83)
FAMILY PLANNING *	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT §	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT
Regular use of a method	(10/147) 7%	(91/151) 60%	(1/50) 2%	(71/104) 68%	(10/114) 9%	(66/104) 64%	(6/100) 6%	(69/100) 69%	(5/119) 4%	(82/107) 77%	(3/83) 4%	(59/82) 72%
Uses "More reliable" method:	(4/147) 3%	(70/151) 46%	(1/50) 2%	(47/104) 45%	(4/114) 4%	(54/104) 52%	(2/100) 2%	(56/100) 56%	(4/119) 3%	(54/107) 51%	(0/83) 0%	(42/82) 51%
Tubal Ligation ∞	(0/147) 0%	(11/151) 7%	(0/50) 0%	(8/104) 8%	(0/114) 0%	(20/104) 19%	(0/100) 0%	(14/100) 14%	(0/119) 0%	(18/107) 17%	(0/83) 0%	(12/82) 15%
Regular Depo Provera Shots	(1/147) 1%	(9/151) 56	(1/50) 2%	(9/104) 9%	(2/114) 2%	(4/104) 4%	(1/100) 1%	(13/100) 13%	(1/119) 1%	(2/107) 2%	(0/83) 0%	(7/82) 9%
Hormonal Implant	(0/147) 0%	(31/151) 21%	(0/50) 0%	(13/104) 13%	(1/114) 1%	(12/104) 12%	(0/100) 0%	(21/100) 21%	(0/119) 0%	(13/107) 12%	(0/83) 0%	(3/82) 4%
IUD	(2/147) 1%	(20/151) 13%	(0/50) 0%	(17/104) 16%	(1/114) 1%	(16/104) 15%	(0/100) 0%	(15/100) 15%	(1/119) 1%	(20/107) 19%	(0/83) 0%	(21/82) 26%
Regular use of other method, such as contraceptive pills, condoms, etc.	(4/147) 3%	(21/151) 14%	(0/50) 0%	(24/104) 23%	(9/114) 8%	(12/104) 12%	(4/100) 4%	(13/100) 13%	(1/119) 1%	(28/107) 26%	(3/83) 4%	(17/82) 21%
Uses "More reliable" method (above) OR contraceptive pills, patch, nuvaring	(3/140) 2%	(80/151) 53%	(1/50) 2%	(56/104) 54%	(4/108) 4%	(59/104) 57%	(1/95) 1%	(66/100) 66%	(2/116) 2%	(69/107) 64%	(0/80) 0%	(51/82) 62%
	BENTON-FRA	NKLIN (n=58)	KITSAP	(n=89)	YAKIMA	(n=153)	Cowlitz	(n=129)	CLALLAN	ı (n=146)	GRAYS HARBOR-	PACIFIC (n=118)
	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT
Regular use of a method	(0/37) 0%	(37/57) 65%	(5/87) 6%	(60/85) 71%	(13/149) 9%	(95/152) 63%	(8/129) 6%	(96/129) 74%	(16/146) 11%	(97/145) 67%	(10/118) 8%	(81/114) 71%
Uses "More reliable" method:	(0/37) 0%	(25/57) 44%	(4/87) 5%	(46/85) 54%	(4/149) 3%	(87/152) 57%	(5/129) 4%	(82/129) 64%	(12/146) 8%	(78/145) 54%	(5/118) 4%	(68/114) 60%
Tubal Ligation $^{\infty}$	(0/37) 0%	(8/57) 14%	(0/87) 0%	(11/85) 13%	(0/149) 0%	(21/152) 14%	(0/129) 0%	(31/129) 24%	(0/146) 0%	(16/145) 11%	(0/118) 0%	(19/114) 17%
Regular Depo Provera Shots	(0/37) 0%	(4/57) 7%	(1/87) 1%	(7/85) 8%	(2/149) 1%	(18/152) 12%	(2/129) 2%	(7/129) 5%	(1/146) 1%	(12/145) 8%	(3/118) 3%	(8/114) 7%
Hormonal Implant	(0/37) 0%	(6/57) 11%	(0/87) 0%	(13/85) 15%	(1/149) 1%	(35/152) 23%	(0/129) 0%	(25/129) 19%	(4/146) 3%	(12/145) 8%	(0/118) 0%	(17/114) 15%
IUD	(0/37) 0%	(8/57) 14%	(3/87) 3%	(17/85) 20%	(1/149) 1%	(27/152) 18%	(2/129) 2%	(19/129) 15%	(4/146) 3%	(39/145) 27%	(0/118) 0%	(25/114) 22%
Regular use of other method, such as pills, condoms, etc.	(1/37) 3%	(12/57) 21%	(3/87) 3%	(14/85) 16%	(11/149) 7%	(8/152) 5%	(5/129) 4%	(14/129) 11%	(5/146) 3%	(19/145) 13%	(3/118) 3%	(13/114) 11%
Uses "More reliable" method (above) OR contraceptive pills, patch, nuvaring	(0/37) 0%	(33/57) 58%	(4/86) 5%	(55/85) 65%	(3/139) 2%	(94/152) 62%	(4/125) 3%	(89/129) 69%	(8/138) 6%	(91/145) 63%	(3/111) 3%	(76/114) 67%
	SKAGIT	(n=46)	WHATCOM	1 [¶] (n=50)	CHELA	N (N=5)	STATEWIDE	E (n=1472)				
	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT				
Regular use of a method	(6/42) 14%	(25/44) 57%	(1/20) 5%	(30/49) 61%	(0/5) 0%	(4/5) 80%	(94/1346) 7%	(963/1428) 67%				
Uses "More reliable" method:	(4/42) 10%	(21/44) 48%	(1/20) 5%	(24/49) 49%	(0/5) 0%	(3/5) 60%	(50/1346) 4%	(757/1428) 53%	∞An additional	60 women who ar	re not represented	in the table
Tubal Ligation [∞]	(0/42) 0%	(8/44) 18%	(0/20) 0%	(4/49) 8%	(0/5) 0%	(0/5) 0%	(0/1346) 0%	(201/1428) 14%	because they we	ere not seen at exit	t also have tubal li	gations:
Regular Depo Provera Shots	(2/42) 5%	(6/44) 14%	(0/20) 0%	(8/49) 16%	(0/5) 0%	(1/5) 20%	(17/1346) 1%	(115/1428) 8%	10 in Spokane,	1 in Snohomish, 1.	2 in King, 9 in Pie	rce, 12 in Clark,
Hormonal Implant	(0/42) 0%	(4/44) 9%	(0/20) 0%	(5/49) 10%	(0/5) 0%	(1/5) 20%	(6/1346) <1%	(211/1428) 15%	2 in Thurston, 0) in Benton-Frank	lin, 2 in Kitsap, 3 i	in Yakima,

(9/49) 18%

(6/49) 12%

(28/49) 57%

IUD

Regular use of other method, such as

Uses "More reliable" method (above) OR

contraceptive pills, patch, or nuvaring

pills, condoms, etc.

(1/42) 2%

(2/42) 5%

(3/39) 8%

(3/44) 7%

(4/44) 9%

(23/44) 52%

(1/20) 5%

(0/20) 0%

(1/20) 5%

Client Exit Outcomes PCAP Report to DBHR, June 30, 2022 9/30/2022 Page 33

(0/5) 0%

(0/5) 0%

(0/5) 0%

(1/5) 20%

(1/5) 20%

(4/5) 80%

(16/1346) 1%

(51/1346) 4%

(37/1289) 3%

(257/1428) 18%

(206/1428) 14%

(874/1428) 61%

5 in Cowlitz, 0 in Clallam, 1 in Grays Harbor, 0 in Skagit,

0 in Whatcom, and 3 in Chelan counties

^{*}Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

			ı	ATEXII	COMPARED TO INTAKE,	, OF THOSE WITH EXIT	INIERVIEWS				1	
	SPOKANE	(n=151)	Snohomis	н (n=106)	KING (r	n=117)	PIERCE (n=101)	CLARK	(n=120)	Thurston-Mase	ON-LEWIS (n=83)
HOUSING AT EXIT *	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT
Permanent/Stable	(43/145) 30%	(109/151) 72%	(2/49) 4%	(85/106) 80%	(15/114) 13%	(64/103) 62%	(13/100) 13%	(56/99) 57%	(52/117) 44%	(86/109) 79%	(28/83) 34%	(58/82) 71%
Transitional drug-free hsg, or TX facility	(51/145) 35%	(14/151) 9%	(24/49) 49%	(12/106) 11%	(57/114) 50%	(12/103) 12%	(33/100) 33%	(17/99) 17%	(22/117) 19%	(6/109) 6%	(7/83) 8%	(7/82) 9%
With friends, relatives temporarily	(39/145) 27%	(16/151) 11%	(15/49) 31%	(4/106) 4%	(25/114) 22%	(17/103) 17%	(41/100) 41%	(17/99) 17%	(25/117) 21%	(10/109) 9%	(28/83) 34%	(9/82) 11%
Other (unstable rentals, etc.)	(4/145) 3%	(6/151) 4%	(1/49) 2%	(1/106) 1%	(2/114) 2%	(6/103) 6%	(5/100) 5%	(1/99) 1%	(3/117) 3%	(0/109) 0%	(4/83) 5%	(3/82) 4%
Transient emergency shelters	(5/145) 3%	(1/151) 1%	(7/49) 14%	(0/106) 0%	(4/114) 4%	(1/103) 1%	(0/100) 0%	(1/99) 1%	(5/117) 4%	(2/109) 2%	(9/83) 11%	(2/82) 2%
Homeless	(3/145) 2%	(5/151) 3%	(0/49) 0%	(4/106) 4%	(11/114) 10%	(3/103) 3%	(8/100) 8%	(7/99) 7%	(10/117) 9%	(5/109) 5%	(7/83) 8%	(3/82) 4%
	Benton-Fr	ANKLIN (n=58)	KITSAP	Kitsap (n=89)		(n=153)	CowLitz	z (n=129)	CLALLAN	ı (n=146)	GRAYSHARBOR	-PACIFIC (n=118)
	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT
Permanent/Stable	(11/37) 30%	(47/56) 84%	(17/87) 20%	(58/84) 69%	(27/148) 18%	(96/153) 63%	(37/128) 29%	(107/129) 83%	(61/141) 43%	(92/146) 63%	(28/115) 24%	(78/115) 68%
Transitional drug-free hsg, or TX facility	(7/37) 19%	(1/56) 2%	(20/87) 23%	(6/84) 7%	(77/148) 52%	(13/153) 8%	(32/128) 25%	(5/129) 4%	(6/141) 4%	(8/146) 5%	(6/115) 5%	(5/115) 4%
With friends, relatives temporarily	(18/37) 49%	(4/56) 7%	(29/87) 33%	(13/84) 15%	(38/148) 26%	(26/153) 17%	(41/128) 32%	(12/129) 9%	(55/141) 39%	(24/146) 16%	(52/115) 45%	(26/115) 23%
Other (unstable rentals, etc.)	(0/37) 0%	(3/56) 5%	(4/87) 5%	(2/84) 2%	(1/148) 1%	(3/153) 2%	(1/128) 1%	(1/129) 1%	(3/141) 2%	(4/146) 3%	(3/115) 3%	(2/115) 2%
Transient emergency shelters	(0/37) 0%	(0/56) 0%	(7/87) 8%	(2/84) 2%	(2/148) 1%	(7/153) 5%	(7/128) 5%	(0/129) 0%	(8/141) 6%	(7/146) 5%	(1/115) 1%	(1/115) 1%
Homeless	(1/37) 3%	(1/56) 2%	(10/87) 11%	(3/84) 4%	(3/148) 2%	(8/153) 5%	(10/128) 8%	(4/129) 3%	(8/141) 6%	(11/146) 8%	(25/115) 22%	(3/115) 3%
	SKAGIT	(n=46)	WHATCOM	¶ (n=50)	CHELA	N (N=5)	STATEWID	E (n=1472)				
	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT				
Permanent/Stable	(9/41) 22%	(31/45) 69%	(4/19) 21%	(38/49) 78%	(3/5) 60%	(4/5) 80%	(350/1329) 26%	(1009/1432) 70%				
Transitional drug-free hsg, or TX facility	(4/41) 10%	(5/45) 11%	(8/19) 42%	(6/49) 12%	(1/5) 20%	(1/5) 20%	(355/1329) 27%	(118/1432) 8%				

(2/49) 4%

(0/49) 0%

(3/49) 6%

(0/49) 0%

(14/41) 34%

(9/41) 22%

(2/41) 5%

(3/41) 7%

With friends, relatives temporarily

Other (unstable rentals, etc.)

Transient emergency shelters

Homeless

(5/45) 11%

(0/45) 0%

(2/45) 4%

(2/45) 4%

(5/19) 26%

(1/19) 5%

(0/19) 0%

(1/19) 5%

Client Exit Outcomes PCAP Report to DBHR, June 30, 2022 9/30/2022 Page 34

(0/5) 0%

(0/5) 0%

(1/5) 20%

(0/5) 0%

(0/5) 0%

(0/5) 0%

(0/5) 0%

(0/5) 0%

(425/1329) 32% (185/1432) 13%

(32/1432) 2%

(29/1432) 2%

(59/1432) 4%

(41/1329) 3%

(58/1329) 4%

(100/1329) 8%

^{*} Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

				URBAN	Counties						F	RURAL COUNTIE	 ES			
	SPOKANE/ SPOKANE	EVERETT/ SNOHOMISH	SEATTLE/ KING	TACOMA/ PIERCE	VANCOUVER/ CLARK	OLYMPIA/ THURSTON- MASON	RICHLAND/ BENTON- FRANKLIN	BREMERTON/ KITSAP	YAKIMA/ YAKIMA	KELSO/ COWLITZ	PT ANGELES/ CLALLAM	MONTESANO/ GRAYS HAR- BOR-PACIFIC	MT VERNON/ SKAGIT	BELLINGHAM/ WHATCOM	WENATCHEE/ CHELAN	PCAP STATEWIDE
n=	151	106	117	101	120	83	58	89	153	129	146	118	46	50	5	1472
CURRENT SOURCES OF INCOME AT EXIT *																
TANF/Public Assistance																
At Enrollment	(96/151)	(19/106)	(55/117)	(56/101)	(50/120)	(35/83)	(18/58)	(57/89)	(72/153)	(68/129)	(52/146)	(45/118)	(19/46)	(11/50)	(1/5)	(654/1472)
	64%	18%	47%	55%	42%	42%	31%	64%	47%	53%	36%	38%	41%	22%	20%	44%
Currently [†] receives at exit	(39/151)	(29/106)	(23/117)	(27/101)	(23/120)	(24/83)	(11/58)	(17/89)	(37/153)	(35/129)	(17/146)	(22/118)	(10/46)	(12/50)	(1/5)	(327/1472)
	26%	27%	20%	27%	19%	29%	19%	19%	24%	27%	12%	19%	22%	24%	20%	22%
Avg. (SD)	\$488	\$431	\$442	\$453	\$498	\$519	\$524	\$466	\$499	\$514	\$454	\$434	\$493	\$472	\$600	\$478
	(\$159)	(\$140)	(\$188)	(\$236)	(\$179)	(\$234)	(\$203)	(\$127)	(\$143)	(\$187)	(\$211)	(\$146)	(\$125)	(\$135)	(N/A)	(\$176)
Main source of income at exit	(28/151)	(21/106)	(13/117)	(16/101)	(20/120)	(18/83)	(9/58)	(12/89)	(25/153)	(16/129)	(12/146)	(12/118)	(7/46)	(7/50)	(1/5)	(217/1472)
	19%	20%	11%	16%	17%	22%	16%	13%	16%	12%	8%	10%	15%	14%	20%	15%
SSI (for self or child)																
At Enrollment	(10/151)	(2/106)	(12/117)	(12/101)	(7/120)	(10/83)	(4/58)	(5/89)	(12/153)	(8/129)	(12/146)	(10/118)	(4/46)	(1/50)	(1/5)	(110/1472)
	7%	2%	10%	12%	6%	12%	7%	6%	8%	6%	8%	8%	9%	2%	20%	7%
Currently [†] receives at exit	(25/151)	(21/106)	(18/117)	(21/101)	(14/120)	(15/83)	(13/58)	(15/89)	(26/153)	(15/129)	(15/146)	(18/118)	(6/46)	(12/50)	(1/5)	(235/1472)
	17%	20%	15%	21%	12%	18%	22%	17%	17%	12%	10%	15%	13%	24%	20%	16%
Avg. (SD)	\$745	\$857	\$608	\$796	\$845	\$781	\$811	\$709	\$837	\$732	\$736	\$896	\$928	\$714	\$860	\$783
	(\$411)	(\$717)	(\$214)	(\$301)	(\$582)	(\$698)	(\$576)	(\$444)	(\$399)	(\$273)	(\$259)	(\$531)	(\$534)	(\$352)	(N/A)	(\$462)
Main source of income at exit	(19/151)	(13/106)	(14/117)	(16/101)	(12/120)	(11/83)	(9/58)	(13/89)	(19/153)	(11/129)	(12/146)	(12/118)	(6/46)	(10/50)	(0/5)	(177/1472)
	13%	12%	12%	16%	10%	13%	16%	15%	12%	9%	8%	10%	13%	20%	<i>0%</i>	12%
Employment																
At Enrollment	(16/151)	(4/106)	(8/117)	(8/101)	(14/120)	(7/83)	(6/58)	(7/89)	(7/153)	(17/129)	(20/146)	(8/118)	(8/46)	(0/50)	(1/5)	(131/1472)
	11%	4%	7%	8%	12%	8%	10%	8%	5%	13%	14%	7%	17%	0%	20%	9%
Currently [†] receives at exit	(46/151)	(50/106)	(44/117)	(45/101)	(46/120)	(30/83)	(23/58)	(39/89)	(56/153)	(55/129)	(67/146)	(48/118)	(17/46)	(22/50)	(1/5)	(589/1472)
	30%	47%	38%	45%	38%	36%	40%	44%	37%	43%	46%	41%	37%	44%	20%	40%
Avg. (SD)	\$1196	\$1560	\$1467	\$1204	\$1234	\$1647	\$1573	\$1301	\$1510	\$1410	\$1450	\$1408	\$1347	\$1027	\$1400	\$1390
	(\$747)	(\$1021)	(1225)	(\$1070)	(\$889)	(\$913)	(\$847)	(\$900)	(\$746)	(\$835)	(\$1034)	(\$888)	(\$1108)	(\$951)	(N/A)	(\$945)
Main source of income at exit	(40/151)	(40/106)	(41/117)	(36/101)	(38/120)	(23/83)	(21/58)	(33/89)	(54/153)	(46/129)	(55/146)	(39/118)	(14/46)	(21/50)	(1/5)	(502/1472)
	26%	38%	35%	36%	32%	28%	36%	37%	35%	36%	38%	33%	30%	42%	20%	34%
Unemployment main source	(5/151)	(4/106)	(4/117)	(3/101)	(6/120)	(1/83)	(2/58)	(2/89)	(1/153)	(9/129)	(3/146)	(2/118)	(2/46)	(3/50)	(0/5)	(47/1472)
	3%	4%	3%	3%	5%	1%	3%	2%	1%	7%	2%	2%	4%	6%	0%	3%
During 3 yr program, employment replaced welfare	(40/133) 30%	(40/87) 46%	(35/97) 36%	(39/80) 49%	(39/79) 49%	(38/78) 49%	(22/51) 43%	(35/78) 45%	(61/107) 57%	(55/103) 53%	(47/138) 34%	(39/95) 41%	(20/33) 61%	(15/41) 37%	(0/5) <i>0%</i>	(525/1205) 44%

[†] in the 30 days prior to exit

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

				URBAN (COUNTIES						F	RURAL COUNTIE	≣S			
	SPOKANE/ SPOKANE	EVERETT/ SNOHOMISH	SEATTLE/ KING	TACOMA/ PIERCE	VANCOUVER/ CLARK	OLYMPIA/ THURSTON- MASON	RICHLAND/ BENTON- FRANKLIN	BREMERTON/ KITSAP	YAKIMA/ YAKIMA	KELSO/ COWLITZ	PT ANGELES/ CLALLAM	MONTESANO/ GRAYS HAR- BOR-PACIFIC	MT VERNON/	BELLINGHAM/ WHATCOM	WENATCHEE/ CHELAN	PCAP STATEWIDE
n=	151	106	117	101	120	83	58	89	153	129	146	118	46	50	5	1472
INCOME AT EXIT																
Monthly Income, Exit avg. (SD) all clients, all sources	\$653	\$1290	\$606	\$723	\$652	\$974	\$1220	\$963	\$843	\$1302	\$1088	\$1107	\$543	\$843	\$337	\$886
	(\$1036)	(\$1576)	(\$973)	(\$1082)	(\$915)	(\$1358)	(\$1516)	(\$1241)	(\$843)	(\$1527)	(\$1267)	(\$1368)	(\$935)	(\$807)	(\$830)	(\$1205)
\$500 or less	(70/151)	(37/106)	(56/117)	(33/101)	(54/120)	(31/83)	(16/58)	(34/89)	(57/153)	(29/129)	(64/146)	(47/118)	(18/46)	(15/50)	(1/5)	(562/1472)
	46%	35%	48%	33%	45%	37%	28%	38%	37%	22%	44%	40%	39%	30%	20%	38%
\$501 – \$1000	(31/151)	(17/106)	(20/117)	(27/101)	(27/120)	(16/83)	(14/58)	(22/89)	(39/153)	(26/129)	(20/146)	(13/118)	(12/46)	(16/50)	(1/5)	(301/1472)
	21%	16%	17%	27%	23%	19%	24%	25%	25%	20%	14%	11%	26%	32%	20%	20%
\$1001 – \$2000	(35/151)	(28/106)	(26/117)	(26/101)	(23/120)	(16/83)	(17/58)	(19/89)	(39/153)	(44/129)	(39/146)	(33/118)	(10/46)	(15/50)	(1/5)	(371/1472)
	23%	26%	22%	26%	19%	19%	29%	21%	25%	34%	27%	28%	22%	30%	20%	25%
\$2001 – \$3000	(11/151)	(13/106)	(11/117)	(9/101)	(10/120)	(12/83)	(8/58)	(8/89)	(15/153)	(14/129)	(11/146)	(9/118)	(3/46)	(3/50)	(2/5)	(139/1472)
	7%	12%	9%	9%	8%	14%	14%	9%	10%	11%	8%	8%	7%	6%	40%	9%
\$3001 – \$4000	(2/151)	(6/106)	(2/117)	(3/101)	(5/120)	(3/83)	(1/58)	(3/89)	(3/153)	(7/129)	(7/146)	(8/118)	(2/46)	(1/50)	(0/5)	(53/1472)
	1%	6%	2%	3%	4%	4%	2%	3%	2%	5%	5%	7%	4%	2%	<i>0%</i>	4%
\$4001 or more	(2/151)	(5/106)	(2/117)	(3/101)	(1/120)	(5/83)	(2/58)	(3/89)	(0/153)	(9/129)	(5/146)	(8/118)	(1/46)	(0/50)	(0/5)	(46/1472)
	1%	5%	2%	3%	1%	6%	3%	3%	0%	7%	3%	7%	2%	0%	0%	3%

^{*}Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

DURING PCAP

				URBAN (COUNTIES						R	RURAL COUNTIE	s			
	SPOKANE/ SPOKANE	EVERETT/ SNOHOMISH	SEATTLE/ KING	TACOMA/ PIERCE	VANCOUVER/ CLARK	OLYMPIA/ THURSTON- MASON	RICHLAND/ BENTON- FRANKLIN	BREMERTON/ KITSAP	YAKIMA/ YAKIMA	KELSO/ COWLITZ	PT ANGELES/ CLALLAM	MONTESANO/ GRAYS HAR- BOR-PACIFIC	MT VERNON/	BELLINGHAM/ WHATCOM	WENATCHEE/ CHELAN	PCAP STATEWIDE
n= EDUCATION DURING PROGRAM	207	116	178	156	163	112	67	100	168	153	151	139	83	56	22	1871
Attended some type of class (GED, college, work training)	(116//206) 56%	(56/116) 48%	(77/178) 43%	(83/156) 53%	(75/162) 46%	(45/112) 40%	(33/67) 49%	(59/100) 59%	(97/168) 58%	(67/153) 44%	(78/151) 52%	(81/139) 58%	(34/75) 45%	(30/56) 54%	(10/22) 45%	(941/1861) 51%
Completed some type of class (GED, college, work training)	(64/206) 31%	(39/116) 34%	(48/178) 27%	(53/156) 34%	(42/162) 26%	(23/112) 21%	(22/67) 33%	(35/99) 35%	(74/168) 44%	(35/152) 23%	(64/150) 43%	(59/139) 42%	(14/74) 19%	(20/56) 36%	(5/21) 24%	(597/1856) 32%
Attended or completed GED classes	(23/206)	(12/116)	(19/178)	(25/156)	(25/162)	(9/112)	(15/67)	(14/100)	(38/168)	(24/153)	(26/151)	(29/139)	(14/75)	(8/56)	(3/22)	(284/1861)
	11%	10%	11%	16%	15%	8%	22%	14%	23%	16%	17%	21%	19%	14%	14%	15%
Of these, completed GED	(9/23)	(7/12)	(6/19)	(16/25)	(5/25)	(4/9)	(4/15)	(2/14)	(26/38)	(6/24)	(20/26)	(14/29)	(4/14)	(4/8)	(0/3)	(127/284)
	39%	58%	32%	64%	20%	44%	27%	14%	68%	25%	77%	48%	29%	50%	0%	45%
Attended or completed college classes	(38/206)	(26/116)	(34/178)	(44/156)	(26/162)	(19/112)	(16/67)	(25/100)	(31/168)	(27/153)	(39/151)	(45/139)	(13/75)	(12/56)	(6/22)	(401/1861)
	18%	22%	19%	28%	16%	17%	24%	25%	18%	18%	26%	32%	17%	21%	27%	22%
Of these, completed college class(es)	(15/38)	(15/26)	(17/34)	(16/44)	(11/26)	(8/19)	(6/16)	(10/25)	(24/31)	(12/27)	(26/39)	(26/45)	(4/13)	(6/12)	(0/6)	(196/401)
	39%	58%	50%	36%	42%	42%	38%	40%	77%	44%	67%	58%	31%	50%	0%	49%
Attended or completed work training classes	(75/206)	(37/116)	(47/178)	(45/156)	(52/162)	(29/111)	(17/67)	(39/100)	(65/168)	(43/153)	(32/151)	(49/139)	(18/75)	(18/55)	(9/22)	(575/1859)
	36%	32%	26%	29%	32%	26%	25%	39%	39%	28%	21%	35%	24%	33%	41%	31%
Attended or completed other educational classes	(66/206)	(32/116)	(45/178)	(48/156)	(47/162)	(28/111)	(19/67)	(38/100)	(62/168)	(38/153)	(36/151)	(45/139)	(16/75)	(19/55)	(8/22)	(547/1859)
	32%	28%	25%	31%	29%	25%	28%	38%	37%	25%	24%	32%	21%	35%	36%	29%

^{*} Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

				URBAN (COUNTIES						F	RURAL COUNTIE	:S			
	SPOKANE/ SPOKANE	EVERETT/ SNOHOMISH	SEATTLE/ KING	TACOMA/ PIERCE	VANCOUVER/ CLARK	OLYMPIA/ THURSTON- MASON	RICHLAND/ BENTON- FRANKLIN	BREMERTON/ KITSAP	YAKIMA/ YAKIMA	KELSO/ COWLITZ	PT ANGELES/ CLALLAM	MONTESANO/ GRAYS HAR- BOR-PACIFIC	MT VERNON/ SKAGIT	BELLINGHAM/ WHATCOM	WENATCHEE/ CHELAN	PCAP STATEWIDE
n=	151	106	117	101	120	83	58	89	153	129	146	118	46	50	5	1472
LEGAL CUSTODY OF TARGET CHILD AT EXIT *																
In custody of bio mom	(95/149)	(81/104)	(80/107)	(72/101)	(86/116)	(61/82)	(46/58)	(62/87)	(113/150)	(102/129)	(98/145)	(79/113)	(32/46)	(36/48)	(3/5)	(1046/1440)
	64%	78%	75%	71%	74%	74%	79%	71%	75%	79%	68%	70%	70%	75%	60%	73%
In care of other family/friend (incl. FOB)	(16/149)	(5/104)	(11/107)	(12/101)	(3/116)	(5/82)	(8/58)	(6/87)	(16/150)	(9/129)	(25/145)	(18/113)	(5/46)	(7/48)	(1/5)	(147/1440)
	11%	5%	10%	12%	3%	6%	14%	7%	11%	7%	17%	16%	11%	15%	20%	10%
In State Foster Care system	(14/149)	(8/104)	(10/107)	(8/101)	(18/116)	(7/82)	(2/58)	(7/87)	(15/150)	(9/129)	(8/145)	(6/113)	(4/46)	(1/48)	(0/5)	(117/1440)
	9%	8%	9%	8%	16%	9%	3%	8%	10%	7%	6%	5%	9%	2%	0%	8%
Legally adopted	(24/149)	(9/104)	(3/107)	(8/101)	(9/116)	(8/82)	(1/58)	(10/87)	(4/150)	(7/129)	(12/145)	(9/113)	(3/46)	(3/48)	(1/5)	(111/1440)
	16%	9%	3%	8%	8%	10%	2%	11%	3%	5%	8%	8%	7%	6%	20%	8%
Through Tribal Courts/CPS	(0/149)	(0/104)	(1/107)	(1/101)	(0/116)	(0/82)	(1/58)	(0/87)	(1/150)	(1/129)	(1/145)	(1/113)	(0/46)	(0/48)	(0/5)	(7/1440)
	0%	0%	1%	1%	0%	0%	2%	0%	1%	1%	1%	1%	0%	0%	0%	<1%
Target child deceased/term./	(0/149)	(1/104)	(2/107)	(0/101)	(0/116)	(1/82)	(0/58)	(2/87)	(1/150)	(1/129)	(1/145)	(0/113)	(2/46)	(1/48)	(0/5)	(12/1440)
misc./stillbirth	0%	1%	2%	0%	0%	1%	0%	2%	1%	1%	1%	0%	4%	2%	0%	1%
TARGET CHILD LIVING WITH AT EXIT *																
Bio mom	(95/150)	(82/105)	(77/110)	(66/101)	(85/118)	(64/82)	(47/58)	(61/88)	(113/152)	(95/129)	(96/145)	(76/115)	(31/46)	(37/49)	(3/5)	(1028/1453)
	63%	78%	70%	65%	72%	78%	81%	69%	74%	74%	66%	66%	67%	76%	60%	71%
Family member/friend	(26/150)	(11/105)	(20/110)	(22/101)	(12/118)	(8/82)	(8/58)	(9/88)	(26/152)	(21/129)	(34/145)	(23/115)	(8/46)	(8/49)	(1/5)	(237/1453)
	17%	10%	18%	22%	10%	10%	14%	10%	17%	16%	23%	20%	17%	16%	20%	16%
State Foster Care system	(9/150)	(3/105)	(8/110)	(5/101)	(12/118)	(2/82)	(2/58)	(6/88)	(8/152)	(5/129)	(3/145)	(7/115)	(2/46)	(0/49)	(0/5)	(72/1453)
	6%	3%	7%	5%	10%	2%	3%	7%	5%	4%	2%	6%	4%	0%	0%	5%
Adoptive parents	(20/150)	(8/105)	(3/110)	(8/101)	(9/118)	(7/82)	(1/58)	(10/88)	(4/152)	(7/129)	(11/145)	(9/115)	(3/46)	(3/49)	(1/5)	(104/1453)
	13%	8%	3%	8%	8%	9%	2%	11%	3%	5%	8%	8%	7%	6%	20%	7%
Target child deceased/term./	(0/150)	(1/105)	(2/110)	(0/101)	(0/118)	(1/82)	(0/58)	(2/88)	(1/152)	(1/129)	(1/145)	(0/115)	(2/46)	(1/49)	(0/5)	(12/1453)
misc./stillbirth	0%	1%	2%	0%	0%	1%	0%	2%	1%	1%	1%	0%	4%	2%	0%	1%

 $FOB = Father\ of\ baby \qquad CPS = Child\ Protective\ Services$

^{*}Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

				URBAN (COUNTIES						F	RURAL COUNTIE	:S			
	SPOKANE/ SPOKANE	EVERETT/ SNOHOMISH	SEATTLE/ KING	TACOMA/ PIERCE	VANCOUVER/ CLARK	OLYMPIA/ THURSTON- MASON	RICHLAND/ BENTON- FRANKLIN	BREMERTON/ KITSAP	YAKIMA/ YAKIMA	KELSO/ COWLITZ	PT ANGELES/ CLALLAM	MONTESANO/ GRAYS HAR- BOR-PACIFIC	MT VERNON/ SKAGIT	BELLINGHAM/ WHATCOM	WENATCHEE/ CHELAN	PCAP STATEWIDE
n=	151	106	117	101	120	83	58	89	153	129	146	118	46	50	5	1472
WHERE TARGET CHILD LIVED DURING PROGRAM *																
Always with mom	(41/150)	(44/105)	(50/108)	(32/100)	(58/116)	(34/81)	(37/58)	(37/86)	(53/152)	(58/128)	(71/146)	(45/116)	(15/42)	(26/48)	(1/5)	(602/1441)
	27%	42%	46%	32%	50%	42%	64%	43%	35%	45%	49%	39%	36%	54%	20%	42%
Never with mom	(15/150)	(8/105)	(8/108)	(11/100)	(13/116)	(4/81)	(4/58)	(9/86)	(5/152)	(8/128)	(16/146)	(20/116)	(2/42)	(3/48)	(1/5)	(127/1441)
	10%	8%	7%	11%	11%	5%	7%	10%	3%	6%	11%	17%	5%	6%	20%	9%
Overall, avg. months (SD) with bio mom	24.3	26.1	27.5	25.2	23.2	26.9	26.6	24.6	25.8	27.0	23.6	22.9	26.8	27.4	18.0	25.3
	(13.3)	(11.6)	(11.5)	(12.0)	(13.0)	(11.6)	(11.2)	(12.4)	(10.6)	(12.0)	(13.4)	(13.9)	(11.3)	(11.9)	(13.7)	(12.3)
Sometimes lived with family member (no state money)	(31/149)	(19/105)	(29/108)	(24/100)	(23/116)	(16/81)	(16/58)	(15/86)	(44/152)	(34/127)	(46/146)	(31/114)	(11/42)	(11/48)	(1/5)	(351/1437)
	21%	18%	27%	24%	20%	20%	28%	17%	29%	27%	32%	27%	26%	23%	20%	24%
Sometimes lived with family member (family received state money)	(14/149)	(22/105)	(13/108)	(12/100)	(4/116)	(2/81)	(0/58)	(6/86)	(15/152)	(3/127)	(8/146)	(7/115)	(7/42)	(5/48)	(0/5)	(118/1438)
	9%	21%	12%	12%	3%	2%	0%	7%	10%	2%	5%	6%	17%	10%	0%	8%
Never in state foster care	(97/149)	(88/105)	(92/107)	(70/100)	(83/115)	(53/81)	(53/58)	(63/86)	(102/152)	(97/127)	(134/146)	(86/115)	(31/42)	(41/48)	(3/5)	(1093/1436)
	65%	84%	86%	70%	72%	65%	91%	73%	67%	76%	92%	75%	74%	85%	60%	76%
1-23 months in state foster care	(49/149)	(13/105)	(10/107)	(27/100)	(23/115)	(24/81)	(2/58)	(19/86)	(44/152)	(22/127)	(12/146)	(23/115)	(10/42)	(6/48)	(2/5)	(286/1436)
	33%	12%	9%	27%	20%	30%	3%	22%	29%	17%	8%	20%	24%	13%	40%	20%
2 yrs or more in state foster care	(3/149)	(4/105)	(5/107)	(3/100)	(9/115)	(4/81)	(3/58)	(4/86)	(6/152)	(8/127)	(0/146)	(6/115)	(1/42)	(1/48)	(0/5)	(57/1436)
	2%	4%	5%	3%	8%	5%	5%	5%	4%	6%	0%	5%	2%	2%	0%	4%
Of those in state foster care, Avg. mos (SD)	10.2	10.8	13.7	9.9	15.7	10.8	20.2	12.1	10.7	13.5	6.7	13.2	10.3	9.3	15.0	11.7
	(7.3)	(10.3)	(13.4)	(8.3)	(10.0)	(7.8)	(15.5)	(9.1)	(8.7)	(11.4)	(5.4)	(11.2)	(9.8)	(12.5)	(7.1)	(9.6)

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

				URBAN (COUNTIES						F	RURAL COUNTIE	s			
	SPOKANE/ SPOKANE	EVERETT/ SNOHOMISH	SEATTLE/ KING	TACOMA/ PIERCE	VANCOUVER/ CLARK	OLYMPIA/ THURSTON- MASON	RICHLAND/ BENTON- FRANKLIN	BREMERTON/ KITSAP	YAKIMA/ YAKIMA	KELSO/ COWLITZ	PT ANGELES/ CLALLAM	MONTESANO/ GRAYS HAR- BOR-PACIFIC	MT VERNON/ SKAGIT	BELLINGHAM/ WHATCOM	WENATCHEE/ CHELAN	PCAP STATEWIDE
n=	151	106	117	101	120	83	58	89	153	129	146	118	46	50	5	1472
TARGET CHILD HEALTH AT EXIT *																
Of those whose information is known:																
Well-child care and fully immunized	(109/116)	(90/97)	(85/97)	(79/86)	(98/108)	(71/78)	(45/55)	(71/78)	(131/136)	(110/118)	(114/129)	(88/95)	(32/35)	(39/45)	(3/3)	(1165/1276)
	94%	93%	88%	92%	91%	91%	82%	91%	96%	93%	88%	93%	91%	87%	100%	91%
Regular well-child visits	(115/116)	(96/97)	(96/97)	(90/90)	(106/108)	(77/78)	(54/55)	(78/78)	(137/137)	(118/118)	(131/132)	(93/95)	(35/35)	(43/45)	(3/3)	(1272/1284)
	99%	99%	99%	100%	98%	99%	98%	100%	100%	100%	99%	98%	100%	96%	100%	99%
Immunizations up to date	(110/117)	(95/102)	(89/100)	(83/90)	(100/109)	(72/79)	(46/56)	(75/82)	(132/137)	(111/119)	(117/132)	(93/100)	(35/38)	(42/47)	(5/5)	(1205/1313)
	94%	93%	89%	92%	92%	91%	82%	91%	96%	93%	89%	93%	92%	89%	100%	92%
Dentist visits	(104/122)	(92/101)	(82/95)	(76/90)	(87/98)	(66/78)	(46/55)	(74/79)	(136/140)	(104/118)	(98/118)	(92/97)	(38/40)	(38/41)	(5/5)	(1138/1277)
	85%	91%	86%	84%	89%	85%	84%	94%	97%	88%	83%	95%	95%	93%	100%	89%
Expressed need, but no dental visit	(18/122)	(9/101)	(13/95)	(14/90)	(11/98)	(12/78)	(9/55)	(5/79)	(4/140)	(14/118)	(20/118)	(5/97)	(2/40)	(3/41)	(0/5)	(139/1277)
	15%	9%	14%	16%	11%	15%	16%	6%	3%	12%	17%	5%	5%	7%	0%	11%
Mother enrolled in WIC at exit	(73/151)	(39/104)	(38/100)	(40/96)	(49/105)	(29/81)	(31/57)	(39/85)	(96/143)	(54/129)	(58/142)	(49/112)	(20/45)	(24/43)	(2/5)	(641/1398)
	48%	38%	38%	42%	47%	36%	54%	46%	67%	42%	41%	44%	44%	56%	40%	46%
TARGET CHILD DIAGNOSED WITH FAS/ARND DURING PROGRAM																
Diagnosed with FASD/ARND	(0/138)	(1/101)	(2/105)	(2/96)	(0/110)	(1/79)	(0/56)	(0/84)	(0/144)	(1/120)	(0/141)	(1/102)	(0/41)	(1/48)	(0/5)	(9/1370)
	0%	1%	2%	2%	0%	1%	0%	0%	0%	1%	0%	1%	0%	2%	0%	1%
FASD suspected but no diagnosis	(0/138)	(0/101)	(3/105)	(0/96)	(1/110)	(0/79)	(0/56)	(0/84)	(2/144)	(0/120)	(0/141)	(0/102)	(0/41)	(0/48)	(0/5)	(6/1370)
	0%	0%	3%	0%	1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	<1%

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

				URBAN	COUNTIES							RURAL COUNTII	ES			
	SPOKANE/ SPOKANE	EVERETT/ SNOHOMISH	SEATTLE/ KING	TACOMA/ PIERCE	VANCOUVER/ CLARK	OLYMPIA/ THURSTON- MASON	RICHLAND/ BENTON- FRANKLIN	BREMERTON/ KITSAP	YAKIMA/ YAKIMA	KELSO/ COWLITZ	PT ANGELES/ CLALLAM	MONTESANO/ GRAYS HAR- BOR-PACIFIC	MT VERNON/ SKAGIT	BELLINGHAM/ WHATCOM	WENATCHEE/ CHELAN	SPOKANE/ SPOKANE
n=	151	106	117	101	120	83	58	89	153	129	146	118	46	50	5	1472
TARGET CHILD USED THERAPEUTIC SERVICE	(91/144)	(47/106)	(48/108)	(52/99)	(37/117)	(21/82)	(19/58)	(42/87)	(38/149)	(47/127)	(50/144)	(32/114)	(15/46)	(15/49)	(4/5)	(558/1435)
	63%	44%	44%	53%	32%	26%	33%	48%	26%	37%	35%	28%	33%	31%	80%	39%
Therapeutic Daycare / Head	(26/144)	(3/106)	(21/108)	(13/99)	(2/117)	(4/82)	(7/58)	(22/87)	(4/149)	(22/127)	(29/144)	(2/114)	(3/46)	(2/49)	(1/5)	(161/1435)
Start	18%	3%	19%	13%	2%	5%	12%	25%	3%	17%	20%	2%	7%	4%	20%	11%
Physical Therapy	(26/144)	(8/106)	(11/108)	(18/99)	(6/117)	(9/82)	(3/58)	(5/87)	(5/149)	(5/127)	(7/144)	(7/114)	(4/46)	(3/49)	(0/5)	(117/1435)
	18%	8%	10%	18%	5%	11%	5%	6%	3%	4%	5%	6%	9%	6%	0%	8%
Occupational Therapy	(21/144)	(6/106)	(7/108)	(12/99)	(5/117)	(1/82)	(2/58)	(2/87)	(5/149)	(3/127)	(0/144)	(9/114)	(3/46)	(2/49)	(0/5)	(78/1435)
	15%	6%	6%	12%	4%	1%	3%	2%	3%	2%	0%	8%	7%	4%	0%	5%
Developmental Stimulation	(2/144)	(0/106)	(3/108)	(8/99)	(4/117)	(2/82)	(1/58)	(2/87)	(2/149)	(15/127)	(2/144)	(2/114)	(0/46)	(2/49)	(0/5)	(45/1435)
Program	1%	0%	3%	8%	3%	2%	2%	2%	1%	12%	1%	2%	0%	4%	0%	3%
FAS Clinic	(0/144)	(0/106)	(0/108)	(1/99)	(0/117)	(0/82)	(0/58)	(0/87)	(0/149)	(0/127)	(0/144)	(0/114)	(0/46)	(0/49)	(0/5)	(1/1435)
	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	<1%
TC lived in a hospital or medical facility for 1 month or more	(36/149)	(6/105)	(7/108)	(7/100)	(0/116)	(0/81)	(3/58)	(9/86)	(4/152)	(2/127)	(3/146)	(13/115)	(1/42)	(2/48)	(0/5)	(93/1438)
	24%	6%	6%	7%	0%	0%	5%	10%	3%	2%	2%	11%	2%	4%	0%	6%
EMERGENCY ROOM USE, PAST YEAR * †																
Client visited Emergency	(60/151)	(30/104)	(34/103)	(36/99)	(35/104)	(29/79)	(20/57)	(44/85)	(61/150)	(55/129)	(53/146)	(37/110)	(13/42)	(16/49)	(1/5)	(524/1413)
Room (E.R.)	40%	29%	33%	36%	34%	37%	35%	52%	41%	43%	36%	34%	31%	33%	20%	37%
All ER visits were appropriate	(52/60)	(29/30)	(30/34)	(34/36)	(27/35)	(26/29)	(13/20)	(32/44)	(54/61)	(52/55)	(31/53)	(36/37)	(7/13)	(12/16)	(1/1)	(436/524)
	87%	97%	88%	94%	77%	90%	65%	73%	89%	95%	58%	97%	54%	75%	100%	83%
Client's child (TC or other) visited E.R.	(32/121)	(37/103)	(32/96)	(33/87)	(25/96)	(32/75)	(25/54)	(31/78)	(46/139)	(47/124)	(39/131)	(33/95)	(11/38)	(9/46)	(1/4)	(433/1287)
	26%	36%	33%	38%	26%	43%	46%	40%	33%	38%	30%	35%	29%	20%	25%	34%
All ER visits were appropriate	(31/32)	(28/37)	(29/32)	(30/33)	(19/25)	(27/32)	(15/25)	(27/31)	(34/46)	(45/47)	(24/39)	(27/33)	(8/11)	(8/9)	(1/1)	(353/433)
	97%	76%	91%	91%	76%	84%	60%	87%	74%	96%	62%	82%	73%	89%	100%	82%

[†] Appropriate use defined as a true medical emergency; healthcare that should have been provided at a clinic or through a primary care provider was coded as inappropriate use. Individuals may have had more than one visit to the ER during the intervention, some appropriate, some not appropriate.

^{*}Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

				URBAN C	COUNTIES						F	RURAL COUNTIE	s			
	SPOKANE/ SPOKANE	EVERETT/ SNOHOMISH	SEATTLE/ KING	TACOMA/ PIERCE	VANCOUVER/ CLARK	OLYMPIA/ THURSTON- MASON	RICHLAND/ BENTON- FRANKLIN	BREMERTON/ KITSAP	YAKIMA/ YAKIMA	KELSO/ COWLITZ		MONTESANO/ GRAYS HAR- BOR-PACIFIC	SKAGIT	BELLINGHAM/ WHATCOM	WENATCHEE/ CHELAN	SPOKANE/ SPOKANE
n=	207	116	178	156	163	112	67	100	168	153	151	139	83	56	22	1871
DOMESTIC VIOLENCE																
Hx of DV as Adult	(184/207) 89%	(65/116) 56%	(160/178) 90%	(130/156) 83%	(142/163) 87%	(100/112) 89%	(54/67) 81%	(86/100) 86%	(147/168) 88%	(131/153) 86%	(130/151) 86%	(124/139) 89%	(69/83) 83%	(42/56) 75%	(19/22) 86%	(1583/1871) 85%
In Abusive Relationship at Exit	(12/151) 8%	(1/82) 1%	(9/98) 9%	(16/97) 16%	(7/108) 6%	(4/82) 5%	(1/56) 2%	(2/85) 2%	(6/151) 4%	(7/128) 5%	(5/146) 3%	(5/114) 4%	(0/44) 0%	(7/48) 15%	(1/5) 20%	(83/1395) 6%
During past year, of those with current need:																
Obtained DV Services	(12/27) 44%	(6/8) 75%	(11/15) 73%	(11/25) 44%	(11/20) 55%	(6/28) 21%	(6/20) 30%	(11/16) 69%	(10/33) 30%	(13/17) 76%	(18/21) 86%	(20/27) 74%	(2/4) 50%	(10/14) 71%	(3/3) 100%	(150/278) 54%
Of these, good connection, good access	(12/12) 100%	(5/6) 83%	(10/11) 91%	(10/11) 91%	(10/11) 91%	(6/6) 100%	(5/6) 83%	(8/11) 73%	(10/10) 100%	(12/13) 92%	(15/18) 83%	(19/20) 95%	(2/2) 100%	(9/10) 90%	(3/3) 100%	(136/150) 91%

^{*}Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).

				URBAN (Counties						F	RURAL COUNTIE	ES			
	SPOKANE/ SPOKANE	EVERETT/ SNOHOMISH	SEATTLE/ KING	TACOMA/ PIERCE	VANCOUVER/ CLARK	OLYMPIA/ THURSTON- MASON	RICHLAND/ BENTON- FRANKLIN	BREMERTON/ KITSAP	YAKIMA/ YAKIMA	KELSO/ COWLITZ	PT ANGELES/ CLALLAM	MONTESANO/ GRAYSHAR- BOR-PACIFIC	MT VERNON/	BELLINGHAM/ WHATCOM	WENATCHEE/ CHELAN	SPOKANE/ SPOKANE
OTHER SERVICE CONNECTION * n =	151	106	117	101	120	83	58	89	153	129	146	118	46	50	5	1472
In the year prior to exit, was connected to:																
Family doctor/clinic	(123/145)	(101/104)	(92/104)	(93/100)	(90/103)	(77/80)	(55/57)	(82/88)	(142/150)	(124/129)	(133/145)	(107/114)	(40/44)	(49/49)	(5/5)	(1313/1417)
	85%	97%	88%	93%	87%	96%	96%	93%	95%	96%	92%	94%	91%	100%	100%	93%
Good connection, good access	(92/123)	(84/101)	(69/92)	(67/93)	(72/90)	(64/77)	(45/55)	(69/82)	(118/142)	(102/124)	(116/133)	(89/107)	(37/40)	(42/49)	(3/5)	(1069/1313)
	75%	83%	75%	72%	80%	83%	82%	84%	83%	82%	87%	83%	93%	86%	60%	81%
Other family healthcare	(125/139)	(97/102)	(85/96)	(91/99)	(86/95)	(46/72)	(54/55)	(79/87)	(135/147)	(115/122)	(111/135)	(96/107)	(37/44)	(47/49)	(5/5)	(1209/1354)
	90%	95%	89%	92%	91%	64%	98%	91%	92%	94%	82%	90%	84%	96%	100%	89%
Good connection, good access	(94/125)	(65/97)	(59/85)	(65/91)	(59/86)	(26/46)	(39/54)	(62/79)	(107/135)	(101/115)	(83/111)	(69/96)	(29/37)	(35/47)	(3/5)	(896/1209)
	75%	67%	69%	71%	69%	57%	72%	78%	79%	88%	75%	72%	78%	74%	60%	74%
Mental health services	(61/99)	(51/71)	(53/65)	(42/70)	(57/72)	(24/56)	(27/39)	(40/53)	(37/94)	(45/75)	(49/60)	(32/61)	(17/20)	(28/32)	(4/4)	(567/871)
	62%	72%	82%	60%	79%	43%	69%	75%	39%	60%	82%	52%	85%	88%	100%	65%
Good connection, good access	(60/61)	(50/51)	(46/53)	(36/42)	(51/57)	(23/24)	(20/27)	(32/40)	(37/37)	(42/45)	(40/49)	(31/32)	(15/17)	(26/28)	(2/4)	(511/567)
	98%	98%	87%	86%	89%	96%	74%	80%	100%	93%	82%	97%	88%	93%	50%	90%
Alcohol/drug support group	(34/49)	(63/68)	(50/70)	(44/65)	(49/58)	(37/58)	(20/39)	(41/53)	(64/126)	(49/55)	(63/65)	(39/55)	(24/26)	(25/30)	(2/3)	(604/820)
	69%	93%	71%	68%	84%	64%	51%	77%	51%	89%	97%	71%	92%	83%	67%	74%
Good connection, good access	(31/34)	(60/63)	(47/50)	(44/44)	(44/49)	(36/37)	(19/20)	(40/41)	(64/64)	(49/49)	(58/63)	(38/39)	(23/24)	(25/25)	(2/2)	(580/604)
	91%	95%	94%	100%	90%	97%	95%	98%	100%	100%	92%	97%	96%	100%	100%	96%
Other support group	(43/56)	(40/46)	(22/44)	(24/42)	(39/52)	(19/43)	(13/30)	(16/26)	(20/90)	(20/23)	(34/39)	(25/46)	(8/12)	(16/26)	(2/4)	(341/579)
	77%	87%	50%	57%	75%	44%	43%	62%	22%	87%	87%	54%	67%	62%	50%	59%
Good connection, good access	(43/43)	(40/40)	(22/22)	(24/24)	(38/39)	(19/19)	(13/13)	(16/16)	(20/20)	(20/20)	(33/34)	(25/25)	(8/8)	(15/16)	(2/2)	(338/341)
	100%	100%	100%	100%	97%	100%	100%	100%	100%	100%	97%	100%	100%	94%	100%	99%
Basic services (food, clothes)	(74/75)	(41/44)	(56/67)	(55/70)	(75/81)	(35/50)	(28/43)	(37/47)	(65/91)	(29/36)	(88/91)	(45/55)	(21/27)	(33/37)	(5/5)	(687/819)
	99%	93%	84%	79%	93%	70%	65%	79%	71%	81%	97%	82%	78%	89%	100%	84%
Good connection, good access	(74/74)	(41/41)	(51/56)	(54/55)	(73/75)	(35/35)	(28/28)	(36/37)	(65/65)	(28/29)	(83/88)	(43/45)	(19/21)	(31/33)	(5/5)	(666/687)
	100%	100%	91%	98%	97%	100%	100%	97%	100%	97%	94%	96%	90%	94%	100%	97%
Legal services	(49/54)	(39/44)	(24/41)	(36/44)	(27/30)	(5/29)	(11/28)	(20/22)	(24/42)	(16/21)	(27/29)	(32/43)	(8/9)	(11/15)	(2/2)	(331/453)
	91%	89%	59%	82%	90%	17%	39%	91%	57%	76%	93%	74%	89%	73%	100%	73%
Good connection, good access	(39/49)	(37/39)	(23/24)	(27/36)	(19/27)	(5/5)	(9/11)	(17/20)	(23/24)	(14/16)	(25/27)	(25/32)	(5/8)	(10/11)	(2/2)	(280/331)
	80%	95%	96%	75%	70%	100%	82%	85%	96%	88%	93%	78%	63%	91%	100%	85%
Public school services	(10/13) 77%	(39/41) 95%	(15/17) 88%	(24/26) 92%	(24/26) 92%	(29/40) 73%	(21/28) 75%	(9/10) 90%	(58/64) 91%	(16/18) 89%	(18/19) 95%	(24/27) 89%	(4/5) 80%	(12/12) 100%	-	(303/346) 88%
Good connection, good access	(10/10) 100%	(37/39) 95%	(15/15) 100%	(23/24) 96%	(23/24) 96%	(27/29) 93%	(20/21) 95%	(8/9) 89%	(58/58) 100%	(16/16) 100%	(15/18) 83%	(23/24) 96%	(3/4) 75%	(11/12) 92%	-	(289/303) 95%
Childcare	(72/77) 94%	(59/63) 94%	(54/60) 90%	(54/61) 89%	(49/49) 100%	(35/53) 66%	(20/30) 67%	(36/37) 97%	(86/95) 91%	(60/61) 98%	(36/37) 97%	(41/45) 91%	(23/23) 100%	(22/30) 73%	-	(647/721) 90%
Good connection, good access	(70/72) 97%	(57/59) 97%	(53/54) 98%	(54/54) 100%	(45/49) 92%	(34/35) 97%	(19/20) 95%	(35/36) 97%	(86/86) 100%	(58/60) 97%	(35/36) 97%	(38/41)	(21/23) 91%	(20/22) 91%	-	(625/647) 97%

[†] Note: denominator reflects only those who reported a need for the service.

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (151 in Spokane, 106 in Snohomish, 117 in King, 101 in Pierce, 120 in Clark, 83 in Thurston, 58 in Benton-Franklin, 89 in Kitsap, 153 in Yakima; 5 from Chelan, 129 in Cowlitz, 146 in Clallam, 118 in Grays Harbor, 46 in Skagit, and 50 in Whatcom Counties).