Washington State PCAP: Comparative Demographics

Numbers below include PCAP clients enrolled with a PCAP ASI between July 1, 2020 and June 31, 2023, including those subsequently exited (unenrolled or graduated). Data for transfers between sites appear under the originating site.

				URBAN C	OUNTIES §						Ru	JRAL COUNTIES	§			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	Yакıма	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
CONTRACT CAPACITY	146	131	133	103	113	148	68	87	109	105	106	76	55	71	30	1481
Clients enrolled in PCAP since 1/1/2020	170	191	134	103	139	150	76	101	119	98	121	56	52	62	35	1607
Clients with PCAP intake data	169	139	108	96	139	118	51	100	117	83	120	49	52	55	34	1430
Clients with missing intakes	1	52	26	7	0	32	25	1	2	15	1	7	0	7	1	177
Clients with alternative demographic form	0	9	0	2	0	13	2	0	0	1	0	0	0	0	0	27
Unenrolled since 1/1/2020	29	34	8	15	15	3	8	10	15	10	7	0	3	4	3	164
AGE OF CLIENTS																
Range	18–47 yrs	19-44 yrs	19–44 yrs	18–46 yrs	18–42 yrs	19–44 yrs	20–41 yrs	18–41 yrs	18–41 yrs	20–39 yrs	18–43 yrs	19–42 yrs	21–42 yrs	18–43 yrs	20–37 yrs	18–47 yrs
Mean (Std Dev)	30.2 (5.4)	30.0 (5.4)	30.8 (5.5)	30.9 (5.7)	28.6 (5.4)	29.6 (5.5)	29.5 (5.3)	29.3 (5.1)	28.9 (5.0)	29.1 (4.6)	28.1 (6.0)	29.2 (5.1)	29.9 (5.0)	28.7 (6.0)	28.9 (4.9)	29.5 (5.4)
18–21 yrs	(10/169) 6%	(8/138) 6%	(5/108) 5%	(4/96) 4%	(14/139) 10%	(10/118) 8%	(3/51) 6%	(7/100) 7%	(10/116) 9%	(7/83) 8%	(21/120) 18%	(1/49) 2%	(1/52) 2%	(10/54) 19%	(2/34) 6%	(113/1427) 8%
22–29 yrs	(68/169) 40%	(59/138) 43%	(43/108) 40%	(34/96) 35%	(65/139) 47%	(46/118) 39%	(24/51) 47%	(43/100) 43%	(48/116) 41%	(28/83) 34%	(48/120) 40%	(25/49) 51%	(25/52) 48%	(20/54) 37%	(16/34) 47%	(592/1427) 41%
30+ yrs	(91/169) 54%	(71/138) 51%	(60/108) 56%	(58/96) 60%	(60/139) 43%	(62/118) 53%	(24/51) 47%	(50/100) 50%	(58/116) 50%	(48/83) 58%	(51/120) 43%	(23/49) 47%	(26/52) 50%	(24/54) 44%	(16/34) 47%	(722/1427) 51%
RACE / ETHNICITY OF CLIENTS																
Native American or Alaskan Native	(15/168) 9%	(8/145) 6%	(9/108) 8%	(6/98) 8%	(5/139) 4%	(11/130) 8%	(1/53) 2%	(5/100) 5%	(21/111) 19%	(3/82) 4%	(18/119) 15%	(2/49) 4%	(6/52) 12%	(8/51) 16%	(0/34) 0%	(118/1439) 8%
Asian/Pacific Islander	(4/168) 2%	(6/145) 4%	(7/108) 6%	(8/98) 8%	(3/139) 2%	(6/130) 5%	(0/53) 0%	(7/100) 7%	(1/111) 1%	(3/82) 4%	(0/119) 0%	(0/49) 0%	(0/52) 0%	(0/51) 0%	(0/40) 0%	(4351439) 3%
African American/Black	(8/168) 5%	(7/145) 5%	(8/108) 7%	(11/98) 11%	(5/139) 4%	(2/130) 2%	(3/53) 6%	(2/100) 2%	(5/111) 5%	(1/82) 1%	(1/119) 1%	(0/49) 0%	(0/52) 0%	(0/51) 0%	(0/34) 0%	(53/1439) 4%
White	(117/168) 69%	(100/145) 69%	(60/108) 56%	(53/98) 53%	(97/139) 70%	(97/130) 75%	(36/53) 68%	(70/100) 70%	(54/111) 49%	(66/82) 80%	(82/119) 69%	(45/49) 92%	(38/52) 73%	(37/51) 73%	(26/34) 76%	(978/1439) 68%
Other	(5/168) 3%	(2/145) 1%	(0/108) 0%	(0/98) 0%	(0/139) 0%	(1/130) 1%	(1/53) 2%	(0/100) 0%	(0/111) 0%	(2/82) 3%	(1/119) 1%	(0/49) 0%	(2/52) 4%	(0/51) 0%	(0/34) 0%	(14/1439) 1%
Multiracial	(19/168) 11%	(22/145) 15%	(24/108) 22%	(20/98) 20%	(29/139) 20%	(13/130) 10%	(12/53) 23%	(16/100) 16%	(30/111) 27%	(7/82) 9%	(17/119) 14%	(2/49) 4%	(6/52) 12%	(6/51) 12%	(8/34) 24%	(231/1439) 16%
Hispanic	(8/169) 5%	(13/139)	(14/108) 13%	(9/96) 9%	(22/139) 16%	(12/118)	(14/51) 27%	(18/100)	(35/117)	(5/83)	(10/120)	(3/49)	(4/52) 8%	(6/55) 11%	(5/34) 15%	(178/1430) 12%

				URBAN C	OUNTIES §						R	URAL COUNTIES	s §			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
(n=)	169	148	108	98	139	131	53	100	117	84	120	49	52	55	34	1457
Marital Status																
Married	(12/157) 8%	(11/138) 8%	(18/106) 17%	(21/95) 22%	(27/135) 20%	(11/117) 9%	(5/51) 10%	(13/99) 13%	(11/112) 10%	(9/83) 11%	(13/119) 11%	(9/43) 21%	(12/50) 24%	(11/49) 22%	(9/30) 30%	(192/1384) 14%
Single/Sep./Divorced/Widowed	(144/156) 92%	(126/137) 92%	(87/105) 83%	(74/95) 78%	(108/135) 80%	(106/117) 91%	(46/51) 90%	(86/99) 87%	(101/112) 90%	(74/83) 89%	(106/119) 89%	(34/43) 79%	(38/50) 76%	(37/48) 77%	(21/30) 70%	(1188/1380) 86%
EDUCATION																
Range	0–16 yrs	0–17 yrs	5–16 yrs	5–16 yrs	8–16 yrs	4–19 yrs	7–18 yrs	8–16 yrs	5–14 yrs	8–15 yrs	5–16 yrs	5-15 yrs	8–15 yrs	4–14 yrs	8–15 yrs	0–19 yrs
Mean	11.5 (1.7)	11.7 (2.0)	12.0 (1.7)	11.2 (2.0)	11.7 (1.5)	11.6 (1.7)	11.6 (1.7)	11.8 (1.5)	11.0 (1.9)	11.6 (1.2)	11.7 (1.3)	11.3 (1.5)	11.7 (1.9)	11.3 (1.7)	11.8 (1.4)	11.6 (1.7)
No H.S. diploma or GED	(54/169) 32%	(49/148) 33%	(29/108) 27%	(39/98) 40%	(40/139) 29%	(37/127) 29%	(23/53) 43%	(26/100) 26%	(54/115) 47%	(33/84) 39%	(38/119) 32%	(20/47) 43%	(19/52) 37%	(20/53) 38%	(9/33) 27%	(490/1445) 34%
Ninth grade or less	(19/169) 11%	(16/148) 11%	(7/108) 6%	(13/98)	(15/139) 11%	(15/127) 12%	(4/53) 8%	(8/100) 8%	(22/115) 19%	(5/84) 6%	(6/119) 5%	(4/47) 9%	(9/52) 17%	(8/53) 15%	(2/33) 6%	(153/1445) 11%
Any college	(32/169)	(31/148)	(26/108) 24%	(14/98) 14%	(25/139) 18%	(25/127)	(7/53) 13%	(20/100) 20%	(14/115) 12%	(10/84) 12%	(20/119) 17%	(3/47)	(19/52) 37%	(6/53) 11%	(6/33) 18%	(258/1445) 18%
PARITY (including Target Child)											1170			, ,		
Range	1–10	1–10	1–10	1–10	1–7	1–9	1–7	1–9	1–8	1–7	1–6	1–7	1–9	1–6	1–9	1–10
Mean	2.8 (1.6)	2.6 (1.6)	2.4 (1.9)	3.0 (1.8)	2.3 (1.3)	2.5 (1.6)	3.0 (1.6)	2.6 (1.7)	2.8 (1.7)	2.8 (1.4)	2.1 (1.2)	2.9 (1.8)	2.6 (2.0)	2.2 (1.3)	2.5 (1.7)	2.6 (1.7)
Target child (TC) is firstborn	(47/166) 28%	(37/138) 27%	(45/108) 42%	(18/96) 19%	(47/137) 34%	(34/114) 30%	(11/50) 22%	(30/100) 30%	(32/113) 28%	(20/82) 24%	(58/118) 49%	(11/44) 25%	(19/48) 40%	(19/49) 39%	(12/28) 43%	(440/1391) 32%
3 or more children	(92/166) 55%	(66/138) 48%	(39/108) 36%	(51/96) 53%	(52/137) 38%	(48/114) 42%	(29/50) 58%	(41/100) 41%	(56/113) 50%	(44/82) 54%	(35/118) 30%	(23/44) 52%	(19/48) 40%	(14/49) 29%	(11/28) 39%	(620/1391) 45%
PREVIOUS CHILDREN																
# LIVING WITH CLIENT †																
Range, # children	0–4	0–5	0–3	0–5	0–4	0–6	0–3	0–4	0–4	0–4	0–4	0–3	0–4	0–2	0–2	0–6
Mean, std dev	0.3 (0.7)	0.2 (0.5)	0.2 (0.6)	0.4 (1.0)	0.4 (0.7)	0.3 (0.9)	0.4 (0.8)	0.5 (1.0)	0.1 (0.5)	0.4 (0.9)	0.5 (1.0)	0.2 (0.6)	0.4 (0.9)	0.3 (0.6)	0.2 (0.5)	0.3 (0.8)
# NOT LIVING WITH CLIENT † (Not incl. those age 18 & over,																
Range, # children	0–9	0–6	0–7	0–9	0–6	0–7	0–6	0–8	0–7	0–4	0–5	0–6	0–6	0–5	0–8	0–9
Mean, std	1.4 (1.6)	1.4 (1.4)	1.1 (1.6)	1.5 (1.7)	0.9 (1.2)	1.2 (1.4)	1.5 (1.6)	1.0 (1.5)	1.7 (1.6)	1.3 (1.3)	0.5 (1.0)	1.7 (1.6)	1.3 (1.7)	0.8 (1.3)	1.3 (1.7)	1.2 (1.5)

				URBAN C	OUNTIES §						R	URAL COUNTIES	ş §]
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
(n=)	169	148	108	98	139	131	53	100	117	84	120	49	52	55	34	1457
CLIENT HAS LEGAL CUSTODY OF TARGET CHILD																
Yes	(93/169) 55%	(83/148) 56%	(68/108) 63%	(48/98) 49%	(70/139) 50%	(53/131) 40%	(33/53) 62%	(60/100) 60%	(48/117) 41%	(51/84) 61%	(90/119) 76%	(7/49) 14%	(24/52) 46%	(29/55) 53%	(16/34) 47%	(773/1456) 53%
No	(47/169) 28%	(28/148) 19%	(15/108) 14%	(30/98) 31%	(42/139) 30%	(34/131) 26%	(12/53) 23%	(27/100) 27%	(30/117) 26%	(14/84) 17%	(15/119) 13%	(3/49) 6%	(11/52) 21%	(7/55) 13%	(11/34) 32%	(326/1456) 22%
Custody unresolved at interview, or baby not born yet	(29/169) 19%	(37/148) 25%	(25/108) 23%	(20/98) 20%	(27/139) 19%	(43/131) 33%	(8/53) 15%	(13/100) 13%	(39/117) 33%	(19/84) 23%	(14/119) 12%	(39/49) 80%	(17/52) 33%	(29/55) 53%	(7/34) 21%	(356/1456) 24%
TC never born/TC deceased	(0/169) 0%	(0/165)	(0/108) 0%	(0/96) 0%	(0/139)	(1/131) 1%	(0/68)	(0/100) 0%	(0/117)	(0/84) 0%	(0/119)	(0/49) 0%	(0/52) 0%	(0/55) 0%	(0/34) 0%	(1/1456) <1%
CPS INVOLVEMENT																
Open CPS case at enrollment (incl. TC)	(90/162) 56%	(88/144) 61%	(51/103) 50%	(60/95) 63%	(81/133) 61%	(70/119) 59%	(30/53) 57%	(43/96) 45%	(76/112) 68%	(49/79) 62%	(32/109) 29%	(23/40) 58%	(23/48) 48%	(28/46) 61%	(13/31) 42%	(757/1370) 55%
PRENATAL CARE, SELF-REPORT																
Mean # visits, (SD)	9.9 (7.5)	7.6 (6.2)	13.3 (10.5)	12.4 (10.8)	10.4 (6.5)	7.7 (6.5)	10.5 (12.0)	7.9 (5.1)	5.2 (5.8)	9.3 (6.3)	6.9 (3.9)	7.8 (5.3)	6.6 (7.5)	10.1 (6.6)	8.6 (6.8)	9.1 (7.6)
No prenatal care, any trimester	(23/138) 17%	(12/118) 10%	(3/86) 3%	(8/83) 10%	(11/133) 8%	(11/98) 11%	(5/45) 11%	(8/93) 9%	(24/86) 28%	(7/73) 10%	(10/113) 9%	(2/11) 18%	(3/33) 9%	(3/41) 7%	(2/32) 6%	(132/1183) 11%
No prenatal care, 1st trimester	(58/138) 42%	(58/120) 48%	(39/90) 43%	(42/84) 50%	(44/134) 33%	(54/99) 55%	(21/46) 46%	(47/92) 51%	(57/87) 66%	(34/72) 50%	(59/113) 52%	(3/11) 27%	(12/33) 36%	(16/41) 39%	(13/32) 41%	(559/1192) 47%
No prenatal care, 2nd trimester	(36/138) 26%	(32/120) 27%	(14/89) 16%	(22/84) 26%	(25/133) 19%	(30/99) 30%	(11/44) 25%	(20/92) 22%	(50/86) 58%	(13/71) 18%	(17/133) 15%	(2/11) 18%	(13/33) 39%	(10/41) 24%	(9/31) 29%	(304/1185) 26%
No prenatal care, 3rd trimester	(26/139) 19%	(17/118) 14%	(6/87) 7%	(15/83) 18%	(14/133) 11%	(23/98) 23%	(6/45) 13%	(9/91) 10%	(31/86) 36%	(11/72) 15%	(7/113) 6%	(2/11) 18%	(9/33) 27%	(3/41) 7%	(4/31) 13%	(183/1181 15%
CLIENT ENROLLED:																
Prenatally	(37/154) 24%	(25/122) 20%	(21/91) 23%	(17/85) 20%	(31/136) 23%	(16/104) 15%	(9/46) 20%	(28/93) 30%	(16/105) 15%	(19/74) 26%	(50/112) 45%	(1/11) 9%	(6/38) 16%	(3/41) 7%	(14/32) 44%	(293/1244) 24%
Avg. mos. before birth, if known	-3.5 (1.9)	-2.5 (1.4)	-3.5 (1.8)	-2.82 (1.8)	-3.0 (1.5)	-2.9 (1.6)	-3.6 (2.1)	-3.3 (1.6)	-3.3 (1.4)	-2.9 (1.9)	-3.7 (1.8)	-7.0 (-)	-3.0 (0.8)	-3.7 (2.0)	-2.6 (1.8)	-3.2 (1.7)
Postnatally (incl. at delivery)	(117/154) 76%	(97/122) 80%	(70/91) 77%	(68/85) 80%	(105/136) 77%	(88/104) 85%	(37/46) 80%	(65/93) 70%	(89/105) 85%	(55/74) 74%	(62/112) 55%	(10/11) 91%	(32/38) 84%	(38/41) 93%	(18/32) 56%	(951/1244) 76%
Avg. mos. after birth, if known	6.1 (5.9)	7.3 (6.1)	5.6 (5.8)	5.8 (5.0)	6.2 (6.0)	4.1 (5.1)	6.5 (5.7)	7.0 (6.5)	5.7 (5.9)	8.0 (7.6)	6.3 (5.8)	7.6 (6.3)	8.0 (6.9)	6.4 (6.0)	12.7 (7.7)	6.3 (6.0)

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						R	URAL COUNTIES	S §			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
(n=)	169	148	108	98	139	131	53	100	117	84	120	49	52	55	34	1457
TARGET CHILD:																
GESTATIONAL AGE																
Mean, in weeks	37.7 (2.8)	37.6 (3.0)	37.5 (2.8)	37.7 (3.0)	37.5 (2.8)	37.6 (2.9)	38.0 (2.6)	38.1 (2.7)	37.5 (2.4)	37.9 (2.3)	38.2 (2.2)	37.6 (1.2)	37.2 (3.1)	37.9 (3.2)	38.0 (2.5)	37.7 (2.7)
Term (above 37 weeks)	(93/150) 62%	(77/119) 65%	(49/87) 56%	(48/83) 58%	(76/127) 60%	(54/99) 55%	(30/46) 65%	(63/93) 68%	(49/92) 53%	(46/72) 64%	(73/112) 65%	(6/11) 55%	(19/32) 59%	(28/41) 68%	(21/29) 72%	(732/1193) 61%
33-37 weeks gestation	(47/150) 31%	(31/119) 26%	(33/87) 38%	(27/83) 27%	(42/127) 33%	(41/99) 40%	(13/46) 28%	(24/93) 26%	(39/92) 42%	(24/72) 33%	(36/112) 32%	(5/11) 45%	(10/32) 31%	(9/41) 22%	(6/29) 21%	(387/1193) 32%
27-32 weeks gestation	(8/150) 5%	(11/119) 9%	(4/87) 5%	(7/83) 8%	(8/127) 6%	(3/99) 3%	(3/46) 7%	(5/93) 5%	(4/92) 4%	(2/72) 2%	(3/112) 3%	(0/11) 0%	(3/32) 9%	(4/41) 10%	(2/29) 7%	(67/1193) 6%
less than 27 weeks gestation	(2/150) 1%	(0/119) 0%	(1/87) 1%	(1/83) 1%	(1/127) 1%	(1/99) 1%	(0/46) 0%	(1/93) 1%	(0/92) 0%	(0/72) 0%	(0/112) 0%	(0/11) 0%	(0/32) 0%	(0/41) 0%	(0/29) 0%	(7/1193) 1%
BIRTH WEIGHT																
Range, in pounds	2.38 -10.19	1.75 –9.63	1.50 -8.69	1.13 –9.81	1.13 –10.01	4.19 –10.19	4.50 -9.31	3.69 -9.75	2.25 -10.25	1.88–9.81	2.94 -10.00	5.13 -8.75	4.63 -8.69	3.25 -8.81	2.06-9.88	1.13 –10.25
Mean, in pounds (std dev)	6.8 (1.3)	6.7 (1.5)	6.6 (1.3)	6.5 (1.7)	6.5 (1.5)	6.7 (1.3)	6.9 (1.2)	6.9 (1.4)	6.8 (1.3)	7.1 (1.3)	7.0 (1.4)	7.0 (1.1)	6.6 (1.2)	7.1 (1.3)	6.7 (1.7)	6.8 (1.4)
Normal birthweight (≥5¹/₂ lbs)	(107/133) 80%	(87/120) 73%	(66/82) 80%	(58/84) 69%	(89/126) 71%	(70/94) 74%	(36/44) 82%	(70/91) 77%	(71/88) 81%	(61/70) 87%	(92/112) 82%	(9/11) 82%	(22/31) 71%	(35/41) 85%	(23/27) 85%	(896/1154) 78%
Low birthweight (31⁄3–51⁄4 lbs)	(24/133) 18%	(28/120) 23%	(13/82) 16%	(23/84) 27%	(31/126) 25%	(24/94) 26%	(8/44) 18%	(21/91) 23%	(15/88) 17%	(8/70) 11%	(17/112) 15%	(2/11) 18%	(9/31) 29%	(5/41) 12%	(2/27) 7%	(230/1154 20%
Very low birthweight (≤3⅓ lbs)	(2/133) 2%	(5/120) 4%	(3/82) 4%	(3/84) 4%	(6/126) 5%	(0/94) 0%	(0/44) 0%	(0/91) 0%	(2/88) 2%	(1/70) 1%	(3/112) 3%	(0/11) 0%	(0/31) 0%	(1/41) 2%	(2/27) 7%	(28/1154) 2%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						Ru	IRAL COUNTIES	§			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	Skagit	WHATCOM	CHELAN	PCAP STATEWIDE
(n=)	169	148	108	98	139	131	53	100	117	84	120	49	52	55	34	1457
SUBSTANCE USE DURING TARGET PREGNANCY																
Both Alcohol & Drugs	(28/140)	(18/118)	(22/89)	(18/81)	(37/130)	(22/101)	(19/45)	(33/93)	(12/92)	(15/75)	(44/112)	(5/14)	(7/34)	(9/43)	(11/21)	(300/1188)
	20%	15%	25%	22%	28%	22%	42%	35%	13%	20%	39%	36%	21%	21%	52%	25%
Drugs onLY	(104/140)	(99/118)	(65/89)	(60/83)	(90/130)	(75/102)	(25/46)	(58/93)	(78/92)	(60/75)	(59/113)	(7/14)	(25/34)	(32/43)	(10/22)	(847/1194)
	74%	84%	73%	72%	69%	74%	54%	62%	85%	80%	52%	50%	69%	74%	45%	71%
Alcohol only	(6/142)	(1/127)	(2/90)	(2/88)	(3/131)	(0/116)	(1/46)	(2/93)	(2/93)	(0/77)	(6/112)	(1/15)	(1/36)	(1/43)	(0/30)	(28/1239)
	4%	1%	2%	2%	2%	0%	2%	2%	2%	0%	5%	7%	3%	2%	0%	2%
Any Illicit Drug Use	(126/141)	(120/127)	(84/90)	(83/88)	(114/130)	(101/114)	(40/46)	(80/92)	(85/93)	(72/77)	(70/103)	(11/14)	(32/36)	(36/43)	(27/27)	(1081/1221)
	89%	94%	93%	94%	88%	89%	87%	87%	91%	94%	68%	79%	89%	84%	100%	89%
Any ALCOHOL Use	(34/141)	(19/118)	(24/89)	(21/82)	(40/130)	(23/102)	(21/46)	(35/93)	(14/92)	(15/75)	(49/113)	(6/14)	(8/34)	(10/43)	(12/22)	(331/1194)
	24%	16%	27%	26%	31%	23%	46%	38%	15%	20%	43%	43%	24%	23%	55%	28%
Binge Alcohol (>4 drinks)	(26/141)	(13/117)	(10/88)	(13/80)	(30/130)	(18/101)	(11/46)	(26/92)	(13/92)	(8/74)	(35/113)	(0/13)	(4/33)	(5/42)	(6/19)	(218/1181)
or drinking to intoxication	18%	11%	11%	16%	23%	18%	24%	28%	14%	11%	31%	0%	12%	12%	32%	18%
Cannabis	(56/140)	(56/120)	(43/87)	(39/79)	(72/130)	(51/103)	(28/45)	(64/93)	(33/91)	(37/76)	(77/110)	(7/12)	(20/35)	(24/40)	(20/25)	(627/1186)
	40%	47%	49%	49%	55%	50%	62%	69%	36%	49%	70%	58%	57%	60%	80%	53%
Cocaine	(9/140)	(7/113)	(6/80)	(6/62)	(7/128)	(5/92)	(4/37)	(2/74)	(2/88)	(5/74)	(5/76)	(0/9)	(1/33)	(3/36)	(1/16)	(63/1058)
	6%	6%	8%	10%	5%	5%	11%	3%	2%	7%	7%	0%	3%	8%	6%	6%
Fentanyl	(5/14)	(14/14)	(2/3)	(3/4)	(4/9)	(15/16)	(1/1)	(3/6)	(4/10)	(3/5)	(1/6)	(3/3)	(3/3)	(3/6)	(0/2)	(64/102)
	36%	100%	67%	75%	44%	94%	100%	50%	40%	60%	17%	100%	100%	50%	0%	63%
Heroin	(44/139)	(65/116)	(51/82)	(38/67)	(27/128)	(37/93)	(10/37)	(36/71)	(26/90)	(27/72)	(23/73)	(3/10)	(14/34)	(10/38)	(8/17)	(419/1067)
	32%	56%	62%	57%	21%	40%	27%	51%	29%	38%	32%	30%	41%	26%	47%	39%
Methamphetamine	(102/140)	(101/123)	(72/89)	(69/79)	(100/130)	(79/104)	(36/45)	(71/83)	(75/93)	(66/75)	(46/90)	(10/13)	(25/36)	(23/41)	(24/25)	(899/1166)
	73%	82%	81%	87%	77%	76%	80%	86%	81%	88%	51%	77%	69%	56%	96%	77%
Other opiate (incl oxycodone)	(33/141)	(27/115)	(18/78)	(21/66)	(19/127)	(21/95)	(12/38)	(28/83)	(23/91)	(9/73)	(21/91)	(2/10)	(7/33)	(8/41)	(7/18)	(256/1100)
	23%	23%	23%	32%	15%	22%	32%	34%	25%	12%	23%	20%	21%	20%	39%	23%
Nicotine (cigarettes/vaping)	(117/137)	(104/122)	(79/88)	(71/79)	(99/128)	(79/102)	(27/38)	(73/87)	(32/89)	(67/74)	(83/109)	(13/14)	(29/35)	(33/41)	(24/29)	(930/1172)
	85%	85%	90%	90%	77%	77%	71%	84%	36%	91%	76%	93%	83%	80%	83%	79%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						R	URAL COUNTIES	§			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	Wнатсом	CHELAN	PCAP STATEWIDE
(n=)	169	148	108	98	139	131	53	100	117	84	120	49	52	55	34	1457
CLIENT'S FAMILY & CHILDHOOD HX																
Problematic alcohol/drug use by one or both parents	(152/168)	(124/147)	(82/105)	(81/98)	(122/137)	(104/124)	(45/53)	(96/100)	(89/109)	(74/83)	(101/114)	(42/45)	(45/50)	(39/47)	(29/32)	(1225/1412)
	90%	84%	78%	83%	89%	84%	85%	96%	82%	89%	89%	93%	90%	83%	91%	87%
Client's mother drank while pregnant w/client	(22/132)	(8/107)	(12/98)	(10/73)	(9/90)	(20/102)	(11/44)	(19/75)	(21/71)	(9/67)	(35/82)	(3/37)	(8/37)	(6/36)	(5/26)	(198/1077)
	17%	7%	12%	14%	10%	20%	25%	25%	30%	13%	43%	8%	22%	17%	19%	18%
As a child, in foster care system	(37/169)	(16/138)	(18/109)	(17/97)	(29/135)	(33/117)	(16/51)	(21/100)	(30/112)	(27/83)	(24/118)	(7/44)	(9/49)	(14/49)	(8/32)	(306/1403)
	22%	12%	17%	18%	21%	28%	31%	21%	27%	33%	20%	16%	18%	29%	25%	22%
As a child, CPS involved	(61/168)	(42/135)	(32/108)	(36/95)	(49/133)	(46/114)	(23/51)	(34/97)	(31/113)	(34/81)	(46/119)	(17/43)	(13/29)	(18/41)	(10/32)	(492/1359)
	36%	31%	30%	38%	37%	40%	45%	35%	27%	42%	39%	40%	45%	44%	31%	36%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						R	URAL COUNTIES	ş §]
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
(n=)	169	148	108	98	139	131	53	100	117	84	120	49	52	55	34	1457
OTHER CLIENT HISTORY																
Ever in life jailed	(145/167)	(110/135)	(93/106)	(73/95)	(84/126)	(81/112)	(42/50)	(73/99)	(75/113)	(68/78)	(61/118)	(31/45)	(37/47)	(35/47)	(19/31)	(1027/1369)
	87%	81%	88%	77%	67%	72%	84%	74%	65%	87%	52%	69%	79%	75%	61%	75%
Has sold sex, i.e., sex worker (online or in person)	(26/168)	(15/138)	(20/108)	(12/96)	(14/136)	(12/118)	(7/51)	(15/100)	(18/115)	(10/83)	(2/119)	(5/46)	(2/51)	(3/53)	(4/34)	(165/1416)
	15%	11%	19%	13%	10%	10%	14%	15%	16%	12%	2%	11%	4%	6%	12%	12%
Has exchanged sex for drugs/money †	(31/168)	(28/138)	(28/108)	(17/96)	(21/136)	(20/118)	(12/51)	(22/100)	(30/116)	(19/83)	(8/118)	(9/46)	(5/52)	(5/53)	(8/34)	(263/1417)
	18%	20%	26%	18%	15%	17%	24%	22%	26%	23%	7%	20%	10%	9%	24%	19%
Client's usual living arrangements †																
With partner	(44/168)	(65/138)	(39/108)	(35/95)	(70/138)	(53/117)	(17/50)	(34/100)	(33/114)	(40/83)	(44/113)	(26/43)	(29/50)	(24/49)	(21/32)	(574/1398)
	26%	47%	36%	37%	51%	45%	34%	34%	29%	48%	39%	61%	58%	49%	66%	41%
With family	(28/168)	(17/138)	(19/108)	(16/95)	(18/138)	(16/117)	(11/50)	(12/100)	(59/114)	(14/83)	(18/113)	(3/43)	(7/50)	(6/49)	(3/32)	(210/1398)
	17%	12%	18%	17%	13%	14%	22%	12%	19%	17%	16%	7%	14%	12%	9%	15%
Other housing arrangement (Alone, with friends, or no stable arrangements)	(96/168) 57%	(56/138) 41%	(50/108) 46%	(44/95) 46%	(50/138) 36%	(48/117) 41%	(22/50) 44%	(54/100) 54%	(59/114) 52%	(29/83) 35%	(51/113) 45%	(14/43) 32%	(14/50) 28%	(19/49) 39%	(8/32) 25%	(614/1398) 44%
Domestic Violence:																
Currently in abusive relationship	(27/167)	(16/136)	(12/107)	(7/95)	(21/135)	(9/115)	(9/51)	(38/93)	(10/115)	(13/82)	(38/119)	(6/41)	(10/50)	(4/46)	(4/32)	(224/1384)
	16%	12%	11%	7%	16%	8%	18%	41%	9%	16%	32%	15%	20%	9%	13%	16%
Ever beaten by partner	(139/167)	(109/138)	(75/107)	(82/95)	(116/137)	(92/116)	(46/51)	(74/100)	(84/115)	(70/82)	(70/119)	(32/43)	(34/50)	(36/49)	(22/32)	(1081/1401)
	83%	79%	70%	86%	85%	79%	90%	74%	73%	85%	59%	74%	68%	73%	69%	77%
Ever beaten while pregnant	(63/167)	(43/138)	(29/107)	(40/95)	(65/138)	(37/115)	(27/51)	(32/100)	(56/115)	(35/82)	(43/119)	(14/43)	(15/48)	(17/48)	(13/32)	(529/1398)
	38%	31%	27%	42%	47%	32%	53%	32%	49%	43%	36%	33%	31%	35%	41%	38%
Multiple head injuries, any cause	(35/169)	(9/139)	(15/108)	(14/96)	(11/137)	(22/118)	(14/50)	(7/100)	(36/116)	(10/83)	(52/119)	(9/48)	(8/52)	(7/53)	(9/34)	(258/1422)
	21%	6%	14%	15%	8%	19%	28%	7%	31%	12%	44%	19%	15%	13%	26%	18%
Father of the baby:																
Not involved or unknown	(55/152)	(26/119)	(26/86)	(28/81)	(38/127)	(28/96)	(21/43)	(14/93)	(33/90)	(26/71)	(13/107)	(2/11)	(9/36)	(16/41)	(13/28)	(348/1181)
	36%	22%	30%	35%	30%	29%	49%	15%	37%	37%	12%	18%	25%	39%	46%	29%
Has hx of psych problems	(91/150)	(64/129)	(39/95)	(25/83)	(79/118)	(46/99)	(21/38)	(73/93)	(48/106)	(37/69)	(30/97)	(28/40)	(26/45)	(21/46)	(18/32)	(646/1240)
	61%	50%	41%	30%	67%	46%	55%	78%	45%	54%	31%	70%	58%	46%	56%	52%
Has hx of problematic drug use	(136/156)	(111/131)	(71/97)	(74/90)	(109/126)	(79/102)	(33/40)	(80/93)	(93/106)	(65/73)	(75/103)	(38/42)	(39/48)	(40/46)	(30/33)	(1073/1286)
	87%	85%	73%	82%	87%	78%	83%	86%	88%	89%	73%	90%	81%	87%	91%	83%
Has hx of problematic alcohol use	(74/152)	(34/130)	(26/96)	(33/88)	(62/123)	(45/101)	(19/39)	(49/93)	(47/106)	(30/73)	(41/103)	(19/41)	(25/48)	(19/46)	(19/32)	(542/1271)
	49%	26%	27%	38%	50%	45%	49%	53%	44%	41%	40%	46%	52%	41%	59%	43%

[†] over past 3 years, at intake § According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	COUNTIES §						R	URAL COUNTIES	§]
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	Yакіма	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
(n=)	169	148	108	98	139	131	53	100	117	84	120	49	52	55	34	1457
PSYCHIATRIC HISTORY																
Have had psychiatric evaluation	(140/168) 83%	(98/135) 73%	(85/106) 80%	(77/94) 82%	(123/137) 90%	(98/113) 87%	(41/49) 84%	(87/99) 88%	(79/113) 70%	(60/80) 75%	(106/119) 89%	(38/42) 91%	(39/50) 78%	(33/47) 70%	(25/32) 78%	(1129/1384) 82%
Have received a MH diagnosis	(132/160) 83%	(78/115) 68%	(79/100) 79%	(65/82) 79%	(109/123) 89%	(88/103) 85%	(39/47) 83%	(83/95) 87%	(71/105) 68%	(53/73) 73%	(106/119) 89%	(34/38) 90%	(37/48) 77%	(31/45) 69%	(23/30) 77%	(1028/1283) 80%
Of those with psychiatric evaluation.	3070	0070	1070	1070	3070	0070	3070	0170	0070	1070	3070	0070	,0	0070	1170	3070
Result of evaluation:																
No diagnosis	(8/140) 6%	(20/101) 20%	(6/86) 7%	(12/79) 15%	(14/123) 11%	(10/102) 10%	(2/42) 5%	(4/87) 5%	(8/80) 10%	(7/62) 11%	(0/106) 0%	(4/38) 11%	(2/39) 5%	(2/34) 6%	(2/25) 8%	(101/1144) 9%
Diagnosis known	(132/140) 94%	(81/101) 80%	(80/86) 93%	(67/79) 85%	(109/123) 89%	(92/102) 90%	(40/42) 95%	(83/87) 95%	(72/80) 90%	(55/62) 89%	(106/106) 100%	(34/38) 89%	(37/39) 95%	(32/34) 94%	(23/25) 92%	(1043/1144) 91%
More than 1 condition	(116/139) 84%	(64/93) 69%	(59/86) 69%	(52/77) 68%	(89/120) 74%	(69/102) 68%	(30/42)	(63/84) 75%	(61/79) 77%	(47/59) 80%	(97/106) 92%	(25/37) 68%	(34/39)	(27/34) 79%	(20/25) 80%	(853/1122) 76%
Of those with known self-reported diagnoses:	0.75	3070	3070	3070		3070	1170	. 0,0	,0	3070	9270	30%	0.70	1070	3070	. 676
Mood disorder *	(104/137) 76%	(61/105) 58%	(65/80) 81%	(54/77) 70%	(87/121) 72%	(70/103) 68%	(30/42) 71%	(70/84) 83%	(54/78) 69%	(40/63) 63%	(89/101) 88%	(28/38) 74%	(30/39) 77%	(26/33) 79%	(15/25) 60%	(823/1126) 73%
Depression	(88/135) 65%	(60/100) 60%	(52/78) 67%	(50/77) 65%	(81/121) 67%	(61/101) 60%	(23/40) 58%	(52/82) 63%	(50/78) 64%	(34/63) 54%	(84/100) 84%	(23/37) 62%	(26/39) 67%	(23/33) 70%	(14/25) 56%	(721/1109) 65%
Bipolar	(39/129)	(9/92) 10%	(19/72) 26%	(15/71) 21%	(23/108)	(27/85) 32%	(13/36) 36%	(25/67)	(10/73) 14%	(9/55) 16%	(20/82) 24%	(9/33) 27%	(14/38)	(8/31) 26%	(4/25) 16%	(244/997) 24%
Attention/deficit disorder	(21/128) 16%	(6/101) 6%	(14/72) 19%	(12/72) 17%	(2/108)	(19/96) 20%	(7/38) 18%	(11/66) 17%	(5/72) 7%	(11/58) 19%	(16/82) 20%	(9/32) 28%	(9/38) 24%	(10/31) 32%	(5/25) 20%	(157/1019) 15%
Stress/anxiety/panic disorder	(117/141)	(69/98)	(60/78)	(52/78)	(94/122)	(74/96)	(32/41)	(64/80)	(54/78)	(51/62)	(94/104)	(25/34)	(33/39)	(28/34)	(17/25)	(864/1110)
	83% (74/129)	70% (47/104)	77% (40/74)	67% (32/76)	77% (46/108)	77% (45/97)	78% (19/40)	80%	69% (46/76)	82% (34/59)	90% (54/85)	74% (14/33)	85% (23/38)	82% (14/31)	68% (6/25)	78% (537/1045)
PTSD	(74/129) 57%	(47/104) 45%	(40/74) 54%	(32/76) 42%	43%	(45/97) 46%	(19/40) 48%	(43/70) 61%	(46/76) 61%	(34/59)	(54/85)	(14/33) 42%	(23/38) 61%	45%	(6/25) 24%	(537/1045)
Personality disorder	(15/127) 12%	(13/101) 13%	(7/71) 10%	(3/72)	(6/108) 6%	(7/88) 8%	(4/38) 11%	(11/64) 17%	(5/72) 7%	(6/56) 11%	(7/80) 9%	(2/32) 6%	(5/38) 13%	(2/31)	(6/25) 24%	(99/1003) 10%
Schizophrenia or psychotic disorder	(7/127) 6%	(1/100) 1%	(4/69) 6%	(3/71) 4%	(2/108) 2%	(5/88) 6%	(1/38) 3%	(4/63) 6%	(0/72) 0%	(2/56) 4%	(0/79) 0%	(1/32) 3%	(1/38) 3%	(2/31) 6%	(0/25) 0%	(33/997)

[§]According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification *Mood disorder included depression and bipolar

				URBAN C	OUNTIES §						R	URAL COUNTIES	; §]
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	Yакіма	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
(n=)	169	148	108	98	139	131	53	100	117	84	120	49	52	55	34	1457
ADVERSE CHILDHOOD EXPERIENCES (ACE QUESTIONNAIRE)																
ACE Score, Mean (SD)	5.4 (2.6)	4.4 (2.8)	4.6 (3.1)	5.4 (2.7)	6.2 (2.4)	5.5 (2.9)	5.8 (2.8)	6.5 (2.6)	4.5 (3.1)	4.8 (3.0)	6.4 (2.5)	4.4 (2.8)	5.5 (2.6)	5.4 (2.9)	4.4 (2.9)	5.3 (2.8)
Abuse:																
Psychological Abuse (Q1)	(106/167)	(66/138)	(51/107)	(65/96)	(90/130)	(69/116)	(36/51)	(67/98)	(57/113)	(44/83)	(97/119)	(25/43)	(31/50)	(25/48)	(16/32)	(845/1391)
	63%	48%	48%	68%	69%	59%	71%	68%	50%	53%	82%	58%	62%	52%	50%	61%
Physical Abuse (Q2)	(88/167)	(50/138)	(39/107)	(50/96)	(64/130)	(58/116)	(33/51)	(59/98)	(51/113)	(38/83)	(87/119)	(17/43)	(27/50)	(19/48)	(14/32)	(694/1391)
	53%	36%	36%	52%	49%	50%	65%	60%	45%	46%	73%	40%	54%	40%	44%	50%
Sexual Abuse (Q3)	(76/166)	(52/138)	(49/107)	(52/96)	(66/127)	(58/114)	(33/51)	(67/99)	(48/113)	(38/83)	(45/119)	(15/42)	(27/50)	(24/48)	(14/32)	(664/1385)
	46%	38%	46%	54%	52%	51%	65%	68%	42%	46%	38%	36%	54%	50%	44%	48%
Neglect:																
Emotional Neglect (Q4)	(100/166)	(66/138)	(51/107)	(57/96)	(84/129)	(69/115)	(32/50)	(65/99)	(53/113)	(46/83)	(56/119)	(24/43)	(29/50)	(29/48)	(19/32)	(780/1388)
	60%	48%	48%	59%	65%	60%	64%	66%	47%	55%	47%	56%	58%	60%	59%	56%
Physical Neglect (Q5)	(54/166)	(34/138)	(26/108)	(28/96)	(53/130)	(40/115)	(20/50)	(40/99)	(45/113)	(21/83)	(65/119)	(16/43)	(15/50)	(20/48)	(11/32)	(488/1390)
	33%	25%	24%	29%	41%	35%	40%	40%	40%	25%	55%	37%	30%	42%	34%	35%
Household Dysfunction:																
Parental Sep/Divorce (Q6)	(124/167)	(99/138)	(80/108)	(75/95)	(111/128)	(98/116)	(37/50)	(90/100)	(47/110)	(61/83)	(100/117)	(29/43)	(39/50)	(38/47)	(15/31)	(1043/1383)
	74%	72%	74%	79%	87%	84%	74%	90%	43%	73%	86%	67%	78%	81%	48%	75%
Battered Mother (Q7)	(73/167)	(47/136)	(40/108)	(45/96)	(89/122)	(53/115)	(23/51)	(55/98)	(52/111)	(35/83)	(68/119)	(17/43)	(21/50)	(22/48)	(11/32)	(651/1379)
	44%	35%	37%	47%	73%	46%	45%	56%	47%	42%	57%	40%	42%	46%	34%	47%
Substance Abuse (Q8)	(121/167)	(98/137)	(71/108)	(68/96)	(110/130)	(82/116)	(37/51)	(89/100)	(72/112)	(55/83)	(101/119)	(28/43)	(39/50)	(36/48)	(20/32)	(1027/1392)
	72%	72%	66%	71%	85%	71%	73%	89%	64%	66%	85%	65%	78%	75%	63%	74%
Mental Illness (Q9)	(95/167)	(58/138)	(54/107)	(48/96)	(95/128)	(65/116)	(26/50)	(83/100)	(53/112)	(44/83)	(97/119)	(13/43)	(29/50)	(28/48)	(18/32)	(806/1389)
	57%	42%	50%	50%	74%	56%	52%	83%	47%	53%	82%	30%	58%	58%	56%	58%
Criminal Behavior (Q10)	(59/167)	(35/138)	(35/108)	(34/96)	(39/129)	(45/116)	(18/50)	(38/98)	(34/110)	(24/83)	(50/119)	(9/43)	(15/50)	(16/48)	(8/32)	(459/1387)
	35%	25%	32%	35%	30%	39%	36%	39%	31%	29%	42%	21%	30%	33%	25%	33%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

Client Outcomes for Clients Currently In Progress

Biannual Report Data

Client Outcomes In Progress (Women Currently Involved 6 to 30 months): Washington State PCAP

Each client has been assigned to a case manager who helps the client identify and prioritize realistic goals and take steps toward achieving those goals. Every 6 months, based on client's enrollment date, case managers assess their clients' progress using the *Biannual Documentation of Client Progress*. Client status to date for clients currently enrolled in PCAP for at least 6 months are presented below. Note that clients are reported by site where biannual was completed, not by client location at end of June 2023.

				URBAN C	OUNTIES §						R	URAL COUNTIES	ş §			
As of June 30, 2023:	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	Kitsap	YAKIMA	CowLitz	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
TOTAL ENROLLED	127	133	125	89	103	132	61	80	93	75	93	45	44	58	28	1286
Enrolled Less Than 1 year	51	48	28	32	40	57	24	35	30	28	37	15	11	16	6	458
1-2 Years	39	48	53	33	32	46	21	30	42	25	33	16	18	19	14	469
Enrolled 2-3 Years	37	37	44	24	31	29	16	15	21	22	23	14	15	23	8	359
FAMILIES WITH BIANNUAL DATA (N)	101	109	119	75	85	108	47	67	79	65	78	32	40	47	24	1076
Families Enrolled <6 Mos., no biannual due yet	26	23	6	14	18	24	10	12	14	10	15	9	4	11	2	198
Families Enrolled >6 Mos., biannual due but missing	0	1	0	0	0	0	4	1	0	0	0	4	0	0	2	12

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						RURAL	COUNTIES §]
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	Skagit	Wнатсом	CHELAN	PCAP STATEWIDE
N= ALCOHOL/DRUG TREATMENT	101	109	119	75	85	108	47	67	79	65	78	32	40	47	24	1076
While involved with PCAP: Tx completed or in progress	(76/98)	(86/107)	(98/114)	(46/65)	(61/79)	(77/99)	(25/38)	(52/65)	(62/77)	(49/62)	(42/74)	(17/30)	(26/38)	(34/44)	(18/24)	(769/1014)
	78%	80%	86%	71%	77%	78%	66%	80%	81%	79%	57%	57%	68%	77%	75%	76%
TYPES OF TX																
Inpatient tx	(35/98)	(40/107)	(36/114)	(22/63)	(21/78)	(45/99)	(10/38)	(20/65)	(40/77)	(19/62)	(12/74)	(7/30)	(7/38)	(10/44)	(5/24)	(329/1011)
	36%	37%	32%	35%	27%	45%	26%	31%	52%	31%	16%	23%	18%	23%	21%	33%
Completed	(26/98)	(34/107)	(31/114)	(11/63)	(19/78)	(39/99)	(9/38)	(18/65)	(36/77)	(18/62)	(9/74)	(7/30)	(5/38)	(10/44)	(3/24)	(275/1011)
	27%	32%	27%	17%	24%	39%	24%	28%	47%	29%	12%	23%	13%	23%	13%	27%
Outpatient tx	(71/97)	(77/106)	(93/113)	(42/64)	(58/79)	(66/94)	(21/36)	(45/65)	(54/76)	(49/62)	(42/74)	(15/30)	(25/36)	(32/43)	(16/24)	(706/999)
	73%	73%	82%	66%	73%	70%	58%	69%	71%	79%	57%	50%	69%	74%	67%	71%
In- or Outpatient tx	(73/98)	(81/107)	(96/114)	(44/64)	(58/79)	(70/99)	(23/38)	(49/65)	(61/77)	(49/62)	(42/74)	(17/30)	(26/38)	(33/44)	(16/24)	(738/1013)
	74%	76%	84%	69%	73%	71%	61%	75%	79%	79%	57%	57%	68%	75%	67%	73%
Other type [†] alc/drug tx	(51/95)	(55/107)	(65/113)	(28/65)	(34/77)	(57/94)	(17/36)	(35/64)	(43/76)	(34/62)	(20/74)	(11/30)	(16/34)	(23/42)	(14/24)	(503/993)
	54%	51%	58%	43%	44%	61%	47%	55%	57%	55%	27%	37%	47%	55%	58%	51%
ABSTINENCE FROM ALCOHOL/DRUGS																
Abstinent at last assessment date	(47/75)	(58/96)	(54/88)	(15/33)	(37/69)	(33/54)	(16/21)	(27/48)	(37/47)	(31/53)	(29/70)	(12/15)	(16/25)	(16/28)	(9/17)	(437/739)
	63%	60%	61%	45%	54%	61%	76%	56%	79%	59%	41%	80%	64%	57%	53%	59%
Unknown if currently abstinent	(26/101)	(13/109)	(31/119)	(42/75)	(16/85)	(54/108)	(26/47)	(19/67)	(32/79)	(12/65)	(8/78)	(17/32)	(15/40)	(19/47)	(7/24)	(337/1076)
	26%	12%	26%	56%	19%	50%	55%	28%	41%	18%	10%	53%	38%	40%	29%	31%
Estimated abstinent if we assume missing = no	(47/101)	(58/109)	(54/119)	(15/75)	(37/85)	(33/108)	(16/47)	(27/67)	(37/79)	(31/65)	(29/78)	(12/32)	(16/40)	(16/47)	(9/24)	(437/1076)
	47%	53%	45%	20%	44%	31%	34%	40%	47%	48%	37%	38%	40%	34%	38%	41%
Abstinent for any 6 mo period since enrollment	(68/94)	(81/108)	(77/111)	(41/61)	(49/82)	(62/83)	(24/38)	(38/61)	(56/73)	(45/64)	(48/78)	(19/30)	(24/31)	(28/36)	(15/24)	(675/974)
	72%	75%	69%	67%	60%	75%	63%	62%	77%	70%	62%	63%	77%	78%	63%	69%
Abstinent for any 12 mo period since enrollment ¶	(36/60)	(46/67)	(46/84)	(25/46)	(27/54)	(24/45)	(16/25)	(17/36)	(25/55)	(22/41)	(25/49)	(15/27)	(13/21)	(12/25)	(4/12)	(353/647)
	60%	69%	55%	54%	50%	53%	64%	47%	45%	54%	51%	56%	62%	48%	33%	55%

 $[\]dagger$ Other type tx includes treatment support groups, counseling and treatment programs in jail

[¶] No relapses

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN (COUNTIES §						RURAL	COUNTIES §				
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
N=	101	109	119	75	85	108	47	67	79	65	78	32	40	47	24	1076
Regular use currently	(32/78)	(36/84)	(37/88)	(25/45)	(33/62)	(35/54)	(6/24)	(22/48)	(36/49)	(24/49)	(30/66)	(13/26)	(13/23)	(11/26)	(6/20)	(359/742)
	41%	43%	42%	56%	53%	65%	25%	46%	73%	49%	45%	50%	57%	42%	30%	48%
Current family planning use	(11/101)	(12/109)	(22/119)	(19/75)	(10/85)	(34/108)	(16/47)	(10/67)	(22/79)	(5/65)	(2/78)	(5/32)	(14/40)	(15/47)	(2/24)	(199/1076)
status unknown	11%	11%	18%	25%	12%	31%	34%	15%	28%	8%	3%	16%	35%	32%	8%	18%
METHODS:																
Tubal, Depo Provera Shot,	(26/78)	(14/84)	(33/88)	(22/45)	(31/62)	(28/54)	(5/24)	(17/48)	(26/49)	(23/49)	(24/66)	(13/26)	(13/23)	(9/26)	(5/20)	(289/742)
Hormonal implant, or IUD	33%	17%	38%	49%	50%	52%	21%	35%	53%	47%	36%	50%	57%	35%	25%	39%
Tubal Ligation	(9/78)	(6/84)	(11/88)	(8/44)	(11/62)	(4/54)	(3/24)	(7/48)	(4/49)	(7/49)	(8/65)	(4/26)	(4/23)	(1/26)	(1/20)	(88/740)
	12%	7%	13%	18%	18%	7%	13%	15%	8%	14%	12%	15%	17%	4%	5%	12%
Regular Depo Provera Shots	(1/78)	(0/84)	(3/88)	(3/44)	(2/62)	(4/54)	(1/24)	(2/48)	(7/49)	(1/49)	(3/65)	(3/26)	(3/23)	(2/26)	(1/20)	(36/740)
	1%	0%	3%	7%	3%	7%	4%	4%	14%	2%	5%	12%	13%	8%	5%	5%
IUD	(7/78)	(5/84)	(13/88)	(3/44)	(10/62)	(10/54)	(0/24)	(6/48)	(2/49)	(5/49)	(7/65)	(3/26)	(4/23)	(4/26)	(3/20)	(82/740)
	9%	6%	15%	7%	16%	19%	0%	13%	4%	10%	11%	12%	17%	15%	15%	11%
Hormonal Implant	(9/78)	(3/84)	(7/88)	(5/44)	(6/62)	(11/54)	(1/24)	(2/48)	(12/49)	(10/49)	(6/65)	(3/26)	(2/23)	(2/26)	(0/20)	(79/740)
	12%	4%	8%	11%	10%	20%	4%	4%	24%	20%	9%	12%	9%	8%	0%	11%
Regular use of other method, such as pills, condoms, etc.	(4/78)	(19/84)	(4/88)	(3/44)	(2/62)	(6/54)	(1/24)	(4/48)	(9/49)	(1/49)	(5/65)	(0/26)	(0/23)	(2/26)	(0/20)	(60/740)
	5%	23%	5%	7%	3%	11%	4%	8%	18%	2%	8%	0%	0%	8%	0%	8%
Tubal, Depo, Norplant, IUD <u>OR</u>	(29/76)	(17/81)	(35/88)	(23/45)	(33/62)	(30/53)	(5/24)	(19/47)	(28/48)	(24/49)	(26/65)	(13/26)	(13/23)	(10/26)	(5/19)	(310/732)
Pills, Patch or Nuvaring	38%	21%	40%	51%	53%	57%	21%	40%	58%	49%	40%	50%	57%	38%	26%	42%
SUBSEQUENT PREGNANCIES & BIRTHS																
Subsequent pregnancy, # women with	(29/100)	(33/109)	(16/119)	(17/66)	(20/85)	(29/102)	(14/42)	(16/66)	(12/76)	(16/64)	(31/78)	(10/31)	(11/38)	(7/42)	(8/24)	(269/1042)
	29%	30%	13%	26%	24%	28%	33%	24%	16%	25%	40%	32%	29%	17%	33%	26%
Subsequent birth, # women with	(13/100)	(14/109)	(3/119)	(7/66)	(11/85)	(18/102)	(5/42)	(9/66)	(4/76)	(3/64)	(6/78)	(4/31)	(6/38)	(3/42)	(0/24)	(106/1042)
	13%	13%	3%	11%	13%	18%	12%	14%	5%	5%	8%	13%	16%	7%	0%	10%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						RURAL	COUNTIES §]
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	Y АКІМА	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
CURRENT HOUSING	101	109	119	75	85	108	47	67	79	65	78	32	40	47	24	1076
Permanent, Stable	(44/91)	(60/106)	(57/111)	(24/43)	(37/76)	(32/72)	(19/29)	(32/61)	(15/64)	(39/61)	(49/78)	(12/26)	(13/32)	(18/38)	(9/21)	(460/909)
	48%	57%	51%	56%	49%	44%	66%	52%	23%	64%	63%	46%	41%	47%	43%	51%
Transitional Clean & Sober	(7/91)	(3/106)	(8/111)	(3/43)	(12/76)	(5/72)	(1/29)	(5/61)	(12/64)	(1/61)	(2/78)	(3/26)	(0/32)	(1/38)	(0/21)	(63/909)
Housing	8%	3%	7%	7%	16%	7%	3%	8%	19%	2%	3%	12%	0%	3%	0%	7%
Transitional Housing	(5/91)	(4/106)	(6/111)	(0/43)	(3/76)	(3/72)	(1/29)	(4/61)	(5/64)	(1/61)	(2/78)	(0/26)	(2/32)	(5/38)	(2/21)	(43/909)
	5%	4%	5%	0%	4%	4%	3%	7%	8%	2%	3%	0%	6%	13%	10%	5%
Inpatient Treatment	(5/91)	(3/106)	(2/111)	(2/43)	(1/76)	(2/72)	(1/29)	(2/61)	(5/64)	(1/61)	(3/78)	(0/26)	(1/32)	(0/38)	(3/21)	(31/909)
	5%	3%	2%	5%	1%	3%	3%	3%	8%	2%	4%	0%	3%	0%	14%	3%
Temporary Housing (motels, friends)	(16/91)	(23/106)	(23/111)	(12/43)	(17/76)	(19/72)	(1/29)	(11/61)	(16/64)	(11/61)	(14/78)	(6/26)	(7/32)	(11/38)	(5/21)	(192/909)
	18%	22%	21%	28%	22%	26%	3%	18%	25%	18%	18%	23%	22%	29%	24%	21%
Homeless	(6/91)	(8/106)	(6/111)	(1/43)	(5/76)	(4/72)	(0/29)	(4/61)	(8/64)	(5/61)	(7/78)	(3/26)	(5/32)	(1/38)	(2/21)	(65/909)
	7%	8%	5%	2%	7%	6%	0%	7%	13%	8%	9%	12%	16%	3%	10%	7%
Ever Homeless During the 6 month period	(16/97)	(22/109)	(21/115)	(8/69)	(11/79)	(8/102)	(4/37)	(9/67)	(14/75)	(11/65)	(15/78)	(6/28)	(6/38)	(3/46)	(3/24)	(157/1029)
	16%	20%	18%	12%	14%	8%	11%	13%	19%	17%	19%	21%	16%	7%	13%	15%
Incarcerated	(4/91)	(1/106)	(3/111)	(0/43)	(0/76)	(1/72)	(0/29)	(1/61)	(0/64)	(0/61)	(1/78)	(1/26)	(0/32)	(1/38)	(0/21)	(13/909)
	4%	1%	3%	0%	0%	1%	0%	2%	0%	0%	1%	4%	0%	3%	0%	1%
Other	(4/91)	(4/106)	(6/111)	(1/43)	(1/76)	(5/72)	(6/29)	(2/61)	(3/64)	(2/61)	(0/78)	(1/26)	(4/32)	(1/38)	(0/21)	(40/909)
	4%	4%	5%	2%	1%	7%	21%	3%	5%	3%	0%	4%	13%	3%	0%	4%
Missing Housing Data	(10/101)	(3/109)	(8/119)	(9/85)	(9/85)	(36/108)	(18/47)	(6/67)	(15/79)	(4/65)	(0/78)	(6/32)	(8/40)	(9/47)	(3/24)	(167/1076)
	10%	3%	7%	11%	11%	33%	38%	9%	19%	6%	0%	19%	20%	19%	13%	16%
EDUCATION																
Attended some type of class (GED, college, work training)	(26/99)	(14/109)	(34/117)	(14/63)	(31/82)	(19/99)	(7/43)	(10/67)	(10/75)	(10/64)	(21/78)	(3/31)	(10/35)	(12/46)	(7/24)	(228/1032)
	26%	13%	29%	22%	38%	19%	16%	15%	13%	16%	27%	10%	29%	26%	29%	22%
Completed some type of class (GED, college, work training)	(5/99)	(1/109)	(9/117)	(7/63)	(18/82)	(11/99)	(3/43)	(3/67)	(2/75)	(1/64)	(8/78)	(1/31)	(4/35)	(4/46)	(2/24)	(79/1032)
	5%	1%	8%	11%	22%	11%	7%	4%	3%	2%	10%	3%	11%	9%	8%	8%
Parenting Classes	(40/95)	(46/108)	(33/112)	(13/62)	(31/79)	(40/95)	(12/39)	(27/64)	(43/75)	(22/63)	(32/78)	(13/30)	(7/34)	(18/41)	(8/24)	(385/999)
	42%	43%	29%	21%	39%	42%	31%	42%	57%	35%	41%	43%	21%	44%	33%	39%
Completed Parenting Classes	(28/93)	(30/106)	(15/112)	(10/62)	(20/77)	(24/94)	(7/38)	(15/62)	(31/74)	(15/63)	(14/78)	(8/30)	(4/34)	(7/39)	(5/24)	(233/986)
	30%	28%	13%	16%	26%	26%	18%	24%	42%	24%	18%	27%	12%	18%	21%	24%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						RURAL	COUNTIES §]
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
N= EMPLOYMENT / INCOME	101	109	119	75	85	108	47	67	79	65	78	32	40	47	24	1076
TANF/Public Assistance																
Currently	(36/86)	(51/101)	(81/112)	(25/38)	(27/73)	(42/64)	(15/25)	(25/54)	(35/56)	(35/59)	(24/77)	(12/24)	(16/31)	(24/31)	(4/19)	(452/850)
	42%	50%	72%	66%	37%	66%	60%	46%	63%	59%	31%	50%	52%	77%	21%	53%
Main source income	(32/84)	(36/88)	(65/106)	(15/36)	(26/68)	(28/65)	(13/27)	(15/54)	(27/54)	(35/59)	(20/77)	(9/24)	(10/31)	(16/34)	(5/20)	(352/827)
	38%	41%	61%	42%	38%	43%	48%	28%	50%	59%	26%	38%	32%	47%	25%	43%
Employment																
Empl. within last 6 mos.	(34/87)	(29/107)	(32/103)	(14/42)	(33/75)	(16/73)	(7/25)	(27/60)	(19/57)	(15/61)	(31/78)	(7/25)	(16/30)	(11/36)	(12/19)	(303/878)
	39%	27%	31%	33%	44%	22%	28%	45%	33%	25%	40%	28%	53%	31%	63%	35%
Currently employed	(27/90)	(29/108)	(26/109)	(14/53)	(32/75)	(16/86)	(7/29)	(24/63)	(16/63)	(17/61)	(30/78)	(6/25)	(12/32)	(8/40)	(10/23)	(274/935)
	30%	27%	24%	26%	43%	19%	24%	38%	25%	28%	38%	24%	38%	20%	43%	29%
Full-time employed	(13/87)	(13/107)	(10/103)	(7/42)	(18/75)	(7/73)	(6/25)	(12/60)	(7/57)	(8/61)	(13/78)	(1/25)	(6/30)	(3/36)	(6/20)	(130/879)
	15%	12%	10%	17%	24%	10%	24%	20%	12%	13%	17%	4%	20%	8%	30%	15%
Main source income	(22/84)	(20/88)	(18/106)	(10/36)	(28/68)	(12/65)	(7/27)	(19/54)	(13/54)	(16/59)	(25/77)	(2/24)	(12/31)	(7/34)	(8/20)	(219/827)
	26%	23%	17%	28%	41%	18%	26%	35%	24%	27%	32%	8%	39%	21%	40%	26%
DOMESTIC VIOLENCE (DV)																
Any DV reported while in PCAP (CM report)	(37/101)	(42/109)	(37/116)	(13/74)	(45/85)	(19/101)	(20/38)	(38/67)	(16/79)	(18/63)	(45/78)	(13/31)	(21/40)	(15/45)	(15/24)	(394/1051)
	37%	39%	32%	18%	53%	19%	53%	57%	20%	29%	58%	42%	53%	33%	63%	37%
DV in current relationship (CM report)	(10/69)	(16/91)	(15/87)	(2/37)	(14/60)	(5/53)	(4/20)	(13/42)	(4/46)	(5/48)	(12/67)	(7/23)	(8/23)	(5/30)	(6/20)	(126/716)
	14%	18%	17%	5%	23%	9%	20%	31%	9%	10%	18%	30%	35%	17%	30%	18%
DV Services for client	(10/91)	(8/102)	(11/111)	(5/63)	(7/81)	(15/88)	(5/36)	(8/61)	(5/73)	(6/63)	(10/77)	(4/29)	(2/34)	(6/40)	(0/24)	(102/973)
	11%	8%	10%	8%	9%	17%	14%	13%	7%	10%	13%	14%	6%	15%	0%	10%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

				URBAN C	OUNTIES §						RURAL	COUNTIES §]
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
TARGET CHILD (TC)	101	109	119	75	85	108	47	67	79	65	78	32	40	47	24	1076
Including target children <u>living</u> with client or family only :	76	94	92	41	50	66	25	48	60	48	64	20	28	37	15	764
Regular well-child visits	(65/65)	(82/84)	(76/85)	(25/27)	(45/48)	(57/57)	(20/22)	(36/38)	(49/50)	(40/45)	(55/62)	(18/18)	(24/24)	(29/30)	(13/14)	(634/669)
	100%	98%	89%	93%	94%	100%	91%	95%	98%	89%	89%	100%	100%	97%	93%	95%
Well-child info unknown	(11/76)	(10/94)	(7/92)	(14/41)	(2/50)	(9/66)	(3/25)	(10/48)	(10/60)	(3/48)	(2/64)	(2/20)	(4/28)	(7/37)	(1/15)	(95/764)
	14%	11%	8%	34%	4%	14%	12%	21%	17%	6%	3%	10%	14%	19%	7%	12%
Immunizations up-to-date	(64/68)	(81/84)	(76/86)	(20/25)	(44/48)	(55/56)	(18/21)	(33/39)	(50/53)	(40/46)	(48/61)	(18/18)	(25/25)	(29/30)	(13/14)	(614/674)
	94%	96%	88%	80%	92%	98%	86%	85%	94%	87%	79%	100%	100%	97%	93%	91%
LEGAL CUSTODY OF TARGET CHILD																
Bio mom	(63/95)	(84/109)	(86/110)	(34/46)	(43/77)	(48/71)	(23/31)	(44/64)	(48/69)	(45/62)	(60/78)	(18/27)	(25/36)	(31/42)	(14/20)	(666/937)
	66%	77%	78%	74%	56%	68%	74%	69%	70%	73%	77%	67%	69%	74%	70%	71%
Bio dad (without client)	(6/95)	(3/109)	(2/110)	(1/46)	(3/77)	(2/71)	(0/31)	(4/64)	(3/69)	(0/62)	(2/78)	(2/27)	(1/36)	(1/42)	(0/20)	(30/937)
	6%	3%	2%	2%	4%	3%	0%	6%	4%	0%	3%	7%	3%	2%	0%	3%
Other family	(5/95)	(6/109)	(2/110)	(4/46)	(4/77)	(4/71)	(1/31)	(0/64)	(7/69)	(2/62)	(0/78)	(0/27)	(1/36)	(4/42)	(1/20)	(41/937)
	5%	6%	2%	9%	5%	6%	3%	0%	10%	3%	0%	0%	3%	10%	5%	4%
State/Foster Care system	(12/95)	(11/109)	(15/110)	(5/46)	(22/77)	(12/71)	(4/31)	(10/64)	(9/69)	(13/62)	(11/78)	(5/27)	(6/36)	(3/42)	(2/20)	(140/937)
	13%	10%	14%	11%	29%	17%	13%	16%	13%	21%	14%	19%	17%	7%	10%	15%
Adopted	(4/95)	(0/109)	(1/110)	(0/46)	(0/77)	(0/71)	(0/31)	(1/64)	(0/69)	(0/62)	(0/78)	(1/27)	(1/36)	(0/42)	(1/20)	(9/937)
	4%	0%	1%	0%	0%	0%	0%	2%	0%	0%	0%	4%	3%	0%	5%	1%
Through Tribal Courts/	(0/95)	(1/109)	(1/110)	(0/46)	(0/77)	(1/71)	(0/31)	(0/64)	(1/69)	(0/62)	(1/78)	(0/27)	(0/36)	(1/42)	(0/20)	(6/937)
Tribal CPS	0%	1%	1%	0%	0%	1%	0%	0%	1%	0%	1%	0%	0%	2%	0%	1%
Other, incl guardianship	(4/95)	(3/109)	(2/110)	(2/46)	(1/77)	(1/71)	(0/31)	(2/64)	(1/69)	(1/62)	(1/78)	(0/27)	(1/36)	(2/42)	(0/20)	(21/937)
	4%	3%	2%	4%	1%	1%	0%	3%	1%	2%	1%	0%	3%	5%	0%	2%
No live birth or TC deceased	(1/95)	(1/109)	(1/110)	(0/46)	(4/77)	(3/71)	(1/31)	(2/64)	(0/69)	(1/62)	(1/78)	(1/27)	(1/36)	(0/42)	(2/20)	(19/937)
	1%	1%	1%	0%	5%	4%	3%	3%	0%	2%	1%	4%	3%	0%	10%	2%
Not born yet	(0/95)	(0/109)	(0/110)	(0/46)	(0/77)	(0/71)	(2/31)	(1/64)	(0/69)	(0/62)	(2/78)	(0/27)	(0/36)	(0/42)	(0/20)	(5/937)
	0%	0%	0%	0%	0%	0%	6%	2%	0%	0%	3%	0%	0%	0%	0%	1%
Custody Status Unknown	(2/101)	(0/109)	(5/119)	(5/75)	(2/85)	(27/108)	(7/47)	(2/67)	(8/79)	(3/65)	(0/78)	(3/32)	(2/40)	(2/47)	(3/24)	(71/1076)
	2%	0%	4%	7%	2%	25%	15%	3%	10%	5%	0%	9%	5%	4%	13%	7%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification

PCAP Client Exit Outcomes

Exit ASI Interview Data

Exit Outcomes Among PCAP Clients: Washington State PCAP

PCAP clients exit the program three years after their PCAP enrollment. These tables present PCAP exit information over the past 6 years, i.e., data for clients exiting July 2017—June 2023, including 47 "early exits" whose projected three-year exit dates were between April 2023 and December 2024. Some of the tables include information for 423 clients who have not been located for Exit Interview but for whom we have cumulative program data. Data are separated by site based on where clients exited rather than by site where they were enrolled.

				URBAN C							RURAL (COUNTIES §				
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	OLALLAWI-	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
Exited between July 2017 and June 2023 (n)	188	157	172	137	165	132	80	106	159	153	151	140	78	98	21	1937
Exited in past year (July 2022— June 2023)	33	38	19	17	32	24	14	18	18	21	27	12	9	18	0	300
Of these, "Early Exits"	0	14	3	3	12	2	2	3	1	0	1	5	0	1	0	47
	130	133	112	91	128	105	61	94	147	136	145	119	43	65	5	1514
Clients with Exit Interview (n)	(130/188) 69%	(133/157) 85%	(112/172) 65%	(91/137) 66%	(128/165) 78%	(105/132) 80%	(61/80) 76%	(94/106) 89%	(147/159) 92%	(136/153) 89%	(145/151) 96%	(119/140) 85%	(43/78) 55%	(65/98) 66%	(5/21) 24%	(1514/1937) 78%
261 44 5 11	58	24	60	46	37	27	19	12	12	17	6	21	35	33	16	423
% Lost to Follow-up, or Not yet interviewed	(58/188) 31%	(24/157) 15%	(60/172) 35%	(46/137) 34%	(37/165) 22%	(27/132) 20%	(19/80) 24%	(12/106) 11%	(12/159) 8%	(17/153) 11%	(6/151) 4%	(21/140) 15%	(35/78) 45%	(33/98) 34%	(16/21) 76%	(423/1937) 22%

[§] According to the DOH Rural Urban Classification Systems for WA Counties (2016), presented in order of contracted capacity within the rural/urban classification.

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

				URBAN (COUNTIES						F	RURAL COUNTIE	s			
	SPOKANE	SNOHOMISH	KING	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
n=	130	133	112	91	128	105	61	94	147	136	145	119	43	65	5	1514
REDUCED RISK OF EXPOSED BIRTH AT EXIT †																
Clean & sober ≥6 mo or has IUD, regular Depo Provera shots, hormonal implant, or tubal ligation	(90/130) 69%	(96/133) 72%	(75/111) 68%	(69/91) 76%	(94/128) 73%	(74/105) 70%	(40/61) 66%	(75/94) 80%	(113/147) 77%	(109/136 80%	(100/145) 69%	(88/119) 74%	(34/43) 79%	(52/65) 80%	(5/5) 100%	(1114/1513) 74%
Clean & sober ≥6 mo or has IUD, regular Depo Provera shots, hormonal implant, or tubal ligation or uses birth control pills regularly	(97/130) 75%	(104/133) 78%	(79/111) 71%	(74/91) 81%	(103/128) 80%	(81/105) 77%	(46/61) 75%	(76/94) 81%	(116/147) 79%	(116/136) 85%	(109/145) 75%	(93/119) 78%	(35/43) 81%	(54/65) 83%	(5/5) 100%	(1188/1513) 79%
Clean & sober ≥6 mo or regular birth control use	(104/130) 80%	(115/133) 86%	(82/111) 74%	(76/91) 84%	(112/128) 88%	(87/105) 83%	(47/61) 77%	(80/94) 85%	(116/147) 79%	(120/136) 88%	(109/145) 75%	(94/119) 79%	(36/43) 84%	(54/65) 83%	(5/5) 100%	(1237/1513) 82%

[†] An additional 57 women who are not represented in the table because they were not seen at exit also have tubal ligations: 9 in Spokane, 1 in Snohomish, 12 in King, 9 in Pierce, 12 in Clark, 2 in Thurston, 0 in Benton-Franklin, 2 in Kitsap, 3 in Yakima, 5 in Cowlitz, 0 in Clallam, 1 in Grays Harbor, 0 in Skagit and 0 in Whatcom counties

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

DURING PROGRAM

				URBAN C	OUNTIES						F	RURAL COUNTIE	s			1
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
n=	188	157	172	137	165	132	80	106	159	153	151	140	78	98	21	1937
ALCOHOL/DRUG TREATMENT (TX) DURING PCAP																
Of all PCAP clients, some form tx completed or in progress	(175/184)	(147/155)	(165/172)	(128/137)	(134/164)	(114/132)	(62/80)	(99/106)	(148/159)	(140/153)	(122/151)	(122/140)	(54/74)	(81/96)	(16/21)	(1707/1924)
	95%	95%	96%	93%	82%	86%	78%	93%	93%	92%	81%	87%	73%	84%	76%	89%
INPATIENT TREATMENT																
Of all PCAP clients:																
Inpatient tx completed or in progress	(81/184)	(79/154)	(103/172)	(49/137)	(39/164)	(48/132)	(23/80)	(42/106)	(116/159)	(75/153)	(50/151)	(47/140)	(28/74)	(28/96)	(8/21)	(816/1923)
	44%	51%	60%	36%	24%	36%	29%	40%	73%	49%	33%	34%	38%	29%	38%	42%
Did not attend inpatient tx	(103/184)	(75/154)	(69/172)	(88/137)	(125/164)	(84/132)	(57/80)	(64/106)	(43/159)	(78/153)	(101/151)	(93/140)	(46/74)	(68/96)	(13/21)	(1107/1923)
	56%	49%	40%	64%	76%	64%	71%	60%	27%	51%	67%	66%	62%	71%	62%	58%
Of those who entered inpatient:																
Completed tx	(78/97)	(76/86)	(98/112)	(46/58)	(36/51)	(46/59)	(20/27)	(41/50)	(115/131)	(71/90)	(46/64)	(45/57)	(23/31)	(26/33)	(7/8)	(774/954)
	80%	88%	88%	79%	71%	78%	74%	82%	88%	79%	72%	79%	74%	79%	88%	81%
Completed tx or were in progress at exit	(81/97)	(79/86)	(103/112)	(49/58)	(39/51)	(48/59)	(23/27)	(42/50)	(116/131)	(75/90)	(50/64)	(47/57)	(28/31)	(28/33)	(8/8)	(816/954)
	84%	92%	92%	84%	76%	81%	85%	84%	89%	83%	78%	82%	90%	85%	100%	86%
Unable to complete/dropped	(16/97)	(7/86)	(9/112)	(9/58)	(12/51)	(11/59)	(4/27)	(8/50)	(15/131)	(15/90)	(14/64)	(10/57)	(3/31)	(5/33)	(0/8)	(138/954)
	16%	8%	8%	16%	24%	19%	15%	16%	11%	17%	22%	18%	10%	15%	0%	14%
OUTPATIENT TREATMENT																
Of all PCAP clients:																
Outpatient tx completed or	(159/184)	(140/155)	(155/172)	(118/137)	(112/164)	(104/132)	(56/80)	(94/106)	(139/159)	(133/153)	(106/151)	(107/140)	(50/70)	(71/93)	(15/21)	(1559/1917)
in progress	86%	90%	90%	86%	68%	79%	70%	89%	87%	87%	70%	76%	71%	76%	71%	81%
Did not attend outpatient tx	(25/184)	(15/155)	(17/172)	(19/137)	(52/164)	(28/132)	(24/80)	(12/106)	(20/159)	(20/153)	(45/151)	(33/140)	(20/70)	(22/93)	(6/21)	(358/1917)
	14%	10%	10%	14%	32%	21%	30%	11%	13%	13%	30%	24%	29%	24%	29%	19%
Of those who entered outpatient:																
Completed tx	(89/171)	(104/142)	(85/164)	(56/127)	(73/127)	(70/112)	(39/58)	(64/95)	(101/145)	(70/144)	(59/118)	(68/114)	(33/51)	(40/75)	(8/15)	(959/1658)
	52%	73%	52%	44%	57%	63%	67%	67%	70%	49%	50%	60%	65%	53%	53%	58%
Completed tx or were in progress at exit	(159/171)	(140/142)	(155/164)	(118/127)	(112/127)	(104/112)	(56/58)	(94/95)	(139/145)	(133/144)	(106/118)	(107/114)	(50/51)	(71/75)	(15/15)	(1559/1658)
	93%	99%	95%	93%	88%	93%	97%	99%	96%	92%	90%	94%	98%	95%	100%	94%
Unable to complete/dropped	(12/171)	(2/142)	(9/164)	(9/127)	(15/127)	(8/112)	(2/58)	(1/95)	(6/145)	(11/144)	(12/118)	(7/114)	(1/51)	(4/75)	(0/15)	(99/1658)
	7%	1%	5%	7%	12%	7%	3%	1%	4%	8%	10%	6%	2%	5%	0%	6%

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

				URBAN C	OUNTIES						R	URAL COUNTIES	s			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	Wнатсом	CHELAN	PCAP STATEWIDE
n=	188	157	172	137	165	132	80	106	159	153	151	140	78	98	21	1936
ALCOHOL/DRUG TREATMENT (TX) DURING PCAP, CONTINUED																
INPATIENT OR OUTPATIENT TX																
Of all PCAP clients:																
Either completed or in progress	(166/184) 90%	(142/155) 92%	(161/172) 94%	(119/137) 87%	(118/164) 72%	(105/132) 80%	(58/80) 73%	(96/106) 91%	(147/159) 92%	(137/153) 90%	(110/151) 73%	(110/140) 79%	(52/74) 70%	(73/96) 76%	(15/21) 71%	(1609/1924) 84%
Did not attend either type of treatment	(18/184) 10%	(13/155) 8%	(11/172) 6%	(18/137) 13%	(46/164) 28%	(27/132) 20%	(22/80) 28%	(10/106) 9%	(12/159) 8%	(16/153) 10%	(41/151) 27%	(30/140) 21%	(22/74) 30%	(23/96) 24%	(6/21) 29%	(315/1924) 16%
Of those who entered either:																
Completed tx	(124/175) 71%	(123/144) 85%	(129/166) 78%	(74/128) 58%	(88/132) 67%	(83/115) 72%	(47/60) 78%	(77/96) 80%	(137/154) 89%	(103/148) 70%	(78/120) 65%	(85/116) 73%	(38/54) 70%	(50/77) 65%	(10/15) <i>67%</i>	(1246/1700) 73%
Completed tx or were in progress at exit	(166/175) 95%	(142/144) 99%	(161/166) 97%	(119/128) 93%	(118/132) 89%	(105/115) 91%	(58/60) 97%	(96/96) 100%	(147/154) 95%	(137/148) 93%	(110/120) 92%	(110/116) 95%	(52/54) 96%	(73/77) 95%	(15/15) 100%	(1609/1700) 95%
Unable to complete/dropped	(9/175) 5%	(2/144) 1%	(5/166) 3%	(9/128) 7%	(14/132) 11%	(10/115) 9%	(2/60) 3%	(0/96) 0%	(7/154) 5%	(11/148) 7%	(10/120) 8%	(6/116) 5%	(2/54) 4%	(4/77) 5%	(0/15) <i>0%</i>	(91/1700) 5%
OTHER TYPES ALCOHOL/DRUG TX																
Other type [†] alc/drug tx completed or in progress	(150/183) 82%	(132/154) 86%	(157/172) 91%	(119/137) 87%	(124/164) 76%	(103/132) 78%	(51/80) 64%	(90/106) 85%	(125/159) 79%	(122/153) 80%	(106/151) 70%	(112/140) 80%	(49/70) 70%	(71/91) 78%	(15/21) 71%	(1526/1913) 80%

[†]Includes treatment support groups, counseling, and treatment programs in jail.

→ * Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

				AT EXIT C	OMPARED TO INTAKE, C	F Those With Exit I	NTERVIEWS					
			_			Urban Col	JNTIES					
	SPOKANE	(n=132)	Snohomish	(n=129)	King (n	=110)	PIERCE (n=97)	CLARK	(n=135)	THURSTON-MASON	v-Lewis (n=103)
ALCOHOL/DRUG USE *	DURING TARGET PREGNANCY	AT EXIT $^{\infty}$	DURING TARGET PREGNANCY	AT EXIT $^{\infty}$	DURING TARGET PREGNANCY	AT EXIT [∞]	DURING TARGET PREGNANCY	AT EXIT [∞]	DURING TARGET PREGNANCY	AT EXIT [∞]	DURING TARGET PREGNANCY	AT EXIT [∞]
Use of alcohol, cannabis, or any illicit substance	(130/130) 100%	(68/130) 52%	(133/133) 100%	(42/133) 32%	(112/112) 100%	(46/108) 43%	(91/91) 100%	(42/91) 46%	(128/128) 100%	(62/126) 49%	(105/105) 100%	(43/105) 41%
Any illicit drug	(121/123) 98%	(24/130) 18%	(71/75) 95%	(14/133) 11%	(104/104) 100%	(22/103) 21%	(89/90) 99%	(21/90) 23%	(123/125) 98%	(22/116) 19%	(101/105) 96%	(17/104) 16%
Alcohol	(30/121) 25%	(32/127) 25%	(12/73) 16%	(11/130) 8%	(33/103) 32%	(19/97) 20%	(29/79) 37%	(18/85) 21%	(31/126) 25%	(31/112) 28%	(27/102) 26%	(16/101) 16%
Binge alcohol	(16/121) 13%	(7/130) 5%	(6/72) 8%	(3/133) 2%	(25/103) 24%	(8/108) 7%	(19/77) 25%	(3/91) 3%	(12/125) 10%	(11/126) 9%	(12/102) 12%	(5/105) 5%
Cannabis	(74/121) 61%	(43/130) 33%	(29/74) 39%	(28/133) 21%	(55/103) 53%	(27/101) 27%	(55/82) 67%	(27/90) 30%	(68/125) 54%	(41/116) 35%	(51/103) 50%	(28/103) 27%
Cocaine	(5/119) 4%	(1/130) 1%	(1/71) 1%	(1/133) 1%	(19/96) 20%	(1/100) 1%	(8/71) 11%	(0/90) 0%	(5/107) 5%	(2/116) 2%	(3/97) 3%	(0/103) 0%
Heroin	(53/122) 43%	(12/129) 9%	(42/74) 57%	(7/132) 5%	(71/99) 72%	(10/99) 10%	(49/75) 65%	(7/90) 8%	(30/102) 29%	(9/116) 8%	(30/97) 31%	(6/103) 6%
Fentanyl	No data	(9/130) 7%	No data	(2/133) 2%	No data	(7/99) 7%	No data	(6/90) 7%	No data	(5/116) 4%	No data	(5/103) 5%
Other opiates	(19/119) 16%	(5/130) 4%	(2/72) 3%	(1/133) 1%	(13/101) 13%	(4/99) 4%	(13/69) 19%	(4/90) 4%	(9/110) 8%	(5/116) 4%	(9/97) 9%	(5/103) 5%
Methamphetamine	(92/123) 75%	(16/130) 12%	(61/74) 82%	(5/133) 4%	(79/101) 78%	(7/101) 7%	(75/83) 90%	(11/90) 12%	(90/114) 79%	(10/115) 9%	(71/102) 70%	(8/104) 8%
Nicotine (cigarettes/vaping)	(92/122) 75%	(95/130) 73%	(53/74) 72%	(84/133) 63%	(89/103) 86%	(62/100) 62%	(73/88) 83%	(56/89) 63%	(98/125) 78%	(92/116) 79%	(73/103) 71%	(78/104) 75%
	BENTON-FRAI	NKLIN (n=62)	KITSAP	(n=94)	S	FATEWIDE (n=151	14)					
	DURING TARGET PREGNANCY	AT EXIT $^{\infty}$	DURING TARGET PREGNANCY	AT EXIT $^{\infty}$	DURING TARG PREGNANCY	ET	AT EXIT $^{\infty}$					
Use of alcohol, cannabis, or any illicit substance	(61/61) 100%	(32/61) 52%	(94/94) 100%	(40/93) 43%	(1514/1514)	00% (6	661/1503) 44%					
Any illicit drug (all drugs, not including alcohol or cannabis)	(40/42) 95%	(12/60) 20%	(92/92) 100%	(19/89) 21%	(1336/1368)	98% (26	65/1476) 18%					
Alcohol	(14/42) 33%	(17/59) 29%	(38/91) 42%	(21/89) 24%	(399/1326) 3	0% (29	92/1407) 21%					
Binge alcohol	(9/42) 21%	(6/61) 10%	(24/91) 26%	(4/93) 4%	(234/1320) 1	8% (7	76/1503) 5%					
Cannabis	(24/41) 59%	(23/59) 39%	(68/92) 74%	(28/89) 31%	(752/1334) 5	66% (44	40/1471) 30%					
Cocaine	(1/40) 3%	(0/57) 0%	(6/82) 7%	(0/89) 0%	(75/1224) 6	6% (*	10/1467) 1%					
Fentanyl	No data	(0/57) 0%	No data	(4/87) 5%	No data	(7	71/1458) 5%					

(9/88) 10%

(3/89) 3%

(11/88) 13%

(73/89) 82%

(6/40) 15%

(2/40) 5%

(31/42) 74%

(29/39) 74%

Heroin Other opiates

Methamphetamine

Nicotine (cigarettes/vaping)

(8/59) 14%

(1/58) 2%

(4/58) 7%

(43/60) 72%

(40/81) 49%

(13/86) 15%

(78/89) 88%

(85/92) 92%

9/30/2023 Page 29 Client Exit Outcomes PCAP Report to DBHR, Sep 30, 2023

(556/1233) 45%

(153/1257) 12%

(1028/1314) 78%

(1082/1345) 80%

(106/1464) 7%

(53/1465) 4%

(143/1466) 10%

(1055/1469) 72%

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

			Α	AT EXIT COMPARED T	O INTAKE, OF THOSE W	TH EXIT INTER	RVIEWS						
						Rui	RAL C	OUNTIES					
	YAKIMA	(n=139)	CowLitz	(n=135)	CLALLAM-JEFF	ERSON (n=1	43)	GRAYS HARBOR-	PACIFIC (n=125)	SKAGIT	(n=49)	WHATCOM	(n=61)
ALCOHOL/DRUG USE *	DURING TARGET PREGNANCY	AT EXIT $^{\infty}$	DURING TARGET PREGNANCY	AT EXIT $^{\infty}$	DURING TARGET PREGNANCY	AT EXIT	∞	DURING TARGET PREGNANCY	AT EXIT $^{\infty}$	DURING TARGET PREGNANCY	AT EXIT $^{\infty}$	DURING TARGET PREGNANCY	AT EXIT $^{\infty}$
Use of alcohol, cannabis, or any illicit substance	(147/147) 100%	(51/145) 35%	(136/136) 100%	(44/136) 32%	(145/145) 100%	(87/145)	60%	(119/119) 100%	(60/118) 51%	(43/43) 100%	(16/43) 37%	(65/65) 100%	(27/64) 42%
Any illicit drug (all drugs, not including alcohol or cannabis)	(133/136) 98%	(31/145) 21%	(135/135) 100%	(17/134) 13%	(141/145) 97%	(27/145)	19%	(109/115) 95%	(21/116) 18%	(40/40) 100%	(6/42) 14%	(33/36) 92%	(12/64) 19%
Alcohol	(42/133) 32%	(30/141) 21%	(38/132) 29%	(6/129) 5%	(54/142) 38%	(39/144)	27%	(23/106) 22%	(34/114) 30%	(10/37) 27%	(5/27) 19%	(14/34) 41%	(13/47) 28%
Binge alcohol	(25/132) 19%	(9/145) 6%	(18/132) 14%	(1/136) 1%	(36/142) 25%	(5/145)	3%	(19/105) 18%	(11/118) 9%	(3/37) 8%	(0/43) 0%	(8/34) 24%	(3/64) 5%
Cannabis	(60/133) 45%	(29/145) 20%	(73/134) 54%	(28/134) 21%	(96/141) 68%	(63/145)	43%	(57/107) 53%	(43/116) 37%	(23/39) 59%	(10/42) 24%	(16/34) 47%	(21/63) 33%
Cocaine	(10/128) 8%	(1/145) 1%	(2/131) 2%	(0/134) 0%	(5/113) 4%	(1/143)	1%	(0/98) 0%	(2/116) 2%	(3/36) 8%	(0/42) 0%	(7/31) 23%	(1/64) 2%
Fentanyl	No data	(6/144) 4%	No data	(6/134) 4%	No data	(13/141)	9%	No data	(3/113) 3%	No data	(1/42) 2%	No data	(4/64) 6%
Heroin	(41/129) 32%	(13/144) 9%	(66/131) 50%	(2/134) 1%	(62/112) 55%	(5/144)	3%	(35/101) 35%	(13/115) 11%	(13/34) 38%	(1/42) 2%	(18/33) 55%	(4/64) 6%
Other opiates	(9/128) 7%	(8/144) 6%	(7/130) 5%	(3/134) 2%	(45/134) 34%	(4/144)	3%	(6/99) 6%	(6/114) 5%	(3/37) 8%	(1/42) 2%	(3/32) 9%	(3/64) 5%
Methamphetamine	(118/136) 87%	(20/144) 14%	(113/134) 84%	(14/133) 11%	(88/130) 68%	(20/144)	14%	(78/107) 73%	(7/116) 6%	(27/39) 69%	(5/42) 12%	(24/35) 69%	(5/63) 8%
Nicotine (cigarettes/vaping)	(104/135) 77%	(93/143) 65%	(121/134) 90%	(108/134) 81%	(121/141) 86%	(114/145)	79%	(78/110) 71%	(80/116) 69%	(35/39) 90%	(32/42) 76%	(26/35) 74%	(42/63) 67%
	CHELA	N (N=5)		STATEWIDE (r	= 1514)								
	DURING TARGET PREGNANCY	AT EXIT $^{\infty}$	DURING TARGET PI	REGNANCY	AT EXIT $^{\infty}$								
Use of alcohol, cannabis, or any illicit substance	(5/5) 100%	(1/5) 20%	(1514/1514)	100%	(661/1503) 449	%							
Any illicit drug (all drugs, not including alcohol or cannabis)	(4/5) 80%	(0/5) 0%	(1336/1368)) 98%	(265/1476) 18%	ó							
Alcohol	(4/5) 80%	(0/5) 0%	(399/1326)	30%	(292/1407) 21%	ó							
1													

	CHELAN	(c=n)	STATEWI	DE (11= 1514)
	DURING TARGET PREGNANCY	AT EXIT [∞]	DURING TARGET PREGNANCY	AT EXIT $^{\infty}$
Use of alcohol, cannabis, or any illicit substance	(5/5) 100%	(1/5) 20%	(1514/1514) 100%	(661/1503) 44%
Any illicit drug (all drugs, not including alcohol or cannabis)	(4/5) 80%	(0/5) 0%	(1336/1368) 98%	(265/1476) 18%
Alcohol	(4/5) 80%	(0/5) 0%	(399/1326) 30%	(292/1407) 21%
Binge alcohol	(2/5) 40%	(0/5) 0%	(234/1320) 18%	(76/1503) 5%
Cannabis	(3/5) 60%	(1/5) 20%	(752/1334) 56%	(440/1471) 30%
Cocaine	(0/4) 0%	(0/5) 0%	(75/1224) 6%	(10/1467) 1%
Fentanyl	No data	(0/5) 0%	No data	(71/1458) 5%
Heroin	(0/3) 0%	(0/5) 0%	(556/1233) 45%	(106/1464) 7%
Other opiates	(0/3) 0%	(0/5) 0%	(153/1257) 12%	(53/1465) 4%
Methamphetamine	(3/5) 60%	(0/5) 0%	(1028/1314) 78%	(143/1466) 10%
Nicotine (cigarettes/vaping)	(5/5) 100%	(3/5) 60%	(1082/1345) 80%	(1055/1469) 72%

^{*}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

				URBAN C	OUNTIES						F	URAL COUNTIES	s			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
N=	130	133	112	91	128	105	61	94	147	136	145	119	43	65	5	1514
CURRENT ABSTINENCE AT EXIT *																
≥1 month	(63/130)	(81/133)	(59/112)	(49/91)	(64/128)	(61/105)	(30/61)	(57/94)	(96/147)	(94/136)	(63/145)	(49/119)	(27/43)	(42/65)	(4/5)	(839/1514)
	48%	61%	53%	54%	50%	58%	49%	61%	65%	69%	43%	41%	63%	65%	80%	55%
≥ 6 months	(49/130)	(69/133)	(52/112)	(38/91)	(53/128)	(51/105)	(22/61)	(50/94)	(76/147)	(79/136)	(49/145)	(44/119)	(23/43)	(38/65)	(3/5)	(696/1514)
	38%	52%	46%	42%	41%	49%	36%	53%	52%	58%	34%	37%	53%	58%	60%	46%
≥12 months	(40/130)	(55/133)	(47/112)	(32/91)	(47/128)	(48/105)	(21/61)	(46/94)	(69/147)	(70/136)	(39/145)	(38/119)	(21/43)	(35/65)	(2/5)	(610/1514)
	31%	41%	42%	35%	37%	46%	34%	49%	47%	51%	27%	32%	49%	54%	40%	40%
≥18 months	(32/130)	(48/133)	(44/112)	(28/91)	(43/128)	(43/105)	(19/61)	(39/94)	(62/147)	(67/136)	(30/145)	(33/119)	(20/43)	(32/65)	(2/5)	(542/1514)
	25%	36%	39%	31%	34%	41%	31%	41%	42%	49%	21%	28%	47%	49%	40%	36%
≥24 months	(28/130)	(42/133)	(39/112)	(26/91)	(37/128)	(40/105)	(15/61)	(35/94)	(50/147)	(62/136)	(25/145)	(31/119)	(16/43)	(29/65)	(2/5)	(477/1514)
	22%	32%	35%	29%	29%	38%	25%	37%	34%	46%	17%	26%	37%	45%	40%	32%
≥30 months	(23/130)	(34/133)	(37/112)	(21/91)	(33/128)	(33/105)	(14/61)	(32/94)	(41/147)	(58/136)	(20/145)	(25/119)	(13/43)	(28/65)	(2/5)	(414/1514)
	18%	26%	33%	23%	26%	31%	23%	34%	28%	43%	14%	21%	30%	43%	40%	27%
LONGEST ABSTINENCE WHILE IN PROGRAM *																
≥ 6 months	(104/129)	(117/131)	(77/99)	(70/90)	(66/113)	(85/102)	(40/58)	(68/85)	(125/145)	(101/134)	(61/145)	(64/115)	(30/41)	(48/64)	(3/5)	(1059/1456)
	81%	89%	78%	78%	58%	83%	69%	80%	86%	75%	42%	56%	73%	75%	60%	73%
≥12 months	(84/129)	(102/131)	(67/99)	(63/90)	(54/113)	(75/102)	(32/58)	(61/85)	(112/145)	(86/134)	(50/145)	(62/115)	(24/41)	(41/64)	(1/5)	(914/1456)
	65%	78%	68%	70%	48%	74%	55%	72%	77%	64%	34%	54%	59%	64%	20%	63%
≥24 months	(49/129)	(58/131)	(44/99)	(44/90)	(22/113)	(55/102)	(20/58)	(35/85)	(73/145)	(66/134)	(34/145)	(48/115)	(16/41)	(26/64)	(1/5)	(591/1456)
	38%	44%	44%	49%	19%	54%	34%	41%	50%	49%	23%	42%	39%	41%	20%	41%
≥30 months	(35/129)	(43/131)	(37/99)	(33/90)	(15/113)	(47/102)	(17/58)	(27/85)	(55/145)	(57/134)	(28/145)	(42/115)	(10/41)	(22/64)	(1/5)	(469/1456)
	27%	33%	37%	37%	13%	46%	29%	32%	38%	43%	19%	37%	24%	34%	20%	32%

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

DURING THE PROGRAM, OF THOSE WITH EXIT INTERVIEWS

				URBAN (COUNTIES			,	IIII EXII IIVIEKVIE			RURAL COUNTI	ES			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
N=	130	133	112	91	128	105	61	94	147	136	145	119	43	65	5	1514
SUBSEQUENT PREGNANCY & BIRTH *																
Subsequent pregnancy,	(43/130)	(40/131)	(18/100)	(17/90)	(40/117)	(41/103)	(23/60)	(30/89)	(54/146)	(51/136)	(49/145)	(33/115)	(21/42)	(27/64)	(1/5)	(488/1473)
# women with	33%	31%	18%	19%	34%	40%	38%	34%	37%	38%	34%	29%	50%	42%	20%	33%
More than one subs pregnancy	(9/130)	(10/131)	(3/100)	(3/90)	(9/117)	(3/103)	(3/60)	(3/89)	(11/146)	(7/136)	(7/145)	(2/115)	(6/42)	(7/64)	(1/5)	(84/1473)
	7%	8%	3%	3%	8%	3%	5%	3%	8%	5%	5%	2%	14%	11%	20%	6%
Pregnancy terminated	(9/130)	(11/130)	(3/100)	(10/90)	(6/116)	(7/104)	(1/60)	(9/89)	(4/146)	(5/136)	(10/144)	(4/115)	(2/41)	(4/63)	(0/5)	(85/1469)
	7%	8%	3%	11%	5%	7%	2%	10%	3%	4%	7%	3%	5%	6%	0%	6%
Miscarried	(11/130)	(6/130)	(5/100)	(2/90)	(8/116)	(6/104)	(5/60)	(9/88)	(13/146)	(9/136)	(21/144)	(12/115)	(3/40)	(5/64)	(0/5)	(115/1468)
	8%	5%	5%	2%	7%	6%	8%	10%	9%	7%	15%	10%	8%	8%	0%	8%
Pregnant at exit	(6/130)	(12/129)	(3/99)	(3/89)	(4/118)	(9/103)	(1/60)	(4/87)	(10/146)	(11/136)	(12/145)	(7/115)	(2/42)	(4/57)	(0/5)	(88/1461)
	5%	9%	3%	3%	3%	9%	2%	5%	7%	8%	8%	6%	5%	7%	0%	6%
Subsequent birth,	(27/130)	(26/131)	(13/100)	(10/90)	(28/118)	(26/103)	(18/60)	(14/88)	(36/146)	(34/136)	(26/144)	(29/115)	(18/42)	(20/64)	(1/5)	(326/1472)
# women with	21%	20%	13%	11%	24%	25%	30%	16%	25%	25%	18%	25%	43%	31%	20%	22%
# with two subs. births	(3/130)	(2/131)	(1/100)	(2/90)	(4/118)	(0/103)	(1/60)	(1/88)	(4/146)	(1/136)	(1/144)	(2/115)	(3/42)	(1/64)	(1/5)	(27/1472)
	2%	2%	1%	2%	3%	0%	2%	1%	3%	1%	1%	2%	7%	2%	20%	2%
Total # subsequent births	30	28	14	12	32	26	19	15	40	35	27	31	21	21	2	353
Exposed subsequent births, # women with	(15/130)	(13/133)	(6/112)	(8/91)	(11/128)	(12/105)	(7/61)	(8/94)	(15/147)	(17/136)	(12/145)	(8/119)	(11/43)	(7/65)	(1/5)	(151/1514)
	12%	10%	5%	9%	9%	11%	11%	9%	10%	13%	8%	7%	26%	11%	20%	10%
Of women w/ subsequent births:	27	26	13	10	28	26	18	14	36	34	26	29	18	20	1	326
Abstinent or quit using during pregnancy	(19/27)	(20/26)	(8/13)	(5/10)	(21/26)	(12/24)	(13/18)	(13/14)	(24/31)	(25/32)	(12/25)	(22/28)	(10/18)	(15/19)	(1/1)	(220/312)
	70%	77%	62%	50%	81%	50%	72%	93%	77%	78%	48%	79%	56%	79%	100%	71%
Quit using during pregnancy	(8/27)	(9/26)	(3/13)	(3/10)	(7/26)	(7/24)	(5/18)	(6/14)	(10/31)	(11/32)	(5/25)	(7/28)	(3/18)	(6/19)	(0/1)	(90/312)
	30%	35%	23%	30%	27%	29%	28%	43%	32%	34%	20%	25%	17%	32%	0%	29%
Abstinent throughout pregnancy	(11/27)	(11/26)	(5/13)	(2/10)	(14/28)	(5/26)	(8/18)	(7/14)	(14/36)	(14/34)	(7/26)	(15/29)	(7/18)	(9/20)	(1/1)	(130/326)
	41%	42%	39%	20%	50%	19%	44%	50%	39%	41%	27%	52%	39%	45%	100%	40%
Completed TX during pregnancy	(7/27)	(11/26)	(4/13)	(3/10)	(5/27)	(4/25)	(3/18)	(6/14)	(7/34)	(11/33)	(2/25)	(7/27)	(1/18)	(1/19)	(0/1)	(72/317)
	26%	42%	31%	30%	19%	16%	17%	43%	21%	33%	8%	26%	6%	5%	0%	23%
Custody of subsequent child with client	(20/27)	(20/26)	(10/13)	(6/10)	(22/27)	(20/25)	(17/18)	(8/14)	(23/36)	(28/34)	(19/24)	(23/28)	(12/17)	(17/18)	(0/1)	(245/318)
	74%	77%	77%	60%	81%	80%	94%	57%	64%	82%	79%	82%	71%	94%	0%	77%

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

	SPOKANE	(n=130)	SNOHOMISH	H(n=133)	KING (n	=112)	PIERCE	(n=91)	CLARK	(n=128)	THURSTON-MASO	N-LEWIS (n=105)
FAMILY PLANNING *	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT §	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT
Regular use of a method	(8/127) 6%	(91/130) 70%	(1/74) 1%	(92/130) 71%	(8/108) 7%	(61/100) 61%	(5/91) 5%	(65/90) 72%	(4/127) 3%	(93/116) 80%	(4/105) 4%	(74/105) 70%
Uses "More reliable" method:	(3/122) 2%	(68/130) 52%	(1/74) 1%	(59/130) 45%	(4/104) 4%	(49/100) 49%	(1/87) 1%	(51/90) 57%	(1/124) 1%	(67/116) 58%	(1/102) 1%	(49/105) 47%
Tubal Ligation ∞	(0/117) 0%	(14/130) 11%	(0/72) 0%	(10/130) 8%	(0/97) 0%	(17/100) 17%	(0/84) 0%	(13/90) 14%	(0/118) 0%	(23/116) 20%	(0/95) 0%	(11/105) 10%
Regular Depo Provera Shots	(1/118) 1%	(9/130) 7%	(2/74) 3%	(11/130) 8%	(1/98) 1%	(5/100) 5%	(1/85) 1%	(12/90) 13%	(1/119) 1%	(3/116) 3%	(1/96) 1%	(9/105) 9%
Hormonal Implant	(0/117) 0%	(27/130) 21%	(0/72) 0%	(18/130) 14%	(1/98) 1%	(13/100) 13%	(0/84) 0%	(19/90) 21%	(1/119) 1%	(20/116) 17%	(1/96) 1%	(7/105) 7%
IUD	(2/119) 2%	(19/130) 15%	(1/73) 1%	(20/130) 15%	(2/99) 2%	(12/100) 12%	(0/84) 0%	(12/90) 13%	(1/119) 1%	(20/116) 17%	(0/95) 0%	(23/105) 22%
Regular use of other method, such as contraceptive pills, condoms, etc.	(0/132) 0%	(23/130) 18%	(0/75) 0%	(33/130) 25%	(0/120) 0%	(14/100) 14%	(0/92) 1%	(15/90) 17%	(0/129) 0%	(28/116) 24%	(0/108) 0%	(25/105) 24%
Uses "More reliable" method (above) OR contraceptive pills, patch, nuvaring	(7/126) 6%	(80/130) 62%	(1/74) 1%	(72/130) 55%	(4/104) 4%	(55/100) 55%	(2/88) 2%	(58/90) 64%	(2/125) 2%	(79/116) 68%	(4/105) 4%	(62/105) 59%
	BENTON-FRA	ANKLIN (n=61)	KITSAP	(n=94)	YAKIMA (n = 147)	CowLitz	(n=136)	CLALLAM-JEFF	ERSON (n=145)	GRAYS HARBOR	-PACIFIC (n=119)
	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT
Regular use of a method	(0/42) 0%	(40/60) 67%	(5/92) 5%	(67/89) 75%	(11/141) 8%	(91/146) 62%	(9/136) 7%	(109/136) 80%	(14/145) 10%	(96/145) 66%	(9/119) 8%	(80/114) 70%
Uses "More reliable" method:	(0/42) 0%	(28/60) 47%	(4/91) 4%	(52/89) 58%	(5/135) 4%	(76/146) 52%	(6/133) 5%	(84/136) 62%	(9/140) 6%	(80/145) 55%	(2/113) 2%	(67/114) 59%
Tubal Ligation ∞	(0/38) 0%	(9/60) 15%	(0/80) 0%	(13/89) 15%	(0/128) 0%	(18/146) 12%	(0/121) 0%	(32/136) 24%	(0/120) 0%	(14/145) 10%	(0/109) 0%	(20/114) 18%
Regular Depo Provera Shots	(0/38) 0%	(3/60) 5%	(1/81) 1%	(7/89) 8%	(5/133) 4%	(14/146) 10%	(6/127) 5%	(5/136) 4%	(4/124) 3%	(16/145) 11%	(3/111) 3%	(8/114) 7%
Hormonal Implant	(0/38) 0%	(6/60) 10%	(0/80) 0%	(16/89) 18%	(1/129) 1%	(32/146) 22%	(2/123) 2%	(30/136) 22%	(4/124) 3%	(15/145) 10%	(0/108) 0%	(17/114) 15%
IUD	(1/39) 3%	(10/60) 17%	(5/85) 6%	(17/89) 19%	(1/129) 1%	(22/146) 15%	(3/124) 2%	(17/136) 13%	(6/126) 5%	(36/145) 25%	(0/108) 0%	(23/114) 20%
Regular use of other method, such as pills, condoms, etc.	(0/45) 0%	(12/60) 20%	(0/95) 0%	(16/89) 18%	(2/143) 1%	(15/146) 10%	(1/136) 1%	(25/136) 18%	(0/145) 0%	(16/145) 11%	(1/121) 1%	(13/114) 11%
Uses "More reliable" method (above) OR contraceptive pills, patch, nuvaring	(0/42) 0%	(37/60) 62%	(5/92) 5%	(59/89) 66%	(9/139) 6%	(83/146) 57%	(8/135) 6%	(97/136) 71%	(10/141) 7%	(92/145) 63%	(6/116) 5%	(74/114) 65%
	SKAGIT	(n=43)	WHATCOM	n (n=65)	CHELAN	I (N=5)	STATEWIDE	E (n=1514)				
	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT	PRIOR TO CONCEPTION	AT EXIT				
Regular use of a method	(6/42) 14%	(25/42) 60%	(3/33) 9%	(42/63) 67%	(0/5) 0%	(4/5) 80%	(87/1387) 6%	(1030/1471) 70%				
Uses "More reliable" method:	(3/39) 8%	(22/42) 52%	(1/31) 3%	(31/63) 49%	(0/5) 0%	(3/5) 60%	(41/1342) 3%	(786/1471) 53%				
Tubal Ligation ∞	(0/35) 0%	(8/42) 19%	(0/28) 0%	(5/63) 8%	(0/5) 0%	(0/5) 0%	(0/1247) 0%	(207/1471) 14%				
Regular Depo Provera Shots	(2/37) 5%	(6/42) 14%	(1/29) 3%	(10/63) 16%	(0/5) 0%	(1/5) 20%	(29/1275) 2%	(119/1471) 8%				
Hormonal Implant	(0/35) 0%	(5/42) 12%	(0/28) 0%	(9/63) 14%	(0/5) 0%	(1/5) 20%	(10/1256) 1%	(235/1471) 16%				
IUD	(1/36) 3%	(3/42) 7%	(1/29) 3%	(9/63) 14%	(0/5) 0%	(1/5) 20%	(24/1270) 2%	(244/1471) 17%				
Regular use of other method, such as pills, condoms, etc.	(0/46) 0%	(3/42) 7%	(0/34) 0%	(11/63) 17%	(0/8) 0%	(1/5) 20%	(4/1429) <1%	(250/1471) 17%				
Uses "More reliable" method (above) OR contraceptive pills, patch, or nuvaring	(4/40) 10%	(24/42) 57%	(2/32) 6%	(37/63) 59%	(0/5) 0%	(4/5) 80%	(64/1364) 5%	(913/1471) 62%				

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

AT EXIT COMPARED TO INTAKE, OF THOSE WITH EXIT INTERVIEWS

	SPOKANE	(n=130)	Snohomis	н (n=133)	King (n	=112)	PIERCE	(n=91)	CLARK	(n=128)	THURSTON-MASO	n-Lewis (n=105)
HOUSING AT EXIT *	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT
Permanent/Stable	(38/126) 30%	(97/130) 75%	(5/73) 7%	(106/133) 80%	(12/108) 11%	(61/98) 62%	(15/91) 16%	(52/89) 58%	(53/125) 42%	(90/117) 77%	(31/105) 30%	(73/105) 70%
Transitional drug-free hsg, or TX facility	(45/126) 36%	(11/130) 8%	(34/73) 47%	(15/133) 11%	(56/108) 52%	(13/98) 13%	(33/91) 36%	(14/89) 16%	(23/125) 18%	(7/117) 6%	(16/105) 15%	(9/105) 9%
With friends, relatives temporarily	(28/126) 22%	(10/130) 8%	(19/73) 26%	(6/133) 5%	(26/108) 24%	(14/98) 14%	(33/91) 36%	(12/89) 13%	(30/125) 24%	(12/117) 10%	(34/105) 32%	(12/105) 11%
Other (unstable rentals, etc.)	(4/126) 3%	(7/130) 5%	(3/73) 4%	(1/133) 1%	(2/108) 2%	(6/98) 6%	(3/91) 3%	(2/89) 2%	(5/125) 4%	(0/117) 0%	(5/105) 5%	(5/105) 5%
Transient emergency shelters	(6/126) 5%	(0/130) 0%	(8/73) 11%	(0/133) 0%	(2/108) 2%	(1/98) 1%	(1/91) 1%	(2/89) 2%	(5/125) 4%	(3/117) 3%	(11/105) 10%	(3/105) 3%
Homeless	(5/126) 4%	(5/130) 4%	(4/73) 5%	(5/133) 4%	(10/108) 9%	(3/98) 3%	(6/91) 7%	(7/89) 8%	(9/125) 7%	(5/117) 4%	(8/105) 8%	(3/105) 3%
	BENTON-FRA	NKLIN (n=61)	KITSAF	o (n=94)	YAKIMA	(n=147)	CowLitz	! (n=136)	CLALLAN	I (n=145)	GRAYS HARBOR	-PACIFIC (n=119)
	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT
Permanent/Stable	(14/42) 33%	(51/59) 86%	(17/92) 18%	(63/88) 72%	(24/140) 17%	(93/147) 63%	(36/135) 27%	(105/136) 77%	(53/139) 38%	(96/145) 66%	(28/117) 24%	(80/115) 70%
Transitional drug-free hsg, or TX facility	(8/42) 19%	(1/59) 2%	(25/92) 27%	(7/88) 8%	(76/140) 54%	(14/147) 10%	(32/135) 24%	(8/136) 6%	(8/139) 6%	(6/145) 4%	(7/117) 6%	(5/115) 4%
With friends, relatives temporarily	(19/42) 45%	(4/59) 7%	(29/92) 32%	(11/88) 13%	(34/140) 24%	(25/147) 17%	(46/135) 34%	(17/136) 13%	(55/139) 40%	(20/145) 14%	(52/117) 44%	(24/115) 21%
Other (unstable rentals, etc.)	(0/42) 0%	(3/59) 5%	(4/92) 4%	(2/88) 2%	(2/140) 1%	(2/147) 1%	(1/135) 1%	(2/136) 1%	(6/139) 4%	(3/145) 2%	(3/117) 3%	(2/115) 2%
Transient emergency shelters	(0/42) 0%	(0/59) 0%	(7/92) 8%	(2/88) 2%	(2/140) 1%	(5/147) 3%	(7/135) 5%	(0/136) 0%	(9/139) 6%	(8/145) 6%	(1/117) 1%	(1/115) 1%
Homeless	(1/42) 2%	(0/59) 0%	(10/92) 11%	(3/88) 3%	(2/140) 1%	(8/147) 5%	(13/135) 10%	(4/136) 3%	(8/139) 6%	(12/145) 8%	(26/117) 22%	(3/115) 3%
	SKAGIT	(n=43)	WHATCO	M (n=65)	CHELA	N (N=5)	STATEWIDE	(n=1514)				
	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT	AT ENROLLMENT	AT EXIT				
Permanent/Stable	(5/41) 12%	(26/42) 62%	(7/32) 22%	(52/64) 81%	(3/5) 60%	(4/5) 80%	(341/1371) 25%	(1049/1473) 71%				
Transitional drug-free hsg, or TX facility	(5/41) 12%	(7/42) 17%	(12/32) 38%	(7/64) 11%	(1/5) 20%	(1/5) 20%	(381/1371) 28%	(125/1473) 8%				
With friends, relatives temporarily	(16/41) 39%	(6/42) 14%	(8/32) 25%	(2/64) 3%	(0/5) 0%	(0/5) 0%	(429/1371) 31%	(175/1473) 12%				

(0/64) 0%

(3/64) 5%

(0/64) 0%

(8/41) 20%

(2/41) 5%

(5/41) 12%

Other (unstable rentals, etc.)

Transient emergency shelters

Homeless

(0/42) 0%

(1/42) 2%

(2/42) 5%

(1/32) 3%

(2/32) 6%

(2/32) 6%

Client Exit Outcomes PCAP Report to DBHR, Sep 30, 2023 9/30/2023 Page 34

(0/5) 0%

(1/5) 20%

(0/5) 0%

(0/5) 0%

(0/5) 0%

(0/5) 0%

(47/1371) 3%

(64/1371) 5%

(109/1371) 8%

(35/1473) 2%

(29/1473) 2%

(60/1473) 4%

^{*} Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

				Urban C	OUNTIES						F	RURAL COUNTIE	s			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	Kitsap	YAKIMA	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
n=	130	133	112	91	128	105	61	94	147	136	145	119	43	65	5	1514
CURRENT SOURCES OF INCOME AT EXIT *																
TANF/Public Assistance																
At Enrollment	(82/130)	(26/133)	(46/112)	(53/91)	(53/128)	(42/105)	(19/61)	(60/94)	(67/147)	(71/136)	(49/145)	(42/119)	(16/43)	(16/65)	(1/5)	(643/1514)
	63%	20%	41%	58%	41%	40%	31%	64%	46%	52%	34%	35%	37%	25%	20%	42%
Currently [†] receives at exit	(36/128)	(37/132)	(23/101)	(26/89)	(26/118)	(34/103)	(14/59)	(17/85)	(38/146)	(35/135)	(20/145)	(22/116)	(10/42)	(18/63)	(1/5)	(357/1467)
	28%	28%	23%	29%	22%	33%	24%	20%	26%	26%	14%	19%	24%	29%	20%	24%
Avg. (SD)	\$564	\$437	\$480	\$493	\$573	\$514	\$532	\$472	\$489	\$525	\$446	\$449	\$573	\$517	\$600	\$503
	(\$155)	(\$163)	(\$218)	(\$228)	(\$148)	(\$221)	(\$233)	(\$127)	(\$139)	(\$184)	(\$198)	(\$154)	(\$198)	(\$139)	(N/A)	(\$182)
Main source of income at exit	(29/130)	(27/133)	(13/112)	(15/91)	(21/128)	(24/105)	(10/61)	(12/94)	(23/147)	(17/136)	(14/145)	(13/119)	(8/43)	(11/65)	(1/5)	(238/1514)
	22%	20%	12%	16%	16%	23%	16%	13%	16%	13%	10%	11%	19%	17%	20%	16%
SSI (for self or child)																
At Enrollment	(10/130)	(2/133)	(10/112)	(7/91)	(6/128)	(13/105)	(6/61)	(6/94)	(13/147)	(8/136)	(12/145)	(10/119)	(4/43)	(3/65)	(1/5)	(111/1514)
	8%	2%	9%	8%	5%	12%	10%	6%	9%	6%	8%	8%	9%	5%	20%	7%
Currently $ au$ receives at exit	(22/129)	(26/132)	(18/102)	(15/90)	(11/118)	(21/102)	(14/60)	(15/88)	(28/147)	(14/136)	(13/144)	(19/116)	(6/42)	(14/63)	(1/5)	(237/1474)
	17%	20%	18%	17%	9%	21%	23%	17%	19%	10%	9%	16%	14%	22%	20%	16%
Avg. (SD)	\$772	\$834	\$618	\$792	\$719	\$817	\$739	\$780	\$900	\$747	\$765	\$860	\$937	\$718	\$860	\$790
	(\$441)	(\$652)	(\$222)	(\$326)	(\$406)	(\$591)	(\$396)	(\$467)	(\$459)	(\$289)	(\$284)	(\$541)	(\$530)	(\$323)	(N/A)	(\$451)
Main source of income at exit	(16/130)	(17/133)	(13/112)	(12/91)	(9/128)	(15/105)	(10/61)	(12/94)	(20/147)	(10/136)	(10/145)	(13/119)	(6/43)	(12/65)	(0/5)	(175/1514)
	12%	13%	12%	13%	7%	14%	16%	13%	14%	7%	7%	11%	14%	18%	0%	12%
Employment																
At Enrollment	(14/130)	(6/133)	(10/112)	(10/91)	(16/128)	(12/105)	(6/61)	(7/94)	(5/147)	(15/136)	(21/145)	(9/119)	(9/43)	(2/65)	(1/5)	(143/1514)
	11%	5%	9%	11%	13%	11%	10%	7%	3%	11%	14%	8%	21%	3%	20%	9%
Currently [†] receives at exit	(37/129)	(60/132)	(44/102)	(39/90)	(52/117)	(39/100)	(25/60)	(40/88)	(54/146)	(52/135)	(70/145)	(49/116)	(15/42)	(27/64)	(1/5)	(604/1471)
	29%	45%	43%	43%	44%	39%	42%	45%	37%	39%	48%	42%	36%	42%	20%	41%
Avg. (SD)	\$1349	\$1589	\$1618	\$1276	\$1420	\$1549	\$1568	\$1375	\$1533	\$1425	\$1442	\$1407	\$1165	\$1030	\$1400	\$1437
	(\$812)	(\$1058)	(\$1272)	(\$1155)	(\$986)	(\$891)	(\$816)	(\$943)	(\$726)	(\$855)	(\$1020)	(\$893)	(\$891)	(\$891)	(N/A)	(\$963)
Main source of income at exit	(33/130)	(49/133)	(41/112)	(32/91)	(41/128)	(27/105)	(23/61)	(32/94)	(51/147)	(41/136)	(59/145)	(39/119)	(11/43)	(26/65)	(1/5)	(506/1514)
	25%	37%	37%	35%	32%	26%	38%	34%	35%	30%	41%	33%	26%	40%	20%	33%
Unemployment main source	(5/130)	(4/133)	(4/112)	(3/91)	(6/128)	(1/105)	(2/61)	(3/94)	(1/147)	(9/136)	(2/145)	(3/119)	(2/43)	(3/65)	(0/5)	(48/1514)
	4%	3%	4%	3%	5%	1%	3%	3%	1%	7%	1%	3%	5%	5%	<i>0%</i>	3%
During 3 yr program, employment replaced government cash assistance	(36/119) 30%	(46/113) 41%	(36/95) 38%	(38/77) 49%	(49/84) 58%	(41/98) 42%	(23/56) 41%	(37/84) 44%	(60/105) 57%	(60/109) 55%	(45/140) 32%	(40/97) 41%	(17/31) 55%	(19/54) 35%	(0/5) <i>0</i> %	(547/1267) 43%

^{*}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

				Urban C	OUNTIES						F	RURAL COUNTIE	s			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
n=	130	133	112	91	128	105	61	94	147	136	145	119	43	65	5	1514
INCOME AT EXIT*																
Monthly Income, Exit avg. (SD) all clients, all sources	\$676 (\$1145)	\$1152 (\$1491)	\$650 (\$1045)	\$754 (\$1066)	\$784 (\$1058)	\$1029 (\$1298)	\$1079 (\$1441)	\$969 (\$1248)	\$913 (\$871)	\$1435 (\$1575)	\$1026 (\$1202)	\$1129 (\$1379)	\$515 (\$866)	\$595 (\$741)	\$354 (\$847)	\$909 (\$1222)
\$500 or less	(51/126) 40%	(44/133) 33%	(52/111) 47%	(29/87) 33%	(50/123) 41%	(35/101) 35%	(15/61) 25%	(35/92) 38%	(49/143) 34%	(28/131) 21%	(64/143) 45%	(47/118) 40%	(16/43) 37%	(19/64) 30%	(1/5) 20%	(535/1481) 36%
\$501 – \$1000	(34/126) 27%	(28/133) 21%	(19/111) 17%	(21/87) 24%	(27/123) 22%	(20/101) 20%	(16/61) 26%	(23/92) 25%	(34/143) 24%	(26/131) 20%	(20/143) 14%	(12/118) 10%	(12/43) 28%	(22/64) 34%	(1/5) 20%	(315/1481) 21%
\$1001 – \$2000	(28/126) 22%	(32/133) 24%	(22/111) 20%	(20/87) 23%	(24/123) 20%	(25/101) 25%	(19/61) 31%	(18/92) 20%	(42/143) 29%	(43/131) 33%	(37/143) 26%	(33/118) 28%	(10/43) 23%	(19/64) 30%	(1/5) 20%	(373/1481) 25%
\$2001 – \$3000	(9/126) 7%	(15/133) 11%	(12/111) 11%	(12/87) 14%	(14/123) 11%	(12/101) 12%	(8/61) 13%	(10/92) 11%	(14/143) 10%	(16/131) 12%	(14/143) 10%	(10/118) 8%	(3/43) 7%	(3/64) 5%	(2/5) 40%	(154/1481) 10%
\$3001 – \$4000	(1/126) 1%	(7/133) 5%	(4/111) 4%	(3/87)	(5/123) 4%	(4/101) 4%	(1/61) 2%	(3/92)	(4/143) 3%	(8/131) 6%	(4/143) 3%	(8/118) 7%	(1/43) 2%	(1/64) 2%	(0/5) 0%	(54/1481) 4%
\$4001 or more	(3/126)	(7/133) 5%	(2/111) 2%	(2/87) 2%	(3/123)	(5/101) 5%	(2/61) 3%	(3/92)	(0/143) 0%	(10/131) 8%	(4/143) 3%	(8/118) 7%	(1/43) 2%	(0/64) 0%	(0/5) 0%	(50/1481) 3%

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

				URBAN C	OUNTIES						R	URAL COUNTIES	1			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
n= EDUCATION DURING PROGRAM	188	157	172	137	165	132	80	106	159	153	151	140	78	98	21	1937
Attended some type of class (GED, college, work training)	(93/183) 51%	(72/154) 47%	(76/172) 44%	(70/137) 51%	(78/164) 48%	(55/132) 42%	(37/80) 46%	(63/106) 59%	(95/158) 60%	(67/153) 44%	(79/151) 52%	(80/140) 57%	(31/70) 44%	(42/92) 46%	(9/21) 43%	(947/1913) 50%
Completed some type of class (GED, college, work training)	(53/183) 29%	(49/154) 32%	(45/171) 26%	(48/137) 35%	(46/164) 28%	(31/132) 23%	(25/80) 31%	(40/105) 38%	(72/158) 46%	(35/152) 23%	(64/150) 43%	(59/140) 42%	(11/69) 16%	(29/92) 32%	(4/20) 20%	(611/1907) 32%
Attended or completed GED classes	(20/183) 11%	(13/154) 8%	(16/172) 9%	(17/137) 12%	(22/164) 13%	(11/132) 8%	(15/80) 19%	(15/106) 14%	(37/158) 23%	(23/153) 15%	(28/151) 19%	(29/140) 21%	(14/70) 20%	(9/92) 10%	(3/21) 14%	(272/1913) 14%
Of these, completed GED	(8/20) 40%	(7/13) 54%	(3/16) 19%	(12/17) 71%	(5/22) 23%	(4/11) 36%	(4/15) 27%	(3/15) 20%	(27/37) 73%	(6/23) 26%	(21/28) 75%	(14/29) 48%	(3/14) 21%	(5/9) 56%	(0/3) 0%	(122/272) 45%
Attended or completed college classes	(33/183) 18%	(34/154) 22%	(30/172) 17%	(36/137) 26%	(21/164) 13%	(24/132) 18%	(16/80) 20%	(28/106) 26%	(30/158) 19%	(27/153) 18%	(31/151) 21%	(42/140) 30%	(13/70) 19%	(20/92) 22%	(5/21) 24%	(390/1913) 20%
Of these, completed college class(es)	(13/33) 39%	(16/34) 47%	(13/30) 43%	(13/36) 36%	(8/21) 38%	(9/24) 38%	(7/16) 44%	(11/28) 39%	(22/30) 73%	(12/27) 44%	(18/31) 58%	(24/42) 57%	(4/13) 31%	(10/20) 50%	(0/5) 0%	(180/390) 46%
Attended or completed work training classes	(53/183) 29%	(45/154) 29%	(54/172) 31%	(41/137) 30%	(57/164) 35%	(31/132) 23%	(21/80) 26%	(44/106) 42%	(64/158) 41%	(46/153) 30%	(40/151) 26%	(52/140) 37%	(16/70) 23%	(24/92) 26%	(7/21) 33%	(595/1913) 31%
Attended or completed other educational classes	(48/183) 26%	(43/154) 28%	(51/172) 30%	(43/137) 31%	(52/164) 32%	(34/132) 26%	(23/80) 29%	(43/106) 41%	(62/158) 39%	(41/153) 27%	(45/151) 30%	(48/140) 34%	(15/70) 21%	(24/92) 26%	(6/21) 29%	(578/1913) 30%

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

				URBAN C	COUNTIES						F	RURAL COUNTIE	s]
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
n=	130	133	112	91	128	105	61	94	147	136	145	119	43	65	5	1514
LEGAL CUSTODY OF TARGET CHILD AT EXIT *																
In custody of bio mom	(85/128)	(104/131)	(78/103)	(68/91)	(94/124)	(74/105)	(50/61)	(66/92)	(107/144)	(106/136)	(98/145)	(81/113)	(29/43)	(49/64)	(3/5)	(1092/1485)
	66%	79%	76%	75%	76%	70%	82%	72%	74%	78%	68%	72%	67%	77%	60%	74%
In care of other family/friend (incl. FOB)	(10/128)	(8/131)	(9/103)	(11/91)	(2/124)	(9/105)	(8/61)	(7/92)	(15/144)	(9/136)	(25/145)	(17/113)	(5/43)	(7/64)	(1/5)	(143/1485)
	8%	6%	9%	12%	2%	9%	13%	8%	10%	7%	17%	15%	12%	11%	20%	10%
In State Foster Care system	(13/128)	(8/131)	(10/103)	(6/91)	(21/124)	(8/105)	(1/61)	(7/92)	(15/144)	(11/136)	(8/145)	(5/113)	(5/43)	(3/64)	(0/5)	(121/1485)
	10%	6%	10%	7%	17%	8%	2%	8%	10%	8%	6%	4%	12%	5%	0%	8%
Legally adopted	(20/128)	(9/131)	(3/103)	(5/91)	(7/124)	(9/105)	(1/61)	(9/92)	(4/144)	(7/136)	(12/145)	(9/113)	(2/43)	(4/64)	(1/5)	(102/1485)
	16%	7%	3%	5%	6%	9%	2%	10%	3%	5%	8%	8%	5%	6%	20%	7%
Through Tribal Courts/CPS	(0/128)	(1/131)	(1/103)	(1/91)	(0/124)	(3/105)	(1/61)	(1/92)	(2/144)	(2/136)	(0/145)	(1/113)	(0/43)	(0/64)	(0/5)	(13/1485)
	0%	1%	1%	1%	0%	3%	2%	1%	1%	1%	0%	1%	0%	0%	0%	1%
Target child deceased/term./	(0/128)	(1/131)	(2/103)	(0/91)	(0/124)	(2/105)	(0/61)	(2/92)	(1/144)	(1/136)	(2/145)	(0/113)	(2/43)	(1/64)	(0/5)	(14/1485)
misc./stillbirth	0%	1%	2%	0%	0%	2%	0%	2%	1%	1%	1%	0%	5%	2%	0%	1%
TARGET CHILD LIVING WITH AT EXIT *																
Bio mom	(86/129)	(101/132)	(76/106)	(62/91)	(93/126)	(78/105)	(51/61)	(63/93)	(107/146)	(99/136)	(94/145)	(79/116)	(27/43)	(51/64)	(3/5)	(1070/1498)
	67%	77%	72%	68%	74%	74%	84%	68%	73%	73%	65%	68%	63%	80%	60%	71%
Family member/friend	(17/129)	(16/132)	(17/106)	(20/91)	(14/126)	(14/105)	(8/61)	(14/93)	(24/146)	(22/136)	(36/145)	(20/116)	(8/43)	(8/64)	(1/5)	(239/1498)
	13%	12%	16%	22%	11%	13%	13%	15%	16%	16%	25%	17%	19%	13%	20%	16%
State Foster Care system	(9/129)	(6/132)	(8/106)	(4/91)	(12/126)	(3/105)	(1/61)	(5/93)	(10/146)	(7/136)	(3/145)	(8/116)	(4/43)	(0/64)	(0/5)	(80/1498)
	7%	5%	8%	4%	10%	3%	2%	5%	7%	5%	2%	7%	9%	0%	0%	5%
Adoptive parents	(17/129)	(8/132)	(3/106)	(5/91)	(7/126)	(8/105)	(1/61)	(9/93)	(4/146)	(7/136)	(10/145)	(9/116)	(2/43)	(4/64)	(1/5)	(95/1498)
	13%	6%	3%	5%	6%	8%	2%	10%	3%	5%	7%	8%	5%	6%	20%	6%
Target child deceased/term./	(0/129)	(1/132)	(2/106)	(0/91)	(0/126)	(2/105)	(0/61)	(2/93)	(1/146)	(1/136)	(2/145)	(0/116)	(2/43)	(1/64)	(0/5)	(14/1498)
misc./stillbirth	0%	1%	2%	0%	0%	2%	0%	2%	1%	1%	1%	0%	5%	2%	0%	1%

 $FOB = Father\ of\ baby$ $CPS = Child\ Protective\ Services$

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

				URBAN C	COUNTIES						F	RURAL COUNTIE	S			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
n=	130	133	112	91	128	105	61	94	147	136	145	119	43	65	5	1514
WHERE TARGET CHILD LIVED DURING PROGRAM *																
Always with mom	(45/129)	(53/132)	(46/104)	(35/90)	(63/125)	(42/103)	(38/61)	(39/92)	(53/146)	(64/135)	(69/145)	(44/117)	(12/39)	(37/63)	(1/5)	(641/1486)
	35%	40%	44%	39%	50%	41%	62%	42%	36%	47%	48%	38%	31%	59%	20%	43%
Never with mom	(13/129)	(8/132)	(6/104)	(8/90)	(14/125)	(4/103)	(4/61)	(10/92)	(8/146)	(10/135)	(13/145)	(20/117)	(3/39)	(4/63)	(1/5)	(126/1486)
	10%	6%	6%	9%	11%	4%	7%	11%	5%	7%	9%	17%	8%	6%	20%	8%
Overall, avg. months (SD) with bio mom	29.3	28.9	29.3	28.8	26.9	27.6	29.4	28.1	27.5	29.3	26.7	28.7	27.3	31.2	22.5	28.4
	(12.3)	(10.2)	(12.3)	(8.8)	(10.2)	(11.4)	(8.6)	(9.7)	(9.8)	(10.0)	(12.1)	(11.7)	(9.8)	(8.8)	(10.8)	(10.5)
Sometimes lived with family member (no state money)	(22/128)	(27/132)	(27/104)	(20/90)	(27/125)	(23/103)	(16/61)	(18/92)	(40/146)	(34/135)	(49/145)	(30/115)	(11/39)	(12/63)	(1/5)	(357/1483)
	17%	20%	26%	22%	22%	22%	26%	20%	27%	25%	34%	26%	28%	19%	20%	24%
Sometimes lived with family member (family received state money)	(8/128)	(26/132)	(11/104)	(10/90)	(4/125)	(4/103)	(1/61)	(7/92)	(18/146)	(3/135)	(7/145)	(6/116)	(6/39)	(5/63)	(0/5)	(116/1484)
	6%	20%	11%	11%	3%	4%	2%	8%	12%	2%	5%	5%	15%	8%	0%	8%
Never in state foster care	(82/128)	(107/132)	(86/103)	(64/90)	(88/124)	(72/103)	(55/61)	(68/92)	(101/146)	(105/135)	(132/145)	(84/116)	(27/39)	(54/63)	(3/5)	(1128/1482)
	64%	81%	83%	71%	71%	70%	90%	74%	69%	78%	91%	72%	69%	86%	60%	76%
1-23 months in state foster care	(41/128)	(21/132)	(12/103)	(25/90)	(27/124)	(25/103)	(4/61)	(21/92)	(39/146)	(21/135)	(13/145)	(24/116)	(10/39)	(8/63)	(2/5)	(293/1482)
	32%	16%	12%	28%	22%	24%	7%	23%	27%	16%	9%	21%	26%	13%	40%	20%
2 yrs or more in state foster care	(5/128)	(4/132)	(5/103)	(1/90)	(9/124)	(6/103)	(2/61)	(3/92)	(6/146)	(9/135)	(0/145)	(8/116)	(2/39)	(1/63)	(0/5)	(61/1482)
	4%	3%	5%	1%	7%	6%	3%	3%	4%	7%	0%	7%	5%	2%	0%	4%
Of those in state foster care, Avg. mos (SD)	11.1	10.4	12.5	9.0	14.4	12.1	13.3	12.0	11.4	14.5	8.2	14.7	15.2	8.0	15.0	12.1
	(9.6)	(9.2)	(12.2)	(6.6)	(10.0)	(8.4)	(13.6)	(8.4)	(9.1)	(12.0)	(6.6)	(11.9)	(10.7)	(11.2)	(7.1)	(9.9)

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

				URBAN (COUNTIES						Ru	JRAL COUNTIES				
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLitz	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
n=	130	133	112	91	128	105	61	94	147	136	145	119	43	65	5	1514
TARGET CHILD HEALTH AT EXIT *																
Of those whose information is known:																
Well-child care and fully immunized	(97/103)	(115/123)	(87/97)	(78/83)	(107/117)	(87/94)	(50/60)	(75/83)	(126/130)	(112/122)	(114/131)	(90/97)	(32/32)	(52/59)	(3/3)	(1225/1334)
	94%	93%	90%	94%	91%	93%	83%	90%	97%	92%	87%	93%	100%	88%	100%	92%
Regular well-child visits	(103/103)	(122/123)	(96/97)	(85/85)	(115/117)	(94/95)	(59/60)	(83/83)	(131/131)	(122/222)	(133/135)	(95/97)	(33/33)	(58/60)	(3/3)	(1332/1344)
	100%	99%	99%	100%	98%	99%	98%	100%	100%	100%	99%	98%	100%	97%	100%	99%
Immunizations up to date	(97/105)	(120/128)	(90/99)	(79/84)	(109/118)	(89/96)	(50/60)	(80/88)	(128/132)	(114/124)	(115/132)	(94/101)	(35/35)	(54/60)	(5/5)	(1259/1367)
	92%	94%	91%	94%	92%	93%	83%	91%	97%	92%	87%	93%	100%	90%	100%	92%
Dentist visits	(89/105)	(115/127)	(79/92)	(71/83)	(97/106)	(81/97)	(51/59)	(78/85)	(126/133)	(107/123)	(97/118)	(94/98)	(33/37)	(50/55)	(5/5)	(1173/1323)
	85%	91%	86%	86%	92%	84%	86%	92%	95%	87%	82%	96%	89%	91%	100%	89%
Expressed need, but no dental visit	(16/105)	(12/127)	(13/92)	(12/83)	(9/106)	(16/97)	(8/59)	(7/85)	(7/133)	(16/123)	(21/118)	(4/98)	(4/37)	(5/55)	(0/5)	(150/1323)
	15%	9%	14%	14%	8%	16%	14%	8%	5%	13%	18%	4%	11%	9%	0%	11%
Mother enrolled in WIC at exit	(59/126)	(49/131)	(38/95)	(38/83)	(48/109)	(35/99)	(33/60)	(38/87)	(84/133)	(56/131)	(56/140)	(50/112)	(20/42)	(34/57)	(2/5)	(640/1410)
	47%	37%	40%	46%	44%	35%	55%	44%	63%	43%	40%	45%	48%	60%	40%	45%
TARGET CHILD DIAGNOSED WITH FAS/ARND DURING PROGRAM																
Diagnosed with FASD/ARND	(0/121)	(1/126)	(0/100)	(2/89)	(0/120)	(1/98)	(0/60)	(0/90)	(0/139)	(1/127)	(0/141)	(1/103)	(0/39)	(1/61)	(0/5)	(7/1419)
	0%	1%	0%	2%	0%	1%	0%	0%	0%	1%	0%	1%	0%	2%	0%	1%
FASD suspected but no diagnosis	(0/121)	(0/126)	(3/100)	(0/89)	(1/120)	(0/98)	(0/60)	(0/90)	(1/139)	(0/127)	(0/141)	(0/103)	(0/39)	(0/61)	(0/5)	(5/1419)
	0%	0%	3%	0%	1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	<1%

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

				URBAN (COUNTIES							RURAL COUNTIE	s]
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
	188	157	172	137	165	132	80	106	159	153	151	140	78	98	21	1937
TARGET CHILD USED THERAPEUTIC SERVICE	(80/110)	(57/130)	(42/99)	(43/86)	(36/115)	(21/98)	(20/60)	(36/88)	(35/137)	(42/125)	(50/140)	(33/101)	(15/38)	(18/60)	(4/5)	(531/1392)
	73%	44%	42%	50%	31%	21%	33%	41%	26%	34%	36%	32%	40%	30%	80%	38%
Therapeutic Daycare / Head	(27/117)	(4/133)	(14/110)	(10/86)	(5/117)	(6/106)	(7/69)	(18/90)	(4/139)	(24/126)	(31/140)	(2/102)	(3/41)	(3/65)	(1/12)	(159/1453)
Start	23%	3%	13%	12%	4%	6%	10%	20%	3%	19%	22%	2%	7%	5%	8%	11%
Physical Therapy	(18/117)	(8/133)	(7/110)	(13/86)	(5/117)	(6/106)	(4/69)	(3/90)	(3/139)	(1/126)	(1/140)	(7/102)	(4/41)	(4/65)	(0/12)	(84/1453)
	15%	6%	6%	15%	4%	6%	6%	3%	2%	1%	1%	7%	10%	6%	0%	6%
Occupational Therapy	(16/117)	(8/133)	(10/110)	(10/86)	(7/117)	(1/106)	(3/69)	(2/90)	(5/139)	(1/126)	(0/140)	(11/101)	(2/41)	(4/65)	(0/12)	(80/1453)
	14%	6%	9%	12%	6%	1%	4%	2%	4%	1%	0%	11%	5%	6%	0%	6%
Developmental Stimulation	(2/117)	(1/133)	(3/110)	(10/86)	(4/117)	(3/106)	(1/69)	(1/90)	(4/139)	(16/126)	(3/140)	(3/102)	(0/41)	(3/65)	(0/12)	(54/1453)
Program	2%	1%	3%	12%	3%	3%	1%	1%	3%	13%	2%	3%	0%	5%	0%	4%
FAS Clinic	(0/117)	(0/133)	(0/110)	(1/86)	(0/117)	(0/106)	(0/69)	(0/90)	(0/139)	(0/126)	(0/140)	(0/102)	(0/41)	(0/65)	(0/12)	(1/1453)
	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	<1%
TC lived in a hospital or medical facility for 1 month or more	(26/128)	(13/132)	(10/104)	(3/90)	(0/125)	(2/103)	(3/61)	(9/92)	(5/146)	(1/135)	(2/145)	(13/116)	(1/39)	(2/63)	(0/5)	(90/1484)
	20%	10%	10%	3%	0%	2%	5%	10%	3%	1%	1%	11%	3%	3%	0%	6%
EMERGENCY ROOM USE, PAST YEAR * †																
Client visited Emergency	(50/130)	(39/130)	(33/100)	(32/89)	(37/111)	(42/101)	(20/60)	(42/89)	(62/144)	(57/136)	(59/144)	(39/111)	(13/40)	(21/63)	(1/5)	(547/1453)
Room (E.R.)	38%	30%	33%	36%	33%	42%	33%	47%	43%	42%	41%	35%	33%	33%	20%	38%
All ER visits were appropriate	(44/50)	(37/39)	(31/33)	(28/32)	(25/37)	(33/42)	(13/20)	(29/42)	(53/62)	(50/57)	(32/59)	(36/39)	(7/13)	(17/21)	(1/1)	(436/547)
	88%	95%	94%	88%	68%	79%	65%	69%	85%	88%	54%	92%	54%	81%	100%	80%
Client's child (TC or other) visited E.R.	(30/104)	(47/129)	(31/94)	(34/82)	(29/103)	(40/92)	(28/58)	(32/83)	(41/131)	(50/128)	(36/127)	(35/97)	(10/36)	(13/59)	(1/4)	(457/1327)
	29%	36%	33%	41%	28%	43%	48%	39%	31%	39%	28%	36%	28%	22%	25%	34%
All ER visits were appropriate	(30/30)	(35/47)	(28/31)	(30/34)	(23/29)	(33/40)	(17/28)	(26/32)	(33/41)	(48/50)	(21/36)	(27/35)	(7/10)	(12/13)	(1/1)	(371/457)
	100%	74%	90%	88%	79%	83%	61%	81%	80%	96%	58%	77%	70%	92%	100%	81%

[†] Appropriate use defined as a true medical emergency; healthcare that should have been provided at a clinic or through a primary care provider was coded as inappropriate use. Individuals may have had more than one visit to the ER during the intervention, some appropriate, some not appropriate.

^{*}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

				URBAN (COUNTIES						R	RURAL COUNTIE	s			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	Kitsap	YAKIMA	CowLitz	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	Wнатсом	CHELAN	PCAP STATEWIDE
n=	188	157	172	137	165	132	80	106	159	153	151	140	78	98	21	1937
DOMESTIC VIOLENCE Hx of DV as Adult In Abusive Relationship at	(165/184) 90% (13/130)	(91/154) 59% (5/108)	(152/172) 88% (6/94)	(117/137) 85% (14/88)	(144/165) 87% (12/116)	(119/132) 90% (10/101)	(64/78) 82% (1/59)	(93/106) 88% (3/88)	(142/159) 89% (11/147)	(129/153) 84% (13/135)	(135/151) 89% (7/145)	(125/140) 89% (5/114)	(67/78) 86% (1/41)	(65/92) 71% (8/63)	(17/20) 85% (1/5)	(1625/1921) 85% (110/1434)
Exit During past year, of those with current need:	10%	5%	6%	16%	10%	10%	2%	3%	7%	10%	5%	4%	2%	13%	20%	8%
Obtained DV Services	(11/20) 55%	(8/13) 62%	(10/14) 71%	(9/20) 45%	(12/22) 55%	(9/32) 28%	(6/20) 30%	(13/18) 72%	(9/28) 32%	(15/17) 88%	(18/22) 82%	(21/27) 78%	(2/4) 50%	(13/17) 77%	(3/3) 100%	(159/277) 57%

^{→ *}Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).

				URBAN C	OUNTIES						F	RURAL COUNTIE	s			
	SPOKANE	Snohomish	King	PIERCE	CLARK	THURSTON- MASON- LEWIS	BENTON- FRANKLIN	KITSAP	YAKIMA	CowLiTZ	CLALLAM- JEFFERSON	GRAYS HAR- BOR-PACIFIC	SKAGIT	WHATCOM	CHELAN	PCAP STATEWIDE
OTHER SERVICE CONNECTION * n=	130	133	112	91	128	105	61	94	147	136	145	119	43	65	5	1514
In the year prior to exit, was connected to:																
Family doctor/clinic	(94/114)	(115/127)	(70/90)	(72/87)	(89/100)	(82/100)	(49/57)	(77/87)	(132/142)	(121/133)	(121/134)	(93/109)	(35/40)	(60/63)	(3/5)	(1213/1388)
	82%	91%	78%	83%	89%	82%	86%	89%	93%	91%	90%	85%	88%	95%	60%	87%
Other family healthcare	(106/120)	(120/126)	(82/92)	(82/88)	(90/102)	(66/94)	(52/59)	(82/90)	(128/141)	(118/128)	(111/133)	(97/108)	(32/42)	(61/63)	(4/5)	(1231/1391)
	88%	95%	89%	93%	88%	70%	88%	91%	91%	92%	83%	90%	76%	97%	80%	88%
Mental health services	(49/85)	(64/93)	(44/59)	(33/60)	(58/73)	(33/68)	(22/41)	(37/56)	(40/92)	(44/75)	(51/59)	(31/59)	(17/19)	(33/38)	(2/4)	(558/881)
	58%	69%	75%	55%	80%	49%	54%	66%	43%	59%	86%	53%	89%	87%	50%	63%
Alcohol/drug support group	(28/42)	(82/90)	(46/65)	(41/56)	(53/63)	(44/66)	(21/39)	(44/57)	(59/116)	(48/55)	(60/62)	(38/54)	(23/25)	(27/32)	(2/3)	(616/825)
	67%	91%	71%	73%	84%	67%	54%	77%	51%	87%	97%	70%	92%	84%	67%	75%
Other support group	(30/46)	(52/61)	(29/45)	(22/34)	(40/59)	(24/50)	(14/31)	(16/25)	(16/78)	(18/22)	(33/37)	(25/44)	(7/9)	(18/29)	(2/4)	(346/573)
	65%	85%	64%	65%	68%	48%	45%	67%	21%	82%	89%	57%	78%	62%	50%	60%
Basic services (food, clothes)	(53/53)	(39/46)	(36/45)	(40/50)	(50/58)	(43/58)	(20/35)	(35/44)	(55/78)	(36/38)	(68/72)	(42/48)	(14/18)	(38/40)	(3/3)	(572/685)
	100%	85%	80%	80%	86%	74%	57%	80%	71%	95%	96%	88%	78%	98%	100%	84%
Legal services	(39/42)	(53/62)	(26/35)	(24/29)	(25/30)	(11/38)	(12/29)	(22/24)	(23/35)	(18/22)	(24/26)	(34/44)	(6/6)	(14/18)	(2/2)	(333/442)
	93%	85%	74%	83%	83%	29%	41%	92%	66%	82%	92%	77%	100%	78%	100%	75%
Public school services	(10/11) 91%	(44/47) 94%	(19/20) 95%	(19/22) 86%	(20/22) 91%	(32/43) 74%	(20/27) 74%	(10/11) 91%	(53/57) 93%	(17/18) 94%	(16/17) 94%	(28/31) 90%	(4/5) 80%	(12/12) 100%	-	(301/339) 89%
Childcare	(62/65) 95%	(77/84) 92%	(54/59) 92%	(48/50) 96%	(57/57) 100%	(44/66) 67%	(21/32) 66%	(44/45) 98%	(86/91) 95%	(62/63 98%	(41/42) 98%	(46/49) 94%	(21/21) 100%	(29/37) 78%	-	(692/761) 91%

[†] Note: denominator reflects only those who reported a need for the service.

^{*} Tables marked with an asterisk include only those clients with Exit Interview information (130 in Spokane, 133 in Snohomish, 112 in King, 91 in Pierce, 128 in Clark, 105 in Thurston-Mason-Lewis, 61 in Benton-Franklin, 94 in Kitsap, 147 in Yakima; 5 from Chelan, 136 in Cowlitz, 145 in Clallam-Jefferson, 119 in Grays Harbor, 43 in Skagit, and 65 in Whatcom Counties).